Rajalakshmi Engineering College

Name: Shashwataarya MP

Email: 241801261@rajalakshmi.edu.in

Roll no: 2116241801261 Phone: 9150441910

Branch: REC

Department: I AI & DS FD

Batch: 2028

Degree: B.E - AI & DS



NeoColab_REC_CS23231_DATA STRUCTURES

REC_DS using C_Week 3_COD_Question 5

Attempt : 1 Total Mark : 10 Marks Obtained : 10

Section 1: Coding

1. Problem Statement

Milton is a diligent clerk at a school who has been assigned the task of managing class schedules. The school has various sections, and Milton needs to keep track of the class schedules for each section using a stack-based system.

He uses a program that allows him to push, pop, and display class schedules for each section. Milton's program uses a stack data structure, and each class schedule is represented as a character. Help him write a program using a linked list.

Input Format

The input consists of integers corresponding to the operation that needs to be performed:

Choice 1: Push the character onto the stack. If the choice is 1, the following input is a space-separated character, representing the class schedule to be pushed onto the stack.

Choice 2: Pop class schedule from the stack

Choice 3: Display the class schedules in the stack.

Choice 4: Exit the program.

Output Format

The output displays messages according to the choice and the status of the stack:

- If the choice is 1, push the given class schedule to the stack and display the following: "Adding Section: [class schedule]"
- If the choice is 2, pop the class schedule from the stack and display the following: "Removing Section: [class schedule]"
- If the choice is 2, and if the stack is empty without any class schedules, print "Stack is empty. Cannot pop."
- If the choice is 3, print the class schedules in the stack in the following: "Enrolled Sections: " followed by the class schedules separated by space.
- If the choice is 3, and there are no class schedules in the stack, print "Stack is empty"
- If the choice is 4, exit the program and display the following: "Exiting the program"
- If any other choice is entered, print "Invalid choice"

Refer to the sample output for the exact format.

Sample Test Case

Input: 1 d

1 h

3

2

```
2116241801261
Output: Adding Section: d
Adding Section: h
Enrolled Section
       Removing Section: h
       Enrolled Sections: d
       Exiting program
       Answer
       #include <stdio.h>
       #include <stdlib.h>
                                                                                 2116241801261
       struct Node {
       char data;
         struct Node* next;
       struct Node* top = NULL;
       // You are using GCC
       void push(char value) {
         struct Node* newNode = (struct Node*)malloc(sizeof(struct Node));
         if (newNode == NULL) {
           printf("Stack Overflow\n");
                                                                                 2116241801261
           return;
        newNode->data = value;
         newNode->next = top;
         top = newNode;
         printf("Adding Section: %c\n", value);
      void pop() {
         if (top == NULL) {
           printf("Stack is empty. Cannot pop.\n");
           return;
         }
         struct Node* temp = top;
         printf("Removing Section: %c\n", temp->data);
op = top->r
free(temp);
        top = top->next;
```

```
void displayStack() {
   if (top == NIII'')
             printf("Stack is empty\n");
             return;
          }
          struct Node* temp = top;
          printf("Enrolled Sections:");
          while (temp != NULL) {
             printf(" %c", temp->data);
             temp = temp->next;
          }
          printf("\n");
    int main() {
          int choice;
          char value;
          do {
             scanf("%d", &choice);
             switch (choice) {
               case 1:
                 scanf(" %c", &value);
usł
breał
case 2:
pon^
                 push(value);
                 break;
                 break;
                  displayStack();
                 break;
               case 4:
                 printf("Exiting program\n");
                 break;
               default:
                 printf("Invalid choice\n");
          } while (choice != 4);
return 0;
```

2176241801261

2116241801261

2176247801261

2176241801261