

FDS EXPERIMENT-10

Shashwath.B

REG NO:250701697

Experiment to understand array function in Data Science.

```
[ ]  import numpy as np

[ ]
    # Creating an array
    arr = np.array([10, 20, 30, 40, 50])

    print("Original Array:", arr)
    ✓ Original Array: [10 20 30 40 50]

[ ]
    # 1. Sum
    print("Sum:", np.sum(arr))
    ✓ Sum: 150

[ ]
    # 2. Mean
    print("Mean:", np.mean(arr))
    ✓ Mean: 30.0

[ ]
    # 3. Maximum
    print("Maximum:", np.max(arr))
    ✓ Maximum: 50

[ ]
    # 4. Minimum
    print("Minimum:", np.min(arr))
    ✓ Minimum: 10
```

```
# 5. Standard Deviation
print("Standard Deviation:", np.std(arr))
```

Standard Deviation: 14.142135623730951

```
# 6. Sorting
print("Sorted Array:", np.sort(arr))
```

Sorted Array: [10 20 30 40 50]

```
# 7. Reshaping
arr2 = np.array([1, 2, 3, 4, 5, 6])
print("Reshaped Array:")
print(arr2.reshape(2, 3))
```

Reshaped Array:
[[1 2 3]
 [4 5 6]]

```
# 8. Finding array size
print("Array Size:", arr.size)
```

Array Size: 5

```
▶ # 9. Finding dimensions
print("Number of Dimensions:", arr.ndim)
```

... Number of Dimensions: 1

```
# 10. Finding shape
print("Shape:", arr.shape)
```

Shape: (5,)

```
# Creating a 2D array
arr2d = np.array([[1, 2, 3],
                  [4, 5, 6],
                  [7, 8, 9]])
```

```
print("\n2D Array:")
print(arr2d)
```

2D Array:
[[1 2 3]
 [4 5 6]
 [7 8 9]]



```
# Sum of all elements
print("Sum of 2D Array:", np.sum(arr2d))
```

... Sum of 2D Array: 45

```
# Row-wise sum
print("Row-wise Sum:", np.sum(arr2d, axis=1))
```

Row-wise Sum: [6 15 24]

```
# Column-wise sum
print("Column-wise Sum:", np.sum(arr2d, axis=0))
```

Column-wise Sum: [12 15 18]

```
# Mean
print("Mean:", np.mean(arr2d))
```

... Mean: 5.0

```
# Maximum and Minimum
print("Maximum:", np.max(arr2d))
print("Minimum:", np.min(arr2d))
```

Maximum: 9

Minimum: 1

```
# Shape
print("Shape:", arr2d.shape)
```

Shape: (3, 3)

```
# Number of dimensions
print("Dimensions:", arr2d.ndim)
```

Dimensions: 2

```
# Accessing an element
print("Element at row 2, column 3:", arr2d[1, 2])
```

Element at row 2, column 3: 6