

DOCTOR VISIT PACK

SYNTHETIC DEMO DATA - NOT A REAL PATIENT

Prepared: 2026-10-04T13:43:36.709335Z | Revision 1

Historical snapshot of deliberately selected information. Source records may later change.

REASON FOR VISIT

Prepare to discuss selected records.

APPOINTMENT CONTEXT | Visit appointment

Provider: Synthetic Clinic

Appointment time: 2026-10-04T14:43:36.709335Z[UTC]

Status: SCHEDULED

VERIFIED RECORD SUMMARY | Hemoglobin

Verified value: 12.1 g/dL

Original source value: 12.1 g/dL

Normalized value: 12.1 g/dL

Report date: 2026-01-12

Laboratory: CarePath Synthetic Laboratory

Supplied reference interval: 12.0 - 16.0

Verification: CONFIRMED

Verified at (UTC): 2026-10-04T13:43:36.709335Z

Source: january-lab.pdf - Page 1

Evidence: Hemoglobin | 12.1 | g/dL | 12.0 - 16.0 |

VERIFIED RECORD SUMMARY | Hemoglobin

Verified value: 10.4 g/dL

Original source value: 10.4 g/dL

Normalized value: 10.4 g/dL

Report date: 2026-09-12

Laboratory: CarePath Synthetic Laboratory

Supplied reference interval: 12.0 - 16.0

Source abnormal flag: LOW

Verification: CONFIRMED

Verified at (UTC): 2026-10-04T13:43:36.709335Z

Source: september-lab.pdf - Page 2

Evidence: Hemoglobin | 10.4 | g/dL | 12.0 - 16.0 | LOW

OBSERVED CHANGES | Hemoglobin

Observed change: DECREASED

Record comparison: Hemoglobin decreased from 11.3 to 10.4 g/dL between the selected reports. This is a numerical comparison, not clinical significance.

Previous report date: 2026-04-12

Current report date: 2026-09-12

Absolute delta: -0.9

Percentage delta: -7.96%

Supplied-interval comparison: REMAINED_OUTSIDE

Source: april-lab.pdf - Page 1

Evidence: Hemoglobin | 11.3 | g/dL | 12.0 - 16.0 | LOW

Source: september-lab.pdf - Page 2

Evidence: Hemoglobin | 10.4 | g/dL | 12.0 - 16.0 | LOW

OBSERVED CHANGES | Vitamin D

Observed change: INCREASED

Record comparison: Vitamin D increased from 24 to 31 ng/mL between the selected reports. This is a numerical comparison, not clinical significance.

Previous report date: 2026-04-12

Current report date: 2026-09-12

Absolute delta: 7

Percentage delta: 29.17%

Supplied-interval comparison: ENTERED_REFERENCE_INTERVAL

Source: april-lab.pdf - Page 1

Evidence: Vitamin D | 24 | ng/mL | 30 - 100 | LOW

Source: september-lab.pdf - Page 2

Evidence: Vitamin D | 31 | ng/mL | 30 - 100 |

SELECTED DOCUMENTS | january-lab.pdf

Document category: LAB_REPORT

Processing state: COMPLETED

Reference only: Original file is not embedded. Inclusion does not verify its medical contents.

Source: january-lab.pdf - Page 1

Evidence: Selected document reference

SELECTED DOCUMENTS | april-lab.pdf

Document category: LAB_REPORT

Processing state: COMPLETED

Reference only: Original file is not embedded. Inclusion does not verify its medical contents.

Source: april-lab.pdf - Page 1

Evidence: Selected document reference

SELECTED DOCUMENTS | september-lab.pdf

Document category: LAB_REPORT

Processing state: COMPLETED

Reference only: Original file is not embedded. Inclusion does not verify its medical contents.

Source: september-lab.pdf - Page 1

Evidence: Selected document reference

USER-REPORTED SYMPTOMS | Synthetic headache

Data type: User-reported symptom

Started (UTC): 2026-10-04T12:43:36.709335Z

Status: ACTIVE

Severity (self-reported): 3 / 10

Frequency: OCCASIONAL

QUESTIONS FOR CLINICIAN | Question for clinician

User draft: Which record changes should we discuss?

IMPORTANT

CarePath organizes user-provided records and does not provide a medical diagnosis.

Symptoms and questions are user-reported. Numerical changes do not establish clinical significance.

Originals are not embedded.