


DO NOT SCALE, DO NOT DOUBT, MAKE SURE



GENERAL TOL EXCEPT OTHERWISE STATED:	
0 - 6	±0.1
6 - 10	±0.2
10 - 30	±0.3
30 - 100	±0.5
100 - 300	±0.8
300 - 1000	±1.2
1000 - 3000<	±2.0
3000<	±2.0
Angle	±1°
UNITS: mm	

Except otherwise stated: Remove all sharp edges and burrs: 0.3mm Surface finish: 1.6 um Screwthread: 6H 6g
DRG NR: POC10-09-001-H-001


TITLE: HM300 Combo Unit Full Harness Layout
Material:



Tel: 013 693 3777
Fax: 013 693 3781
www.fluidsol.co.za

Qty:	Scale: 1:1	A3
Sheet: 1 of 22	Date: 1/17/2011	Rev:
COPYRIGHT: This drawing is the property of IFS and may not be copied or carried over in full or any part thereof to a third party without written permission of IFS.		

DO NOT SCALE, DO NOT DOUBT, MAKE SURE



GENERAL TOL EXCEPT OTHERWISE STATED:	
0 - 6	±0.1
6 - 10	±0.2
10 - 30	±0.3
30 - 100	±0.5
100 - 300	±0.8
300 - 1000	±1.2
1000 - 3000<	±2.0
3000<	±2.0
Angle	±1°
UNITS: mm	

Except otherwise stated:
Remove all sharp edges and burrs: 0.3mm
Surface finish: 1.6 um
Screwthread: 6H 6g



DRG NR:

POC10-09-002-H-A01

TITLE:

HM300 Service Unit - Battery to AJ

MATERIAL:

Tel: 013 693 3777
Fax: 013 693 3781
www.fluidsol.co.za

Qty:

Scale:

1:1

A3

Sheet:

2 of 22

Date:

1/17/2011


Rev:



COPYRIGHT:

This drawing is the property of IFS and may not be copied or carried over in full or any part thereof to a third party without written permission of IFS.

DO NOT SCALE, DO NOT DOUBT, MAKE SURE



GENERAL TOL EXCEPT OTHERWISE STATED:
0 - 6 ±0.1
6 - 10 ±0.2
10 - 30 ±0.3
30 - 100 ±0.5
100 - 300 ±0.8
300 - 1000 ±1.2
1000 - 3000 ±2.0
3000 < ±2.0
Angle ±1°

UNITS: mm

Except otherwise stated:
Remove all sharp edges and burrs: 0.3mm
Surface finish: 1.6 um
Screwthread: 6H 6g



DRG NR:

POC10-09-001-H-B01

TITLE:

HM300 Service Unit - IFS CAB to Fuse Box

MATERIAL:

Tel: 013 693 3777
Fax: 013 693 3781
www.fluidsol.co.za

Qty:

Scale:

1:1

A3

Sheet:

3 of 22

Date:


1/17/2011

Rev:



COPYRIGHT:
This drawing is the property of IFS and may not be copied or carried over in full or any part thereof to a third party without written permission of IFS.

DO NOT SCALE, DO NOT DOUBT, MAKE SURE



GENERAL TOL EXCEPT OTHERWISE STATED:	
0 - 6	±0.1
6 - 10	±0.2
10 - 30	±0.3
30 - 100	±0.5
100 - 300	±0.8
300 - 1000	±1.2
1000 - 3000<	±2.0
3000<	±2.0
Angle	±1°
UNITS: mm	

Except otherwise stated: Remove all sharp edges and burrs: 0.3mm Surface finish: 1.6 um Screwthread: 6H 6g

DRG NR: POC10-09-002-H-C01


TITLE: HM300 Service Unit - Komatsu Hyd. Valve to Fuse Box
Material:



Tel: 013 693 3777
Fax: 013 693 3781
www.fluidsol.co.za

Qty:	Scale: 1:1	A3
Sheet: 4 of 22	Date: 1/17/2011	Rev:
COPYRIGHT: This drawing is the property of IFS and may not be copied or carried over in full or any part thereof to a third party without written permission of IFS.		

DO NOT SCALE, DO NOT DOUBT, MAKE SURE



GENERAL TOL EXCEPT OTHERWISE STATED:
0 - 6 ±0.1
6 - 10 ±0.2
10 - 30 ±0.3
30 - 100 ±0.5
100 - 300 ±0.8
300 - 1000 ±1.2
1000 - 3000 ±2.0
3000 < ±2.0
Angle ±1°

UNITS: mm

Except otherwise stated:
Remove all sharp edges and burrs: 0.3mm
Surface finish: 1.6 um
Screwthread: 6H 6g



DRG NR:

POC10-09-002-H-C11

TITLE:

HM300 Service Unit - Komatsu Hyd. Valve to Harness C01

MATERIAL:

Tel: 013 693 3777
Fax: 013 693 3781
www.fluidsol.co.za

Qty:

Scale:

1:1

A3

Sheet:

5 of 22

Date:

1/17/2011


Rev:



COPYRIGHT:


This drawing is the property of IFS and may not be copied or carried over in full or any part thereof to a third party without written permission of IFS.

DO NOT SCALE, DO NOT DOUBT, MAKE SURE



GENERAL TOL EXCEPT OTHERWISE STATED: 0 - 6 ±0.1 6 - 10 ±0.2 10 - 30 ±0.3 30 - 100 ±0.5 100 - 300 ±0.8 300 - 1000 ±1.2 1000 - 3000< ±2.0 3000< ±2.0 Angle ±1° UNITS: mm	Except otherwise stated: Remove all sharp edges and burrs: 0.3mm Surface finish: 1.6 um Screwthread: 6H 6g 	TITLE: HM300 Service Unit - Raise to Fuse Box (Bypass)		Tel: 013 693 3777 Fax: 013 693 3781 www.fluidsol.co.za		Qty:	Scale:	A3
		Material:				Sheet:	Date:	
		DRG NR: POC10-09-002-H-D01		COPYRIGHT: This drawing is the property of IFS and may not be copied or carried over in full or any part thereof to a third party without written permission of IFS.		6 of 22	1/17/2011	

DO NOT SCALE, DO NOT DOUBT, MAKE SURE



GENERAL TOL EXCEPT OTHERWISE STATED:
0 - 6 ±0.1
6 - 10 ±0.2
10 - 30 ±0.3
30 - 100 ±0.5
100 - 300 ±0.8
300 - 1000 ±1.2
1000 - 3000 ±2.0
3000 < ±2.0
Angle ±1°

UNITS: mm

Except otherwise stated:
Remove all sharp edges and burrs: 0.3mm
Surface finish: 1.6 um
Screwthread: 6H 6g

DRG NR:

POC10-09-002-H-E01

TITLE: HM300 Service Unit - Komatsu Fuse box to AJ


Material:

Tel: 013 693 3777
Fax: 013 693 3781
www.fluidsol.co.za


Qty:	Scale:	A3
Sheet:	Date:	Rev:
7 of 22	1/17/2011	



COPYRIGHT:
This drawing is the property of IFS and may not be copied or carried over in full or any part thereof to a third party without written permission of IFS.



DO NOT SCALE, DO NOT DOUBT, MAKE SURE



GENERAL TOL EXCEPT OTHERWISE STATED:	
0 - 6	±0.1
6 - 10	±0.2
10 - 30	±0.3
30 - 100	±0.5
100 - 300	±0.8
300 - 1000	±1.2
1000 - 3000<	±2.0
3000<	±2.0
Angle	±1°

UNITS: mm

Except otherwise stated:
Remove all sharp edges and burrs: 0.3mm
Surface finish: 1.6 um
Screwthread: 6H 6g



DRG NR:

POC10-09-002-H-G01

TITLE:

HM300 Service Unit - Air Compressor to Harnass F

Material:

Tel: 013 693 3777
Fax: 013 693 3781
www.fluidsol.co.za

Qty:

Scale:

1:1

A3

Sheet:

9 of 22

Date:

1/17/2011


Rev:



COPYRIGHT:

This drawing is the property of IFS and may not be copied or carried over in full or any part thereof to a third party without written permission of IFS.

DO NOT SCALE, DO NOT DOUBT, MAKE SURE



GENERAL TOL EXCEPT OTHERWISE STATED:	
0 - 6	±0.1
6 - 10	±0.2
10 - 30	±0.3
30 - 100	±0.5
100 - 300	±0.8
300 - 1000	±1.2
1000 - 3000<	±2.0
3000<	±2.0
Angle	±1°

UNITS: mm

Except otherwise stated:
Remove all sharp edges and burrs: 0.3mm
Surface finish: 1.6 um
Screwthread: 6H 6g



DRG NR:

POC10-09-002-H-G01

TITLE: HM300 Service Unit - Air Compressor to Harnass F

Material:

Tel: 013 693 3777
Fax: 013 693 3781
www.fluidsol.co.za

Qty:

Scale:

1:1

A3

Sheet:

10 of 22

Date:


1/17/2011


Rev:




COPYRIGHT:
This drawing is the property of IFS and may not be copied or carried over in full or any part thereof to a third party without written permission of IFS.

DO NOT SCALE, DO NOT DOUBT, MAKE SURE



GENERAL TOL EXCEPT OTHERWISE STATED: 0 - 6 ±0.1 6 - 10 ±0.2 10 - 30 ±0.3 30 - 100 ±0.5 100 - 300 ±0.8 300 - 1000 ±1.2 1000 - 3000< ±2.0 3000< ±2.0 Angle ±1° UNITS: mm	Except otherwise stated: Remove all sharp edges and burrs: 0.3mm Surface finish: 1.6 µm Screwthread: 6H 6g 	TITLE: HM300 Service Unit - Piggy System to Harness F MATERIAL:	Tel: 013 693 3777 Fax: 013 693 3781 www.fluidsol.co.za	Qty:	Scale: 1:1	A3
	DRG NR: POC10-09-002-H-G01		Sheet: 11 of 22	Date: 1/17/2011	Rev:	
UNITS: mm	COPYRIGHT: This drawing is the property of IFS and may not be copied or carried over in full or any part there of to a third party without written permission of IFS.					

DO NOT SCALE, DO NOT DOUBT, MAKE SURE



GENERAL TOL EXCEPT OTHERWISE STATED:	
0 - 6	±0.1
6 - 10	±0.2
10 - 30	±0.3
30 - 100	±0.5
100 - 300	±0.8
300 - 1000	±1.2
1000 - 3000<	±2.0
3000<	±2.0
Angle	±1°
UNITS: mm	

Except otherwise stated:
Remove all sharp edges and burrs: 0.3mm
Surface finish: 1.6 um
Screwthread: 6H 6g



DRG NR:

POC10-09-001-H-J01

TITLE:

HM300 Combo Unit -IFS Cage Lights

Material:

Tel: 013 693 3777
Fax: 013 693 3781
www.fluidsol.co.za

Qty:

Scale:

1:1

A3

Sheet:

12 of 22

Date:

1/17/2011

Rev:



COPYRIGHT:

This drawing is the property of IFS and may not be copied or carried over in full or any part thereof to a third party without written permission of IFS.

DO NOT SCALE, DO NOT DOUBT, MAKE SURE

AIR SWITCHING

12 PIN RECEPT. (DP)

- EARTH (-) 1 #10
1.5mm
- HYD. OIL DISPENSE 2 #51
1.5mm
- ENG. OIL DISPENSE 3 #52
1.5mm
- TRANS. OIL DISPENSE 4 #53
1.5mm
- GEAR OIL DISPENSE 5 #54
1.5mm
- HYD. OIL REMOTE SHUT 6 #91
1.5mm
- ENG. OIL REMOTE SHUT 7 #92
1.5mm
- TRANS. OIL REMOTE SHUT 8 #93
1.5mm
- GEAR OIL REMOTE SHUT 9 #94
1.5mm
- COOLANT REMOTE SHUT 10 #95
1.5mm
- GREASE REMOTE SHUT 11 #96
1.5mm
- WASTE REMOTE SHUT 12 #97
1.5mm

1000m

4000mm

2 PIN RECEPT. (DP)

- EARTH (-) A #10
1.5mm -
- HYD. FLOW METER (SENSOR) B #511
1.5mm -

150mm

2 PIN RECEPT. (DP)

- EARTH (-) A #10
1.5mm -
- ENGINE FLOW METER (SENSOR) B #521
1.5mm -

150mm

2 PIN RECEPT. (DP)

- EARTH (-) A #10
1.5mm -
- TRANS. FLOW METER (SENSOR) B #531
1.5mm -

150mm

2 PIN RECEPT. (DP)

- EARTH (-) A #10
1.5mm -
- GEAR FLOW METER (SENSOR) B #541
1.5mm -

150mm

500mm

2 PIN PLUG (DP)

- #19 B
PILOT VALVE (+)
1.5mm -
- #10 A
EARTH (-)
1.5mm -

2000mm

ON KOMATSU
PILOT VALVE

GENERAL TOL EXCEPT
OTHERWISE STATED:
0 - 6 ±0.1
6 - 10 ±0.2
10 - 30 ±0.3
30 - 100 ±0.5
100 - 300 ±0.8
300 - 1000 ±1.2
1000 - 3000 ±2.0
3000 < ±2.0
Angle ±1°

UNITS: mm

Except otherwise stated:
Remove all sharp edges
and burrs: 0.3mm
Surface finish: 1.6 um
Screwthread: 6H 6g



DRG NR:

POC10-09-002-H-E01

TITLE:

HM300 Service Unit - Komatsu Fuse box to AJ

Material:

Tel: 013 693 3777
Fax: 013 693 3781
www.fluidsol.co.za

Qty:

Scale:

1:1

A3

Sheet:

13 of 22

Date:

1/17/2011

Rev:

COPYRIGHT:
This drawing is the property of IFS
and may not be copied or carried over in
full or any part thereof to a third party
without written permission of IFS.



INDIVIDUAL FLOW METER CONNECTION

DO NOT SCALE, DO NOT DOUBT, MAKE SURE

3 PIN FEMALE (DP)

EARTH (-) 1 #10
1.5mm
HYD. SENSOR (+) 2 #233
1.5mm
HYD. TRANSDUCER 3 #551
1.5mm

3 PIN FEMALE (DP)

EARTH (-) 1 #10
1.5mm
TRANS. SENSOR (+) 2 #233
1.5mm
TRANS. TRANSDUCER 3 #553
1.5mm

3 PIN FEMALE (DP)

EARTH (-) 1 #10
1.5mm
COOL. SENSOR (+) 2 #233
1.5mm
COOL. TRANSDUCER 3 #555
1.5mm

3 PIN FEMALE (DP)

EARTH (-) 1 #10
1.5mm
GREASE SENSOR (+) 2 #233
1.5mm
MILIVOLT 3 #557
1.5mm
DIGITAL 1 2 #558
1.5mm
DIGITAL 2 3 #559
1.5mm

12 PIN FEMALE (DP)

EARTH (-) 1 #10
1.5mm
PARK LIGHT (+) 2 #101
1.5mm
BRAKE LIGHT (+) 3 #102
1.5mm
RIGHT INDICATOR LIGHT (+) 4 #103
1.5mm
LEFT INDICATOR LIGHT (+) 5 #104
1.5mm
BEACON LIGHT 6 #105
1.5mm
REVERSE LIGHT (+) 7 #108
1.5mm
SPOT LIGHT - SIDE (+) 8 #246
1.5mm

3 PIN PLUG (DP)

#10 1 EARTH (-)
1.5mm
#233 2 ENG. SENSOR (+)
1.5mm
#552 3 ENG. TRANSDUCER
1.5mm

3 PIN PLUG (DP)

#10 1 EARTH (-)
1.5mm
#233 2 GEAR SENSOR (+)
1.5mm
#554 3 GEAR TRANSDUCER
1.5mm

3 PIN PLUG (DP)

#10 1 EARTH (-)
1.5mm
#233 2 WASTE. SENSOR (+)
1.5mm
#556 3 WASTE. TRANSDUCER
1.5mm

12 PIN FEMALE (DP)

#10 1 EARTH (-)
1.5mm
#101 2 PARK LIGHT (+)
1.5mm
#102 3 BRAKE LIGHT (+)
1.5mm
#103 4 RIGHT INDICATOR LIGHT (+)
1.5mm
#104 5 LEFT INDICATOR LIGHT (+)
1.5mm
#105 6 BEACON LIGHT
1.5mm
#108 7 REVERSE LIGHT (+)
1.5mm
#246 8 SPOT LIGHT - SIDE (+)
1.5mm

#01 1 ISOLATED IGN (+) SERVICE UNIT ENERGIZE KEY
1.5mm
#02 2 NON ISOLATED IGN (+)
1.5mm
#03 3 ISOLATED SERVICE LIGHT
1.5mm
#04 4 KOMATSU (RAISE) HYD/SOL
1.5mm
#05 5 EXTRA 1
1.5mm
#06 6 EXTRA 2
1.5mm
#07 7 EXTRA 3
1.5mm
#2010 8 E-STOP (+)
1.5mm
#2011 9 E-STOP (-)
1.5mm
#572 10 WATER (S) FROM PRIMARY DISPLAY
1.5mm
#592 11 DIESEL (S) FROM PRIMARY DISPLAY
1.5mm
#10 12 EARTH
1.5mm -
#01 1 ISOLATED IGN (+) SERVICE UNIT ENERGIZE KEY
1.5mm
#02 2 NON ISOLATED IGN (+)
1.5mm
#03 3 ISOLATED SERVICE LIGHT
1.5mm
#04 4 KOMATSU (RAISE) HYD/SOL
1.5mm
#05 5 EXTRA 1
1.5mm
#06 6 EXTRA 2
1.5mm
#07 7 EXTRA 3
1.5mm
#2010 8 E-STOP (+)
1.5mm
#2011 9 E-STOP (-)
1.5mm
#572 10 WATER (S) FROM PRIMARY DISPLAY
1.5mm
#592 11 DIESEL (S) FROM PRIMARY DISPLAY
1.5mm
#10 12 EARTH
1.5mm -

TOP RIGHT CONNECTION PLUG

AJ CONNECTION
TO HARNESS F

GENERAL TOL EXCEPT
OTHERWISE STATED:
0 - 6 ±0.1
6 - 10 ±0.2
10 - 30 ±0.3
30 - 100 ±0.5
100 - 300 ±0.8
300 - 1000 ±1.2
1000 - 3000 ±2.0
3000 < ±2.0
Angle ±1°

UNITS: mm

Except otherwise stated:
Remove all sharp edges
and burrs: 0.3mm
Surface finish: 1.6 um
Screwthread: 6H 6g



DRG NR:

POC10-09-002-H-E01

TITLE:

HM300 Service Unit - Komatsu Fuse box to AJ

Material:

Tel: 013 693 3777
Fax: 013 693 3781
www.fluidsol.co.za

Qty:

Scale:

1:1

A3

Sheet:

14 of 22

Date:


1/17/2011

Rev:



COPYRIGHT:
This drawing is the property of IFS
and may not be copied or carried over in
full or any part thereof to a third party
without written permission of IFS.

DO NOT SCALE, DO NOT DOUBT, MAKE SURE



GENERAL TOL EXCEPT OTHERWISE STATED:
0 - 6 ±0.1
6 - 10 ±0.2
10 - 30 ±0.3
30 - 100 ±0.5
100 - 300 ±0.8
300 - 1000 ±1.2
1000 - 3000 ±2.0
3000 < ±2.0
Angle ±1°
UNITS: mm

Except otherwise stated:
Remove all sharp edges and burrs: 0.3mm
Surface finish: 1.6 um
Screwthread: 6H 6g

DRG NR: POC10-09-002-H-R11

TITLE: HM300 Service Unit - Raise to Fuse Box (Bypass)
Material:

Tel: 013 693 3777
Fax: 013 693 3781
www.fluidsol.co.za


Qty: Scale: 1:1 A3

Sheet: 15 of 22 Date: 1/17/2011 Rev:

COPYRIGHT: This drawing is the property of IFS and may not be copied or carried over in full or any part thereof to a third party without written permission of IFS.



DO NOT SCALE, DO NOT DOUBT, MAKE SURE



GENERAL TOL EXCEPT
OTHERWISE STATED:
0 - 6 ±0.1
6 - 10 ±0.2
10 - 30 ±0.3
30 - 100 ±0.5
100 - 300 ±0.8
300 - 1000 ±1.2
1000 - 3000< ±2.0
3000< ±2.0
Angle ±1°

UNITS: mm

Except otherwise stated:
Remove all sharp edges
and burrs: 0.3mm
Surface finish: 1.6 um
Screwthread: 6H 6g



DRG NR:

POC10-09-002-H-R21

TITLE:

HM300 Service Unit - Raise to Fuse Box (Bypass)

Material:

Tel: 013 693 3777
Fax: 013 693 3781
www.fluidsol.co.za

Qty:

Scale:

1:1

A3

Sheet:

16 of 22

Date:

1/17/2011

Rev:




COPYRIGHT:
This drawing is the property of IFS
and may not be copied or carried over in
full or any part thereof to a third party
without written permission of IFS.

DO NOT SCALE, DO NOT DOUBT, MAKE SURE


HYDRAULIC

3 PIN FEMALE (DP)




3000mm

3 PIN PLUG (DP)




3 PIN FEMALE (DP)



3000mm


3 PIN PLUG (DP)



ENGINE


TRANSMISSION

3 PIN FEMALE (DP)




3000mm

3 PIN PLUG (DP)




3 PIN FEMALE (DP)



3000mm


3 PIN PLUG (DP)



GEAR


COOLENT

3 PIN FEMALE (DP)




3000mm

3 PIN PLUG (DP)




3 PIN FEMALE (DP)



3000mm


3 PIN PLUG (DP)



WASTE WATER


GREASE SENSOR

3 PIN FEMALE (DP)



3000mm

3 PIN PLUG (DP)



GENERAL TOL EXCEPT OTHERWISE STATED:	
0 - 6	±0.1
6 - 10	±0.2
10 - 30	±0.3
30 - 100	±0.5
100 - 300	±0.8
300 - 1000	±1.2
1000 - 3000<	±2.0
3000<	±2.0
Angle	±1°
UNITS: mm	

Except otherwise stated:
Remove all sharp edges and burrs: 0.3mm
Surface finish: 1.6 um
Screwthread: 6H 6g



DRG NR:

POC10-09-002-H-R21

TITLE:

HM300 Service Unit - Raise to Fuse Box (Bypass)

MATERIAL:

Tel: 013 693 3777
Fax: 013 693 3781
www.fluidsol.co.za

Qty:

Scale:

1:1

A3

Sheet:

17 of 22

Date:


1/17/2011

Rev:

COPYRIGHT:
This drawing is the property of IFS
and may not be copied or carried over in
full or any part thereof to a third party
without written permission of IFS.



DO NOT SCALE, DO NOT DOUBT, MAKE SURE



GENERAL TOL EXCEPT OTHERWISE STATED:	
0 - 6	±0.1
6 - 10	±0.2
10 - 30	±0.3
30 - 100	±0.5
100 - 300	±0.8
300 - 1000	±1.2
1000 - 3000<	±2.0
3000<	±2.0
Angle	±1°

UNITS: mm

Except otherwise stated:
Remove all sharp edges and burrs: 0.3mm
Surface finish: 1.6 um
Screwthread: 6H 6g



DRG NR:

POC10-09-001-H-M01

TITLE:

HM300 Combo Unit - Left Light Harness

Material:

Tel: 013 693 3777
Fax: 013 693 3781
www.fluidsol.co.za

Qty:

Scale:

1:1

A3

Sheet:

18 of 22

Date:


1/17/2011

Rev:



COPYRIGHT:
This drawing is the property of IFS
and may not be copied or carried over in
full or any part thereof to a third party
without written permission of IFS.

DO NOT SCALE, DO NOT DOUBT, MAKE SURE



GENERAL TOL EXCEPT OTHERWISE STATED:	
0 - 6	±0.1
6 - 10	±0.2
10 - 30	±0.3
30 - 100	±0.5
100 - 300	±0.8
300 - 1000	±1.2
1000 - 3000<	±2.0
3000<	±2.0
Angle	±1°
UNITS: mm	

Except otherwise stated:
Remove all sharp edges and burrs: 0.3mm
Surface finish: 1.6 um
Screwthread: 6H 6g



DRG NR:

POC10-09-002-H-G10

TITLE: HM300 Service Unit - Air Compressor to Harness F

Material:

Tel: 013 693 3777
Fax: 013 693 3781
www.fluidsol.co.za

Qty:

Scale:

1:1

A3

Sheet:

19 of 22

Date:


1/17/2011

Rev:



COPYRIGHT:
This drawing is the property of IFS
and may not be copied or carried over in
full or any part thereof to a third party
without written permission of IFS.

DO NOT SCALE, DO NOT DOUBT, MAKE SURE



GENERAL TOL EXCEPT OTHERWISE STATED:	
0 - 6	±0.1
6 - 10	±0.2
10 - 30	±0.3
30 - 100	±0.5
100 - 300	±0.8
300 - 1000	±1.2
1000 - 3000<	±2.0
3000<	±2.0
Angle	±1°

UNITS: mm

Except otherwise stated:
Remove all sharp edges and burrs: 0.3mm
Surface finish: 1.6 um
Screwthread: 6H 6g



DRG NR:

POC10-09-001-H-M01

TITLE:

HM300 Combo Unit - Left Light Harness

Material:

Tel: 013 693 3777
Fax: 013 693 3781
www.fluidsol.co.za

Qty:

Scale:

1:1

A3

Sheet:

20 of 22

Date:


1/17/2011

Rev:



COPYRIGHT:
This drawing is the property of IFS
and may not be copied or carried over in
full or any part thereof to a third party
without written permission of IFS.

DO NOT SCALE, DO NOT DOUBT, MAKE SURE



GENERAL TOL EXCEPT
OTHERWISE STATED:
0 - 6 ±0.1
6 - 10 ±0.2
10 - 30 ±0.3
30 - 100 ±0.5
100 - 300 ±0.8
300 - 1000 ±1.2
1000 - 3000< ±2.0
3000< ±2.0
Angle ±1°

UNITS: mm

Except otherwise stated:
Remove all sharp edges
and burrs: 0.3mm
Surface finish: 1.6 um
Screwthread: 6H 6g



DRG NR:

POC10-09-002-H-G10

TITLE:

HM300 Service Unit - Air Compressor to Harness F

Material:

Tel: 013 693 3777
Fax: 013 693 3781
www.fluidsol.co.za

Qty:

Scale:

1:1

A3

Sheet:

21 of 22

Date:

1/17/2011


Rev:



COPYRIGHT:

This drawing is the property of IFS
and may not be copied or carried over in
full or any part thereof to a third party
without written permission of IFS.

DO NOT SCALE, DO NOT DOUBT, MAKE SURE



GENERAL TOL EXCEPT OTHERWISE STATED: 0 - 6 ±0.1 6 - 10 ±0.2 10 - 30 ±0.3 30 - 100 ±0.5 100 - 300 ±0.8 300 - 1000 ±1.2 1000 - 3000< ±2.0 3000< ±2.0 Angle ±1° UNITS: mm	Except otherwise stated: Remove all sharp edges and burrs: 0.3mm Surface finish: 1.6 um Screwthread: 6H 6g  DRG NR: POC10-09-001-H-N01	TITLE: HM300 Combo Unit - Hydraulics Diagram Material:	Tel: 013 693 3777 Fax: 013 693 3781 www.fluidsol.co.za	Qty: Scale: 1:1 A3
				Sheet: 22 of 22 Date: 1/17/2011 Rev:
			COPYRIGHT: This drawing is the property of IFS and may not be copied or carried over in full or any part thereof to a third party without written permission of IFS.	