


DO NOT SCALE, DO NOT DOUBT, MAKE SURE

Assemble tank according to item no. sequence



ITEM NO.	PART NUMBER	QTY.
1	Base Plate 6mm IMD-SL2-021	1
2	Base Gusset Thread Right 14.5d IMD-SL2-031	1
3	Base Gusset 20d IMD-SL2-032	1
4	Base Gusset Thread Left 14.5d IMD-SL2-030	1
5	Base Gusset Main 14.5d IMD-SL2-032	2
6	Front Wall 4mm IMD-SL2-022	1
7	Gasket Retainer 3mm IMD-SL2-023	3
8	Right Side Cover- Long 4mm IMD- SL2-029	1
9	Left Side Cover 3mm IMD-SL2-025	1
10	Back Wall 4mm IMD-SL2-020	1
11	Back Cover 3mm IMD-SL2-019	1
12	Left Cover Small 3mm IMD-SL2-024	1
13	Lifting Lug 6mm IMD-SL2-028	3
14	ISP - 1 - 208 - 00 (2 inch)	6
15	ISP - 1 - 203 - 00 (0.5 inch)	4
16	ISP - 1 - 204 - 00 (0.75 inch)	2
17	ISP - 1 - 205 - 00 (1 inch)	4
18	2Inch Galvanised Overflow Tube	1
19	2Inch Galvanised Overflow Tube	1
20	Lid Bolt-on 3mm IMD-SL2-026 & 027	1
21	Lid Bolt-on 3mm IMD-SL2-026 & 027	1

GENERAL TOL EXCEPT
OTHERWISE STATED:
0 - 6 ±0.1
6 - 10 ±0.2
10 - 30 ±0.3
30 - 100 ±0.5
100 - 300 ±0.8
300 - 1000 ±1.2
1000 - 3000 ±2.0
3000 < ±2.0
Angle ±1°

UNITS: mm

Except otherwise stated:
Remove all sharp edges
and burrs: 0.3mm
Surface finish: 1.6 um
Screwthread: 6H 6g



DRG NR:

Assembly

TITLE:

Grease Tank Atlas Copco PV275 2014 V0.5 Coloured Assembly

Material:

Tel: 013 693 3777/6/5
Fax: 013 693 3781
www.ifsworld.co.za

Qty:

Scale:

1:7

A3

Sheet:

Date:

1 of 10

11/9/2014

Rev:



COPYRIGHT:
This drawing is the property of IFS
and may not be copied or carried over in
full or any part thereof to a third party
without written permission of IFS.

DO NOT SCALE, DO NOT DOUBT, MAKE SURE

Assemble tank according
to item no. sequence

6. Tack weld M10 nuts inside
Back Cover before assembling

11. Tack weld M10 nuts inside
Back Cover before assembling

Base plate and Gussets can be
assembled and attached
first or last

ITEM NO.	PART NUMBER	QTY.
1	Base Plate 6mm IMD-SL2-021	1
2	Base Gusset Thread Right 14.5d IMD-SL2-031	1
3	Base Gusset 20d IMD-SL2-032	1
4	Base Gusset Thread Left 14.5d IMD-SL2-030	1
5	Base Gusset Main 14.5d IMD-SL2-032	2
6	Front Wall 4mm IMD-SL2-022	1
7	Gasket Retainer 3mm IMD-SL2-023	3
8	Right Side Cover- Long 4mm IMD- SL2-029	1
9	Left Side Cover 3mm IMD-SL2-025	1
10	Back Wall 4mm IMD-SL2-020	1
11	Back Cover 3mm IMD-SL2-019	1
12	Left Cover Small 3mm IMD-SL2-024	1
13	Lifting Lug 6mm IMD-SL2-028	3
14	ISP - 1 - 208 - 00 (2 inch)	6
15	ISP - 1 - 203 - 00 (0.5 inch)	4
16	ISP - 1 - 204 - 00 (0.75 inch)	2
17	ISP - 1 - 205 - 00 (1 inch)	4
18	2Inch Galvanised Overflow Tube	1
19	2Inch Galvanised Overflow Tube	1
20	Lid Bolt-on 3mm IMD-SL2-026 & 027	1
21	Lid Bolt-on 3mm IMD-SL2-026 & 027	1

GENERAL TOL EXCEPT
OTHERWISE STATED:
0 - 6 ±0.1
6 - 10 ±0.2
10 - 30 ±0.3
30 - 100 ±0.5
100 - 300 ±0.8
300 - 1000 ±1.2
1000 - 3000 ±2.0
3000 < ±2.0
Angle ±1°

UNITS: mm

Except otherwise stated:
Remove all sharp edges
and burrs: 0.3mm
Surface finish: 1.6 um
Screwthread: 6H 6g



DRG NR:

Assembly

TITLE:

Grease Tank Atlas Copco PV275 2014 V0.5 Coloured Assembly

Material:

Tel: 013 693 3777/6/5
Fax: 013 693 3781
www.ifsworld.co.za

Qty:

Scale:

1:7

A3

Sheet:

2 of 10

Date:



11/9/2014

Rev:




COPYRIGHT:
This drawing is the property of IFS
and may not be copied or carried over in
full or any part thereof to a third party
without written permission of IFS.

DO NOT SCALE, DO NOT DOUBT, MAKE SURE



Tack weld M10 nuts and sockets
before assembly



Space-Weld Gasket Retainers on outside only

ITEM NO.	PART NUMBER	QTY.
1	Front Wall 4mm IMD-SL2-022	1
2	ISP - 1 - 205 - 00 (1 inch)	3
3	ISP - 1 - 208 - 00 (2 inch)	2
4	ISP - 1 - 203 - 00 (0.5 inch)	1
5	2Inch Galvanised Overflow Tube	1
6	Lid Bolt-on 3mm IMD-SL2-026 & 027	1
7	Gasket Retainer 3mm IMD-SL2-023	2

GENERAL TOL EXCEPT OTHERWISE STATED: 0 - 6 ±0.1 6 - 10 ±0.2 10 - 30 ±0.3 30 - 100 ±0.5 100 - 300 ±0.8 300 - 1000 ±1.2 1000 - 3000 ±2.0 3000 < ±2.0 Angle ±1°
--

Except otherwise stated: Remove all sharp edges and burrs: 0.3mm Surface finish: 1.6 um Screwthread: 6H 6g
DRG NR:

TITLE: Front Wall Assembly
Material:



Tel: 013 693 3777/6/5 Fax: 013 693 3781 www.ifsworld.co.za
--

Qty:	Scale:	A3
Sheet:	Date:	Rev:
3 of 10	11/9/2014	



COPYRIGHT:
This drawing is the property of IFS
and may not be copied or carried over in
full or any part thereof to a third party
without written permission of IFS.

DO NOT SCALE, DO NOT DOUBT, MAKE SURE



ITEM NO.	PART NUMBER	QTY.
1	ISP - 1 - 208 - 00 (2 inch)	3
2	Back Cover 3mm IMD-SL2-019	1
3	ISP - 1 - 203 - 00 (0.5 inch)	1
4	2Inch Galvanised Overflow Tube	1
5	Gasket Retainer 3mm IMD-SL2-023	1

GENERAL TOL EXCEPT OTHERWISE STATED:

0 - 6	±0.1
6 - 10	±0.2
10 - 30	±0.3
30 - 100	±0.5
100 - 300	±0.8
300 - 1000	±1.2
1000 - 3000<	±2.0
3000<	±2.0
Angle	±1°

UNITS: mm

Except otherwise stated:
Remove all sharp edges and burrs: 0.3mm
Surface finish: 1.6 um
Screwthread: 6H 6g

DRG NR:

TITLE:
Back Cover Assembly

Material:


Tel: 013 693 3777/6/5
Fax: 013 693 3781
www.ifsworld.co.za

IFS
FUEL & LUBE HANDLING

Qty:	Scale:	A3
Sheet:	Date:	Rev:
4 of 10	11/9/2014	

COPYRIGHT:
This drawing is the property of IFS and may not be copied or carried over in full or any part thereof to a third party without written permission of IFS.

DO NOT SCALE, DO NOT DOUBT, MAKE SURE



Outside



Inside

All 2" sockets
20mm protrusion
to outside

All smaller sockets
10mm protrusion
to outside

20

10



Tack weld M10 nuts and sockets
before assembly

Weld sockets fully after assembly

1

2

4

3

ITEM NO.	PART NUMBER	QTY.
1	Back Wall 4mm IMD-SL2-020	1
2	ISP - 1 - 208 - 00 (2 inch)	1
3	ISP - 1 - 204 - 00 (0.75 inch)	1
4	ISP - 1 - 205 - 00 (1 inch)	1

GENERAL TOL EXCEPT
OTHERWISE STATED:
0 - 6 ±0.1
6 - 10 ±0.2
10 - 30 ±0.3
30 - 100 ±0.5
100 - 300 ±0.8
300 - 1000 ±1.2
1000 - 3000 ±2.0
3000 < ±2.0
Angle ±1°

UNITS: mm

Except otherwise stated:
Remove all sharp edges
and burrs: 0.3mm
Surface finish: 1.6 um
Screwthread: 6H 6g



DRG NR:

TITLE:

Back Wall Assembly

Material:

Tel: 013 693 3777/6/5
Fax: 013 693 3781
www.ifsworld.co.za

Qty:

Scale:

1:7

A3

Sheet:

5 of 10

Date:




11/9/2014

Rev:




COPYRIGHT:
This drawing is the property of IFS
and may not be copied or carried over in
full or any part thereof to a third party
without written permission of IFS.

DO NOT SCALE, DO NOT DOUBT, MAKE SURE






ITEM NO.	PART NUMBER	QTY.
1	Base Gusset Thread Left 14.5d IMD-SL2-030	1
2	Base Gusset Thread Right 14.5d IMD-SL2-031	1
3	Base Gusset Main 14.5d IMD-SL2-032	2
4	Base Gusset 20d IMD-SL2-032	1
5	Base Plate 6mm IMD-SL2-021	1



GENERAL TOL EXCEPT OTHERWISE STATED: 0 - 6 ±0.1 6 - 10 ±0.2 10 - 30 ±0.3 30 - 100 ±0.5 100 - 300 ±0.8 300 - 1000 ±1.2 1000 - 3000< ±2.0 3000< ±2.0 Angle ±1° UNITS: mm	Except otherwise stated: Remove all sharp edges and burrs: 0.3mm Surface finish: 1.6 um Screwthread: 6H 6g 	TITLE: Base Plate Assembly			Tel: 013 693 3777/6/5 Fax: 013 693 3781 www.ifsworld.co.za	Qty:	Scale: 1:7	A3
		Material:				Sheet: 6 of 10	Date: 11/9/2014	Rev:
	DRG NR:			COPYRIGHT: This drawing is the property of IFS and may not be copied or carried over in full or any part there of to a third party without written permission of IFS.				

DO NOT SCALE, DO NOT DOUBT, MAKE SURE



ITEM NO.	PART NUMBER	QTY.
1	Left Cover Small 3mm IMD-SL2-024	1
2	ISP - 1 - 204 - 00 (0.75 inch)	1

GENERAL TOL EXCEPT OTHERWISE STATED:
0 - 6 ±0.1
6 - 10 ±0.2
10 - 30 ±0.3
30 - 100 ±0.5
100 - 300 ±0.8
300 - 1000 ±1.2
1000 - 3000 ±2.0
3000 < ±2.0
Angle ±1°

UNITS: mm

Except otherwise stated:
Remove all sharp edges and burrs: 0.3mm
Surface finish: 1.6 um
Screwthread: 6H 6g



DRG NR:

TITLE:
Left Side Cover Assembly

Material:

Tel: 013 693 3777/6/5
Fax: 013 693 3781
www.ifsworld.co.za






Qty: Scale: A3

Sheet: 7 of 10 Date: 11/9/2014 Rev:


COPYRIGHT:
This drawing is the property of IFS and may not be copied or carried over in full or any part thereof to a third party without written permission of IFS.

DO NOT SCALE, DO NOT DOUBT, MAKE SURE



Locate and tack weld Lifting Lug on its bend before assembly

Locate & weld other 2 Lifting Lugs after assembly



DETAIL A
SCALE 2 : 1

ITEM NO.	PART NUMBER	QTY.
1	Right Side Cover-Long 4mm IMD-SL2-029	1
2	Lifting Lug 6mm IMD-SL2-028	1

GENERAL TOL EXCEPT OTHERWISE STATED:
0 - 6 ±0.1
6 - 10 ±0.2
10 - 30 ±0.3
30 - 100 ±0.5
100 - 300 ±0.8
300 - 1000 ±1.2
1000 - 3000 ±2.0
3000 < ±2.0
Angle ±1°

UNITS: mm

Except otherwise stated:
Remove all sharp edges and burrs: 0.3mm
Surface finish: 1.6 um
Screwthread: 6H 6g



DRG NR:

TITLE:

Right Side Cover Assembly

MATERIAL:

Tel: 013 693 3777/6/5
Fax: 013 693 3781
www.ifsworld.co.za

Qty:

Scale:

1:7

A3

Sheet:

8 of 10

Date:


11/9/2014

Rev:





COPYRIGHT:
This drawing is the property of IFS and may not be copied or carried over in full or any part thereof to a third party without written permission of IFS.

DO NOT SCALE, DO NOT DOUBT, MAKE SURE



All smaller sockets
10mm protrusion
to outside



ITEM NO.	PART NUMBER	QTY.
1	Lid Bolt-on 3mm IMD-SL2-026 & 027	1
2	ISP - 1 - 203 - 00 (0.5 inch)	2

GENERAL TOL EXCEPT OTHERWISE STATED:

0 - 6	±0.1
6 - 10	±0.2
10 - 30	±0.3
30 - 100	±0.5
100 - 300	±0.8
300 - 1000	±1.2
1000 - 3000<	±2.0
3000<	±2.0
Angle	±1°

UNITS: mm

Except otherwise stated:
Remove all sharp edges and burrs: 0.3mm
Surface finish: 1.6 um
Screwthread: 6H 6g

DRG NR:

TITLE:
Tread Grease Lid Assembly

Material:



Tel: 013 693 3777/6/5
Fax: 013 693 3781
www.ifsworld.co.za

IFS
FUEL & LUBE HANDLING


Qty:	Scale:	A3
Sheet:	Date:	Rev:
9 of 10	11/9/2014	

COPYRIGHT:
This drawing is the property of IFS and may not be copied or carried over in full or any part thereof to a third party without written permission of IFS.

DO NOT SCALE, DO NOT DOUBT, MAKE SURE



All smaller sockets
10mm protrusion
to outside



ITEM NO.	PART NUMBER	QTY.
1	ISP - 1 - 205 - 00 (1 inch)	2
2	Lid Bolt-on 3mm IMD-SL2-026 & 027	1

GENERAL TOL EXCEPT OTHERWISE STATED:

0 - 6	±0.1
6 - 10	±0.2
10 - 30	±0.3
30 - 100	±0.5
100 - 300	±0.8
300 - 1000	±1.2
1000 - 3000<	±2.0
3000<	±2.0
Angle	±1°

UNITS: mm

Except otherwise stated:
Remove all sharp edges and burrs: 0.3mm
Surface finish: 1.6 um
Screwthread: 6H 6g

DRG NR:

TITLE:
Inspection Plate Assembly

Material:

Tel: 013 693 3777/6/5
Fax: 013 693 3781
www.ifsworld.co.za

IFS
FUEL & LUBE HANDLING

Qty:	Scale:	A3
Sheet:	Date:	Rev:
10 of 10	11/9/2014	

COPYRIGHT:
This drawing is the property of IFS and may not be copied or carried over in full or any part thereof to a third party without written permission of IFS.