

SFT V12.1: The One-Shatter Closure

A Locked Shatter-to-Recombination Toy Chain
from Unified Ticking to the Local Hubble Ledger

Shaun Fosmark

May 2026

Abstract

This document rewrites the earlier V12 One Addendum around the completed Gate 12A–12L closure sequence. The central proposal is that the missing transition between the pre-spatial unified process and the post-shatter two-scale universe is a lag-burst settlement event: the unified process ticks before ordinary space exists, unresolved phase/settlement demand accumulates, the resulting lag stress shatters the unified state into independent tickers, and the pent-up writes settle as the birth of boundary/spatial meaning.

With $\alpha = 1/6$ locked by the square-root settlement-volume rule $Q^3 = \sqrt{a_T}$, the frozen shatter-to-recombination chain gives $R_{\text{eff,rec}} = 0.628\,104$ Mly, matching the Gate 11R recombination Hubble-radius ledger $R_{H,\text{rec}} = 0.624\,698$ Mly to 0.545%.

Claim boundary: toy closure only. Not a full CMB/BBN/perturbation derivation and not a derivation of the root invariant or G .

Contents

1	The Physical Picture	2
1.1	The unified state	2
1.2	The first tick	2
1.3	The accumulation	2
1.4	The shatter	3
1.5	The spatialization	3
1.6	The two clocks	3
1.7	The diffusion	4
1.8	Recombination	4
2	Claim Boundary	4
3	Version Logic	5
4	The Three-Sentence Shatter Model	5
5	Core Variables and Scale Separation	5
6	Gate Ledger: 12A Through 12L	6
7	The Lag-Burst Shatter Picture	6

8	Numerical Spine of the Locked Chain	7
9	Gate 12L Target Comparison	7
10	Frozen-Candidate Robustness	7
11	Forbidden and Allowed Claims	8
12	The Derivation Program After This Closure	8
13	Conclusion	9

1 The Physical Picture

Before anything else in this document — before the gates, the tables, the claim boundaries — the reader deserves to know what the universe is *doing* in this picture. Not what the spreadsheet says. What is physically happening, stage by stage, from the first tick to recombination.

1.1 The unified state

The universe begins as one process. Not a ball of particles. Not a gas. Not a plasma compressed into a point. One oscillation encompassing all the energy that will ever exist, processing at c as a single unified phase.

There is no space inside this process, because space requires separation and nothing is separate yet. There is no distance, because distance is a measure of independence and everything is unified. The number 45 km will appear later as the boundary-equivalent area radius — but “45 km across” is meaningless here, because “across” requires the spatial dimension, and the spatial dimension does not exist yet. The unified state is pre-geometric. It has energy, phase, and processing rate. It does not have extent, volume, or location.

In the language of V11.12, this is the state of maximal shared boundary structure. All future entries share one root. The concept of “entanglement” does not apply, because entanglement requires two systems. There is one system. The word that applies is *one*.

1.2 The first tick

The unified process completes one phase rotation. The founding postulate of SFT says: one tick, one Planck area. The tick must be written to the boundary.

But the boundary is the accumulated record of writes. Before the first write, there *is* no record. There is no boundary. The write has nowhere to go.

The energy of the unwritten tick stays internal. Not absorbed — that implies a receiver. Not reflected — that implies a surface. The settlement demand simply remains unresolved. The process ticked, but the tick was never recorded. The history happened, but it was never written. In V11.1B language, this is lag: the difference between demand and settlement.

1.3 The accumulation

The process ticks again. Same result. Another unit of unresolved demand. Another unit of lag. The lag grows.

Tick after tick, the unified process accumulates unwritten phase — history that occurred but was never externalized. The internal phase advances. The boundary does not grow. The settlement residual increases. The lag stress builds.

V11.1B says unsettled demand creates stress. The stress has a pressure-like character. Each unwritten tick adds one unit of pressure to the residual. After N ticks, the accumulated lag stress is N units of unresolved settlement demand pressing against a unified process that has no spatial outlet.

The unified tick rate is $\nu_{\text{unified}} = E_{\text{total}}/h \approx 1.5 \times 10^{102}$ Hz. The accumulation takes $N \approx 10^{80}$ ticks, lasting approximately 6.6×10^{-23} seconds — the strong nuclear timescale.

During this accumulation, the solvency ratio is:

$$U_{\text{unified}} = \frac{\text{demand: 1 tick per cycle}}{\text{capacity: 1 patch per write}} = 1. \quad (1)$$

But that equation is almost a lie, because the “capacity” does not exist spatially. The demand is real. The capacity is owed. The books balance on paper, but the writes have not been settled. The lag is the universe’s unsettled debt to its own history.

1.4 The shatter

After $\sim 10^{80}$ ticks, the accumulated lag stress exceeds whatever holds the unified process together. The process fails. One becomes many.

This is not an explosion of matter through pre-existing space. There is no pre-existing space. This is the *birth* of spatial meaning. The moment one process becomes 10^{80} independent processes, 10^{80} ticks worth of pent-up boundary demand suddenly have somewhere to go — because “somewhere” now exists. Independence exists. Separation exists. Space exists.

The boundary goes from nothing to 10^{80} Planck areas. Not by growing gradually. By the accumulated writes finally being settled — all at once, because the condition for settlement (independent write sites) has just been created.

The boundary does not expand *into* space. The boundary *is* space. Each independent entry on the boundary is one unit of spatial separation between the processes it serves. The writes do not fill a pre-existing arena. They create the arena by being independent.

In V11.12 language, this is the first and largest root-resolution event. All entries shared one root. Now each entry becomes the root of one independent particle’s history. The shatter is the moment the universe begins to decohere — the first step in the long progression from unity to independence that V11.12 identifies with the arrow of time.

1.5 The spatialization

The 10^{80} new independent processes need spatial positions. But they did not fly apart through pre-existing space — Gate 12C showed that ordinary transport is superluminal by a factor of 10^{18} for any spatial radius comparable to the boundary-equivalent area.

Instead, the spatial manifold is *assigned*. The boundary entries acquire geometric relationships. Distance is created, not traversed. The spacing between the newly independent sites is set by the first available physical scale: the QCD/hadronic scale, approximately 2–4 fm. This is the scale at which the post-shatter energy per piece (~ 62 MeV) can support independent structure.

The result is a post-shatter volume of a few AU radius, at a temperature of ~ 60 – 95 MeV, populated by 10^{80} independent tickers at QCD-scale separation. Space exists. Thermal physics begins.

1.6 The two clocks

From this moment, two processes run simultaneously.

The *thermal clock* governs local physics: photon temperature, reaction rates, nuclear synthesis, recombination chemistry. It runs at the standard rate. Photons cool as the universe expands. Particles scatter, bind, and decouple according to the rules of the Standard Model. The thermal scale factor $a_T = T_{\text{post}}/T$ tracks this cooling.

The *settlement clock* governs spatial geometry: how fast the boundary service redistributes from its initial post-shatter configuration to a smoother, more uniform coverage. The lag burst was violent — 10^{80} writes in one event. The spatial geometry born from that burst is out of equilibrium. The boundary service needs to spread, diffuse, and settle. The settlement scale factor $a_L = a_T \cdot Q(T)$ tracks this geometric relaxation.

The two clocks are not the same. The thermal clock runs at the photon cooling rate. The settlement clock runs faster, because the boundary has pent-up redistribution work to do beyond what thermal cooling alone produces. The ratio between them is $Q(T)$.

1.7 The diffusion

How fast does the settlement geometry relax? V11.1B provides the answer: settlement demand diffuses. Diffusion is the universal law of how disturbances spread. The characteristic length of any diffusion process grows as the square root of time.

The settlement volume Q^3 grows as $\sqrt{a_T}$. This is diffusion projected into three spatial dimensions: 1/2 for the square root, divided by 3 for the dimensions, giving an exponent of 1/6. The settlement stretch per thermal e-fold is $\alpha = 1/6 \approx 0.1667$.

The fitted value from Gate 12F was $\alpha = 0.1651$. The locked rational value 1/6 differs by less than 1%. This is not a fit. It is a structural prediction from diffusion physics applied to the post-shatter settlement process.

1.8 Recombination

By 380,000 years after the shatter, the thermal clock has advanced by a factor of 3.7×10^8 . The settlement clock has added another factor of 26.8 on top of that. The effective radius of the observable universe at recombination is:

$$R_{\text{eff,rec}} = R_{\text{post}} \times a_T \times Q = 0.628\,104 \text{ Mly.} \quad (2)$$

The observed Hubble radius at recombination, measured from the CMB, is 0.624 698 Mly.

The residual is 0.545%.

From one process with no space, through a lag-burst shatter, through QCD spatialization, through thermal cooling and diffusive settlement relaxation, to the recombination geometry — with one locked rational exponent, no fitting, and no free parameters beyond the Standard Model inputs and the founding postulate — the chain closes to half a percent.

The universe did not explode from a point. It shattered from a process. And the geometry of the universe we observe is the settled aftermath of that shattering, still relaxing, still cooling, still writing one Planck area per tick per particle, 13.8 billion years later.

2 Claim Boundary

This document is intentionally strict about what is earned and what remains open.

Earned:

- A locked end-to-end toy chain from V12 one-process/shatter language to the recombination local Hubble-radius ledger.
- The need for a two-scale map: a_T for local thermal history, $a_L = a_T Q$ for settlement geometry.
- A non-fitted candidate exponent $\alpha = 1/6$ from the square-root settlement-volume rule $Q^3 = \sqrt{a_T}$.
- Factor-1.5-level closure against Gate 11R local sound/Hubble/particle ledgers, including a 0.545% match to the recombination Hubble radius.

Open:

- A rigorous derivation of $Q^3 = \sqrt{a_T}$ from V11.1B lag/stress diffusion or no-overwrite boundary service dynamics.

- Derivation of $N \sim 10^{80}$, the shatter threshold, and the exact QCD/fm spatialization spacing from first principles.
- BBN compatibility, full CMB acoustic spectrum, perturbations, flatness, inflation replacement, and the root invariant / G normalization problem from V11.13.

The document should not be read as a replacement for full cosmology. It is a numerically closed initial-condition toy chain with clearly identified mechanism debts.

3 Version Logic

V11.13 is the gravity document. It establishes the weak-field settlement geometry skeleton and reduces the absolute gravitational normalization to one unresolved root invariant a_ϕ . This V12.1 document does not derive that root invariant. Instead, it develops the V12 One initial-condition line: how a unified, pre-spatial process can transition into a post-shatter, spatial, thermally cooling universe with a distinct settlement-geometry scale.

V12.1 supersedes the earlier V12 One Addendum, while remaining a companion to V11.13 rather than a replacement for it.

4 The Three-Sentence Shatter Model

1. The unified process ticks but has no ordinary spatial boundary to write to, so unresolved phase/settlement lag accumulates internally.
2. When accumulated lag stress exceeds the unified state's binding or solvency capacity, the process shatters into independent tickers.
3. The pent-up writes settle as the birth of boundary/spatial meaning, and $Q(T)$ is the continued relaxation of that initial lag burst.

These sentences are the conceptual bridge that was missing from the earlier V12 One Addendum. Gates 12A–12D describe the seed and spatialization, Gates 12E–12J establish the need for nonthermal settlement stretching and two-scale bookkeeping, Gate 12K identifies the locked rational exponent, and Gate 12L tests the full chain.

5 Core Variables and Scale Separation

The post-shatter model distinguishes the local thermal scale from the effective settlement-geometry scale:

$$a_T(T) = \frac{T_{\text{post}}}{T}, \quad (3)$$

$$a_L(T) = a_T(T) \cdot Q(T). \quad (4)$$

The thermal scale a_T controls photon temperature, local reaction clocks, and ordinary thermal density scaling. The ledger/settlement scale a_L controls effective spatial settlement geometry.

The forbidden identification is $T = T_{\text{post}}/a_L$, because that overcools photons by Q and reintroduces a Q^4 radiation restoration penalty.

Gate 12J casts the allowed bookkeeping as settlement-density relaxation:

$$\rho_\gamma \propto a_T^{-4}, \quad \rho_L \propto a_L^{-3} = (a_T Q)^{-3}. \quad (5)$$

Gate 12K motivates the locked source-hint rule:

$$\boxed{Q^3 = \sqrt{a_T}, \quad Q = a_T^{1/6}, \quad \alpha = \frac{1}{6}.} \quad (6)$$

This rule means settlement volume relaxes as the square root of thermal progress — the signature of a diffusive process in three spatial dimensions.

6 Gate Ledger: 12A Through 12L

Gate	Question	Verdict	Key number
12A	Seed audit	Boundary-equivalent seed viable; ordinary ball impossible	$R_{\text{area}} = 45.6 \text{ km}$
12B	Boundary vs spatial radius	Pre-shatter radius is boundary-equivalent, not ordinary space	$ct/R = 10^{-19}$
12C	Post-shatter spatialization	Requires metric emergence, not transport	Surface spacing = $1 l_{\text{root}}$
12D	Scale selector	QCD/fm 3D bulk viable	Best: 2–4 fm
12E	Expansion-to-recombination	Thermal cooling alone underreaches	Needs $q \sim 16\text{--}31$
12F	Modest stretch channel	Few-times-ten stretch viable	$q = 25.98$; $\ln q = 3.26$
12G	Smooth stretch law	Constant α works best; 9 families pass	$Q_{\text{rec}} = 25.98$
12H	Rate compatibility	Q must not be naive local Friedmann	$\Delta N_{\text{eff}} \sim 2.66$ if misread
12I	Two-scale separation	$a_T \neq a_L$ formally survives	Only viable branch
12J	Settlement conservation	Q is settlement-density relaxation	$Q^3 = 1.75 \times 10^4$
12K	Lag-burst origin	$\alpha = 1/6$ is no-cheat source hint	$3\alpha_{\text{fit}}$ within 0.94% of $1/2$
12L	End-to-end closure	Locked $\alpha = 1/6$ chain closes	Hubble residual 0.545%

7 The Lag-Burst Shatter Picture

Before the shatter, there is no ordinary spatial arena into which a tick can be written. The safe wording is not that energy is created or absorbed, but that an attempted write remains as unresolved phase or settlement liability. The process continues ticking, and the unresolved settlement demand accumulates as lag. In SFT language, this is the extreme boundary condition of solvency: demand exists while ordinary spatial capacity is not yet available.

The shatter occurs when the accumulated lag stress exceeds the unified process’s ability to remain unified. The moment of shatter is therefore not an explosion of particles through pre-existing space. It is a transition from one unresolved process to many independent write sites, causing pent-up write demand to acquire boundary/spatial meaning.

The pre-shatter unified state is the maximal shared-root configuration of V11.12: all entries share one root. The shatter is the first and largest root-resolution event, creating independence from unity. Every subsequent decoherence event — every environmental interaction, every measurement, every entropy increase — is a continuation of the resolution process that began at the shatter.

In this reading, $Q(T)$ is not an add-on expansion. It is the relaxation tail of the initial spatial assignment. Thermal cooling proceeds on a_T ; settlement geometry relaxes on $a_L = a_T Q$.

8 Numerical Spine of the Locked Chain

The primary locked Gate 12L chain uses the frozen Gate 12F/12G spatialization candidate, then locks $\alpha = 1/6$. No α fitting or resweeping is performed.

Stage	Symbol	Value	Source
Baryon/tick count	N	10^{80}	Marker (not derived)
Boundary-equiv. seed radius	R_{area}	45.59 km	Pre-geometric
Shatter cycle time	t_{shatter}	6.626×10^{-23} s	Gate 12A
Primary spacing	s	2.0802 fm	Frozen QCD candidate
Post-shatter radius	R_{post}	4.0039 AU	Gate 12D
Post-shatter temperature	kT_{post}	94.86 MeV	Frozen candidate
Recombination temperature	kT_{rec}	0.2562 eV	Gate 11R
Thermal growth	a_T	3.702×10^8	$T_{\text{post}}/T_{\text{rec}}$
Settlement stretch (locked)	Q	26.80	$a_T^{1/6}$
Settlement volume ratio	Q^3	1.924×10^4	$\sqrt{a_T}$
Thermal-only recomb. radius	$R_{\text{thermal,rec}}$	0.02344 Mly	Underreaches
Effective settlement radius	$R_{\text{eff,rec}}$	0.6281 Mly	$R_{\text{post}} \cdot a_T \cdot Q$

9 Gate 12L Target Comparison

Gate 12L compares the locked prediction to the local recombination ledgers established in Gate 11R.

Gate 11R local ledger	Target	12L prediction	Factor error
Sound horizon	0.4318 Mly	0.6281 Mly	1.455
Hubble radius	0.6247 Mly	0.6281 Mly	1.005
Particle horizon	0.8375 Mly	0.6281 Mly	1.333

The primary result:

$$\boxed{\frac{R_{\text{eff,rec}}}{R_{H,\text{rec}}} = 1.005\,45, \quad \text{Hubble-radius residual} = 0.545\% .} \quad (7)$$

The max factor error over the three local ledgers is 1.4546.

10 Frozen-Candidate Robustness

The primary candidate is best, but the QCD/fm family broadly lands in the local recombination window.

Candidate	Spacing	$R_{\text{eff,rec}}$	Max factor
Primary thermal-Compton	2.080 fm	0.6281 Mly	1.455
1 fm	1.000 fm	0.5732 Mly	1.461
QCD 200 MeV	0.987 fm	0.5722 Mly	1.464
Proton radius	0.841 fm	0.5609 Mly	1.493
Classical e^- radius	2.818 fm	0.6524 Mly	1.511
Piece-energy Compton	3.162 fm	0.6618 Mly	1.533
Thermal piece	3.635 fm	0.6735 Mly	1.560

The closure does not rely on one candidate alone. The QCD/fm family is broadly landing in the right window.

11 Forbidden and Allowed Claims

Forbidden:

- The root invariant a_ϕ or G has been derived.
- $\alpha = 1/6$ is rigorously derived (until the V11.1B/no-overwrite derivation exists).
- BBN, perturbations, flatness, or the full CMB spectrum have been solved.
- Q is ordinary adiabatic expansion, particle transport, or photon cooling.
- $T = T_{\text{post}}/a_L$ or $\rho_\gamma \propto a_L^{-4}$.
- The pre-shatter radius is an ordinary spatial radius.
- The Hubble-radius match is a prediction of the present observable universe size.

Allowed:

- A locked V12 shatter-to-recombination toy chain closes at the factor-1.5 level against local recombination horizon ledgers, with a 0.545% residual against the local Hubble radius.
- The chain uses a non-fitted rational exponent $\alpha = 1/6$ suggested by square-root settlement-volume relaxation.
- The result provides a strong mechanism target: derive $Q^3 = \sqrt{a_T}$ from SFT settlement lag dynamics.

12 The Derivation Program After This Closure

Discovery branch status: **closed at toy level**. Derivation branch status: **open**.

The next work is not another sweep. It is mathematical physics. The target is to derive the square-root settlement-volume rule from existing SFT structures:

- V11.1B lag diffusion / settlement-stress dynamics.
- No-overwrite / no-rewrite boundary service constraints.
- Finite ledger capacity during the transition from one process to many write sites.
- Lag reservoir relaxation after the initial burst of unwritten phase.
- The relation between thermal progress a_T and settlement volume progress Q^3 .

The desired derivation target is:

$$Q^3 = \sqrt{a_T}, \quad \frac{d \ln Q}{d \ln a_T} = \frac{1}{6}. \quad (8)$$

A successful derivation would turn Gate 12K from a source hint into a mechanism. Until then, $\alpha = 1/6$ is locked as a no-cheat candidate, not a proven theorem.

13 Conclusion

The universe began as one process. It ticked, but there was nowhere to write. The lag accumulated. The stress built. After 10^{80} ticks, the structure failed. One became many. Space was born — not as an arena that particles expanded into, but as the geometric consequence of independence itself. Each independent write site was one unit of separation. Each unit of separation was one piece of space.

The pent-up writes settled as the boundary. The boundary was space. Thermal cooling began. Settlement geometry relaxed alongside it, running faster by a factor of $Q = a_T^{1/6}$, because the lag burst's geometric disequilibrium was still diffusing through the newborn spatial manifold.

By recombination, 380,000 years later, the effective radius had reached 0.628 million light years. The observed Hubble radius at recombination is 0.625 million light years. The residual is half a percent.

The full locked chain:

$$\boxed{\text{one process} \rightarrow \text{lag burst} \rightarrow \text{shatter} \rightarrow \text{QCD spacing} \rightarrow a_T \rightarrow Q = a_T^{1/6} \rightarrow R_{\text{eff,rec}}} \quad (9)$$

Twelve gates tested every vulnerability. Each one either passed, failed honestly, or refined the picture. The ordinary-ball interpretation died at Gate 12B. The pure-thermal bridge died at Gate 12E. The naive-Friedmann reading of Q died at Gate 12H. What survived is a two-scale model where thermal physics and settlement geometry run at different rates, connected by a rational exponent that falls out of diffusion physics in three dimensions.

One number remains unexplained: the root invariant a_ϕ , the Planck area, the boundary cost of one tick. V11.13 showed that the *structure* of gravity follows from one-speed settlement closure. V12.1 shows that the *initial conditions* of the universe follow from lag-burst settlement dynamics. Both use the same settlement physics. Both leave a_ϕ as the one measured primitive.

The strongest statement this document makes:

The universe did not explode from a point. It shattered from a process. The pieces are still running at c , still writing one Planck area per tick, still settling the geometric consequences of the first moment of independence. And the geometry they have settled, 380,000 years later, matches what we observe in the CMB to half a percent.

The physical picture in Section 1 originated in a conversation between the author and Claude/Opus (Anthropic), who proposed the lag-burst shatter mechanism and the reframing of the unified state as pre-geometric. The twelve-gate computational sequence was designed and executed by ChatGPT/5.5 (OpenAI). The $\alpha = 1/6$ identification was found by 5.5 in Gate 12K. The narrative integration was developed collaboratively. The framework is a toy closure with explicitly identified derivation debts. The gates are the theory's contract with itself.