

Solvency Field Theory V13.1

Why Things Fall:
Gravity as Accumulated Particle Maintenance

Narrative companion to the
V13.1 Gravity Unification

Shaun Fosmark
Independent researcher

June 2026 (v2)

Stellar gravity is not a force between masses. It is the continuum limit of trillions of particles maintaining themselves. Each particle's self-gravitational closure creates a settlement demand. Those demands accumulate. The accumulated demands curve spacetime. Stars are what accumulated settlement looks like at 10^{57} particles.

Publication boundary. V13.1 unifies the gravity program with the V12.13 particle framework and reframes Newton's G as the macroscopic expression of the boundary write-area quantum A_{write} . It does not derive A_{write} from first principles, solve compact stars, assign species-specific source values, or validate against observed stellar data. Sections are marked by confidence level: DERIVED (has math), MECHANICALLY MOTIVATED (consistent with existing math but interpretive), or TOY-SUPPORTED (minimal numerical check passed, conceptual only).

Contents

1	The question V13 has to answer	3
2	Energy is gravity is compactness	3
3	One particle: time and gravity as one write	3
4	Time dilation as congestion	4
5	Many particles	4
6	What counts as source	4
7	From source to gravity	5
8	Clock lag and spatial closure	5
9	The gravity-expansion equilibrium	5
10	Gravity without G	6

11 The compactness funnel	7
12 Pair production: gravitational encounter at the closure threshold	7
13 Black holes from maximum compactness	8
14 What gravity is NOT	9
15 The sentence	9

1 The question V13 has to answer

V12 built a particle. Real energy at c , closed into a self-maintaining orbit, creating time by ticking, creating mass by compounding. The hierarchy law $L_{\text{eff}} = 3\pi - \frac{1}{2} \ln(25/13)$ determines how much each mode weighs. The particle program is complete enough to ask the next question.

How does one particle's settlement become a star's gravity?

V13.1 fills the gap. The energy density is made of particles. Particles that maintain themselves through closure. Particles whose maintenance creates settlement demand. Settlement demand that accumulates. Accumulation that curves spacetime.

One chain. Particle to star. No imported forces.

2 Energy is gravity is compactness

STATUS: DERIVED.

These three words do not describe three properties that happen to correlate. They describe one property measured three ways.

A photon with energy E has wavelength $\lambda = hc/E$. Higher energy means shorter wavelength means the energy occupies a smaller spatial region. That is compactness. The same energy sources gravity through the settlement geometry. Higher energy density means stronger curvature. That is gravity.

The identity holds at every scale. A radio photon at 10^{-9} eV is spread across a meter — negligible gravity, negligible compactness. A gamma ray at 10^6 eV is packed into 10^{-12} m — approaching the closure threshold. A particle at 0.511 MeV has its energy packed into an orbit of radius 193 fm — compact enough for self-gravitational closure.

A star is 10^{57} particles whose individual settlement demands accumulate. A black hole is energy so compact that nothing can escape. The same identity — more energy, more compactness, more gravity — operates continuously from the longest-wavelength photon to the most massive black hole.

The mathematical content is not new. $E = hc/\lambda$ is the photon energy-wavelength relation. $r_{\text{spin}} = \hbar/(2mc)$ is the particle's orbital compactness. ρ sources curvature through the Green kernel. What V13.1 adds is the recognition that these three equations describe one property, not three.

3 One particle: time and gravity as one write

STATUS: DERIVED.

Start with a single electron. Every Compton period, it completes one maintenance cycle. That ONE cycle does two things simultaneously.

It advances the ledger. The history count N increases by one. The entry is irreversible. The ledger gets longer. That IS time. Not a coordinate. Not a parameter. The actual physical accumulation of irreversible history.

It adds operation density. The write lands on the settlement geometry. J_{ops} increases at that location. The geometry curves. That IS gravity.

The V12.11 source bridge makes this explicit:

$$J_{\text{ops}}^{\mu}(x) = \sum_i \int d\tau_i \nu_{C,i} u_i^{\mu}(\tau_i) \delta^{(4)}(x - X_i(\tau_i)). \quad (1)$$

Each Compton tick ($\nu_{C,i}$) simultaneously advances proper time ($d\tau_i$) and contributes to the operation density (J_{ops}) that sources the settlement geometry. The particle does not “create time” and “also create gravity.” The particle writes its next maintenance cycle, and what we call time is the growing record of those writes, and what we call gravity is the geometric response to the density of those writes.

4 Time dilation as congestion

STATUS: MECHANICALLY MOTIVATED.

Where gravity is strong — near a massive object — there are more writes per unit volume. More operation density. The settlement geometry is deeper. The clock lag factor is:

$$F = e^{-\phi}, \quad (2)$$

where ϕ is sourced by the accumulated settlement density through the Green kernel. Deeper ϕ means smaller F means slower ticking.

The mechanical interpretation: each new write must be accommodated by the local settlement geometry. Where the geometry is already deeply curved by many previous writes, the accommodation is harder. The boundary is crowded. Each tick takes longer because there is less room for the next write.

At $\phi = 0.001$ (weak field, far from matter), $F = 0.999$ — time flows freely, almost no congestion. At $\phi = 1$ (strong field), $F = 0.368$ — significant slowing. At $\phi = 10$, $F = 4.5 \times 10^{-5}$ — the clock has nearly stopped. At $\phi \rightarrow \infty$, $F \rightarrow 0$ — time stops entirely.

This interpretation is consistent with the derived mathematics ($F = e^{-\phi}$ from the one-speed metric closure). The explicit mechanism — each write competing for boundary space — connects to the open Γ_{settle} problem: the local settlement relaxation rate may BE the boundary accommodation rate.

5 Many particles

STATUS: DERIVED.

Add a second particle nearby. Its settlement dip overlaps with the first. The dips add because the Green kernel is linear. The combined dip is deeper than either alone.

Add a million. Each particle contributes its q_i to the total settlement source density:

$$\rho_{\text{set}}(\mathbf{x}) = \sum_i q_i \delta(\mathbf{x} - \mathbf{x}_i). \quad (3)$$

R225M tested this explicitly: 8,000 synthetic particle sources arranged in a sphere converge to the exact continuum exterior field with sub-percent errors. The particles produce the star. The star IS the particles.

6 What counts as source

STATUS: DERIVED.

V13.1 separates the active source into five components:

$$\rho_{\text{active}} = \rho_{\text{rest}} + u_{\text{int}} + \rho_{\text{rad}} + \frac{3p}{c^2} + \rho_{\text{bind}}. \quad (4)$$

Rest mass: the settlement demand from particle closure maintenance. Thermal energy: kinetic energy of particles moving between orbits. Radiation: open photons trapped inside the star. Pressure trace: rapidly-moving particles write faster locally. Binding energy (negative): a bound system has less total energy than its free components.

For radiation, $\rho_{\text{rad}} + 3p_{\text{rad}}/c^2 = 2\rho_{\text{rad}}$. Photons put their entire c -budget outward, so they source settlement at double the rate of equivalent rest mass. This is the factor of 2 from the c -budget allocation.

7 From source to gravity

STATUS: DERIVED.

The accumulated active source within radius r :

$$Q_{\text{active}}(r) = \int_0^r 4\pi r'^2 \rho_{\text{active}}(r') dr'. \quad (5)$$

The gravitational acceleration:

$$g(r) = \frac{Q_{\text{active}}(r)}{r^2}. \quad (6)$$

Outside a star: $g \propto 1/r^2$. Inside a uniform body: $g \propto r$. These shapes are inevitable from three-dimensional Green-kernel geometry. What SFT derives from the particle program is the SOURCE — maintained particle closure demand, accumulated and coarse-grained into a density field.

8 Clock lag and spatial closure

STATUS: DERIVED.

The one-speed metric closure:

$$F = e^{-\phi}, \quad B = e^{+\phi}, \quad FB = 1. \quad (7)$$

Where time slows ($F < 1$), space stretches ($B > 1$). Reciprocally. Because everything moves at c . If the temporal component shrinks by F , the spatial component must grow by $1/F$ to preserve the total spacetime interval. The reciprocal relation follows from one speed.

9 The gravity-expansion equilibrium

STATUS: MECHANICALLY MOTIVATED.

Gravity and expansion are not two independent forces that happen to compete. They are two consequences of one event — the maintenance write — pulling in opposite directions.

The local settlement says: this region has been written. Energy is here. Curvature increases. Nearby energy gets pulled toward this region. Inward.

The global capacity growth says: a new write was added. The boundary must grow to accommodate it. Space expands. Everything gets slightly more room. Outward.

The particle is the FIRST equilibrium of this tension. The closed orbit exists where local self-gravity is strong enough to maintain closure but not so strong that it collapses further, while expansion is diluting the surrounding energy but not fast enough to tear the orbit open.

The same balance operates at every scale. Stars balance gravitational collapse against thermal and radiation pressure. Galaxies balance self-gravity against cosmic expansion. The Friedmann equation $H^2 \propto \rho$ IS this balance written for the whole universe.

The settlement equation captures the local version:

$$\frac{dS}{dt} = \nu_C \Delta_{\text{close}} - \Gamma_{\text{settle}} S. \quad (8)$$

The particle is stable when reinforcement per cycle equals relaxation per cycle. The explicit form of Γ_{settle} remains open, but its structural role — the outward opponent of inward compounding — is the gravity-expansion tension operating at the Compton scale.

10 Gravity without G

STATUS: DERIVED (R234G–R238G). REFRAMING OF G , NOT DERIVATION OF A_{write} .

Every SFT document before this one said “does not derive Newton’s G .” That disclaimer was imprecise. G is not one mystery. It is two pieces: a dimensionless geometry and a dimensional quantum. R234G through R238G solved the first and identified the second.

The dimensionless piece is $\gamma = 8\pi^2 = 4\pi \times 2\pi$. It comes from the universal structure of one maintenance write: 4π steradians of spatial solid angle times 2π radians of temporal phase completion. Every particle, every energy configuration, sweeps the same 4π of space and 2π of time per write. The product is the settlement footprint per cycle.

The dimensional piece is A_{write} — the boundary settlement-area quantum. The minimum patch of boundary that one irreversible write claims. SFT treats this as fundamental, alongside $\hbar$ and c .

Newton’s G is neither:

$$G = \frac{A_{\text{write}} c^3}{\hbar}. \quad (9)$$

G is the macroscopic SI expression of the boundary write area. Not a coupling constant. A unit conversion.

With A_{write} as the primitive, the gravitational settlement depth at distance r from energy E is:

$$C_A(E, r) = \frac{A_{\text{write}} E}{\hbar c r}. \quad (10)$$

No G appears. The compactness decomposes as:

$$C_A = \frac{A_{\text{write}}}{r^2} \times \frac{E r}{\hbar c}. \quad (11)$$

The first factor is boundary coverage — what fraction of the sky at distance r one write claims. The second factor is source phase — how many write-cycles the energy completes across one light-crossing distance.

Compactness is boundary coverage times source phase.

The gravitational acceleration is the gradient:

$$a = -c^2 \nabla C_A. \quad (12)$$

For a point source of mass M :

$$|a| = \frac{A_{\text{write}} M c^3}{\hbar r^2} = \frac{G M}{r^2}. \quad (13)$$

Newton's law is recovered. But the fundamental equation has no G . It has A_{write} , $\hbar$, and c . The $1/r^2$ is not a force law — it is the gradient of a $1/r$ settlement field in three dimensions.

The same equation works at every scale without modification. An electron at its spin radius has $C_A \approx 3.5 \times 10^{-45}$. The Sun at its surface has $C_A \approx 2.1 \times 10^{-6}$. The observable universe at the Hubble radius has $C_A \approx 0.5$. One equation. One A_{write} . Twelve orders of magnitude of mass. Sixty orders of magnitude of distance.

A_{write} itself is not derived. It is the primitive boundary settlement-area quantum — the SFT counterpart of $\hbar$ for action and c for speed. If a future derivation produces A_{write} from the settlement dynamics, G becomes fully derived. Until then, G is reframed: not a mysterious coupling constant, but the macroscopic face of the boundary write area.

11 The compactness funnel

STATUS: TOY-SUPPORTED.

The entire spectrum from photons to black holes maps onto one continuous shape — a funnel of compactness.

The flat rim is the photon regime. Low energy, long wavelength, negligible self-gravity. Energy propagates openly. No closure possible.

The curved middle is the particle regime. Nine stable orbits at specific depths. The depth increases exponentially with the compression coordinate: $M_i = G_i \exp(L_{\text{eff}} u_i)$. The hierarchy follows the funnel's profile.

The vertical throat is the black hole regime. Energy so compact that the Schwarzschild radius exceeds the Compton radius. No stable orbits. Total gravitational collapse.

The boundary between particle and black hole is the Planck mass, $m_P = \sqrt{\hbar c/G} \approx 1.22 \times 10^{19} \text{ GeV}$, where $r_{\text{Compton}} = r_{\text{Schwarzschild}}$. The electron sits 10^{44} times above this boundary. The top quark sits 10^{33} times above it. Even the heaviest known particle is enormously far from the black hole limit. Particles occupy a narrow window of compactness — compact enough to orbit, not compact enough to collapse.

The funnel IS energy-is-gravity-is-compactness rendered as geometry.

12 Pair production: gravitational encounter at the closure threshold

STATUS: TOY-SUPPORTED. THE INVARIANT MASS FORMULA IS STANDARD PHYSICS; THE GRAVITATIONAL LENSING INTERPRETATION IS CONCEPTUAL. THE 45-ORDER SETTLEMENT AMPLIFICATION IS NOT DERIVED.

Two photons approaching each other carry energy, and energy gravitates. As they pass, each one's gravity bends the other's path slightly.

For two equal-energy photons meeting at angle θ , the invariant mass of the encounter is:

$$M = 2E \sin(\theta/2). \quad (14)$$

Head-on ($\theta = 180$): maximum bending. The full energy is available. Two 0.511 MeV gamma rays meeting head-on have $M = 1.022 \text{ MeV}$ — exactly the electron-positron pair threshold.

At the threshold, the photon wavelength equals the particle's 4π closure path. This is the V12.12A closure-fit identity confirmed numerically to machine precision:

$$\lambda_\gamma(E = mc^2) = 4\pi r_{\text{spin}}. \quad (15)$$

The photon doesn't just have "enough energy." Its spatial extent exactly matches the closure geometry. Formation is wavelength-to-closure matching.

Glancing angles need more energy: at $\theta = 10$, each photon needs $11.5\times$ the head-on energy for the same particle threshold. The encounter geometry determines the outcome — same photon energy, different angle, different result.

Pair production always creates a matched pair — one clockwise, one counterclockwise — because the mutual bending is symmetric. Each photon bends the other equally and oppositely. Total angular momentum and charge are conserved geometrically.

The conceptual gap remains large. Ordinary Newtonian gravitational lensing between two 0.511MeV photons is $\sim 10^{45}$ times too weak to curve a path closed. If the gravitational lensing interpretation is correct, SFT's settlement mechanism must amplify the effective curvature at the Compton scale by that factor. This amplification is not derived and remains the deepest open problem.

13 Black holes from maximum compactness

STATUS: THE SCHWARZSCHILD RADIUS DERIVATION FROM $C_A = 1$ IS EXACT. THE DYNAMICAL SATURATION MECHANISM AND INTERIOR PHYSICS ARE OPEN.

The compactness equation has a ceiling. Energy cannot be compacted past $C_A = 1$. At that point the settlement is saturated — the boundary has used every available write area at that radius.

Set $C_A = 1$ and solve for r :

$$1 = \frac{A_{\text{write}} E}{\hbar c r} \quad \Rightarrow \quad \boxed{r_{\text{horizon}} = \frac{A_{\text{write}} E}{\hbar c} = \frac{GM}{c^2}}. \quad (16)$$

That is the Schwarzschild radius. In three lines, from one condition: compactness equals maximum. No Einstein field equations. No metric tensor. No Kruskal coordinates. Just the statement that there is a ceiling on how compact energy can be, and the horizon is where you hit it.

Now add one more particle with energy δE . The total energy is $E + \delta E$. The compactness at the old horizon radius exceeds 1. The horizon MUST grow:

$$\delta r = \frac{A_{\text{write}} \delta E}{\hbar c}. \quad (17)$$

Exactly the amount required to maintain $C_A = 1$ with the additional energy. Not one Planck length more. Not one less. Each particle that falls in adds exactly enough area to preserve maximum compactness. This is the Bekenstein-Hawking area theorem stated mechanically: the horizon area never decreases because writes only accumulate.

The particles inside are not destroyed. They are maximally compacted. Each one still orbits, still ticks, still writes. But the writes have nowhere to go outward because the boundary at that radius is saturated. The writes can only go inward — increasing the interior settlement, which further deepens the compactness. That is why the interior of a black hole is irreversible in exactly the same sense that time is irreversible: writes only accumulate, never erase. Time inside a black hole points toward the singularity for the same reason time outside points toward the future — no-overwrite.

The Planck mass $m_P = \sqrt{\hbar c/G} \approx 1.22 \times 10^{19} \text{GeV}$ marks the crossover where $r_{\text{Compton}} = r_{\text{Schwarzschild}}$. The electron sits at $r_C/r_S \approx 10^{44}$ — enormously far from the black hole limit. The top quark at $r_C/r_S \approx 10^{33}$. Particles occupy a narrow window of compactness: compact enough to orbit, not compact enough to saturate.

The full interior dynamics — how the settlement equation behaves in the nonlinear regime, how no-overwrite operates when the boundary is full, and whether Hawking radiation can be understood as occasional writes landing just outside the saturated boundary — remain open. But the horizon itself is derived: it is the surface where $C_A = 1$.

14 What gravity is NOT

STATUS: DERIVED INTERPRETATION OF THE ABOVE.

Gravity is not a force transmitted by gravitons. There is no carrier particle.

Gravity is not the curvature of empty spacetime that masses happen to sit in. The curvature IS the settlement. The settlement IS the matter’s maintenance.

Gravity is not the weakest of four forces. It is the scalar-depth component of the settlement that survives in neutral matter. At the Compton scale, the full 6π closure load holds the particle together with enormous effective strength. At macroscopic scales, only the direction-blind component survives, spread across enormous volumes. Gravity appears weak because we measure it far from where it’s strong.

Gravity IS what accumulated particle maintenance looks like from far away.

And Newton’s G is not a fundamental coupling constant. It is the macroscopic SI expression of the boundary settlement-area quantum: $G = A_{\text{write}} c^3 / \hbar$. The true primitive is A_{write} — how much boundary each irreversible write claims.

15 The sentence

V13.1 can be stated in one sentence:

Gravity is what it looks like, from the outside, when 10^{57} packets of energy maintain themselves.

One stuff. One motion. One consequence. Accumulated from the Compton radius to the stellar radius through one unbroken chain.

Acknowledgments

The R225M–R231M gravity accumulation chain, the R234G–R238G G -root coupling scaffold and compactness-normalized freeze, and the V13.1 unification document were developed and executed in collaboration with ChatGPT/5.5 (OpenAI). The energy-is-gravity-is-compactness principle, the time-and-gravity-as-one-write insight, the congestion interpretation, the compactness funnel, the pair-production gravitational lensing picture, the gravity-expansion equilibrium, the $\gamma = 4\pi \times 2\pi$ spatial-temporal sweep derivation, and the compactness-normalized gravity equation were developed with Claude/Opus (Anthropic).

References

- [1] S. Fosmark, *SFT V12.13: Trace-Variational D-Scale Law and Conditional Top-Sector 6π Closure*, Zenodo (2026).
- [2] S. Fosmark, *SFT V12.12: Locally Real Particle Mechanics*, Zenodo (2026).

- [3] S. Fosmark, *SFT V11.13: Settlement Geometry and Weak-Field Gravity*, Zenodo (2026).