

Solvency Field Theory V13.1

Why Things Fall

Gravity as Accumulated Particle Maintenance

Revised Gravity Unification with Compactness-Normalized Coupling

Core sentence

Gravity is what it looks like, from the outside, when packets of energy maintain themselves. A particle writes settlement; many particles accumulate settlement; compactness gradients tell matter how to move.

Shaun Fosmark
Independent researcher
June 2026

R239G rewrite incorporating R234G-R238G

Contents

Publication boundary	2
1 The question V13.1 has to answer	2
2 The one-page gravity ladder	3
3 Energy, gravity, and compactness	3
4 One particle: time and gravity as one write	4
5 Time dilation as settlement congestion	4
6 Many particles: from q_i to stars	4
7 What counts as source	4
8 From source to weak-field gravity	5
9 Clock lag and spatial closure	5
10 Gravity without primitive G	5
11 The compactness-normalized equation	6
12 Scale checks	6
13 Gravity-expansion equilibrium	7
14 The compactness funnel	7
15 Pair production and closure threshold	7
16 Black holes as boundary saturation	8
17 What gravity is not	8
18 Claim boundary ledger	8
19 Run catalog	9
20 The sentence	9
Acknowledgments and provenance	9

Publication boundary

Confidence and scope

V13.1 unifies the SFT gravity program with the V12.13 particle framework and re-frames Newton's G as the macroscopic expression of a boundary write-area quantum A_{write} . It does *not* derive A_{write} from first principles, solve compact stars, assign species-specific q_i values, solve collapse, or validate against observed stellar data. Sections are marked as **derived**, **mechanically motivated**, **toy-supported**, or **open/guarded**.

1 The question V13.1 has to answer

derived / programmatic

V12 built a locally-real particle: real energy at c , closed into a self-maintaining support process, creating time by ticking and mass by compounding. V13.1 asks the next question: how does one particle's maintenance become a star's gravity?

The answer is a single source chain:

$$\text{particle closure} \rightarrow q_i \rightarrow \rho_{\text{set}} \rightarrow \rho_{\text{active}} \rightarrow Q_{\text{active}} \rightarrow \phi, g, F, B.$$

No extra force substance is inserted. Gravity is the accumulated settlement geometry of maintained particle support.

2 The one-page gravity ladder

derived skeleton with guarded extensions

V13.1 gravity ladder

```

LOCALLY REAL PARTICLE
  maintained closure demand
    |
    v
  q_i
  coarse grain
    |
    v
  rho_set(x) = Sum_i q_i delta(x-x_i)
  pressure / internal / radiation / binding ledger
    |
    v
  rho_active = rho_rest + u_int + rho_rad + 3p/c^2 + rho_bind
  enclosed source
    |
    v
  Q_active(r) = integral_0^r 4*pi r'^2 rho_active(r') dr'
  weak-field geometry
    |
    v
  phi_ext = Q_total/r,      g_ext = Q_total/r^2
  one-speed reciprocal closure
    |
    v
  F = exp(-phi), B = exp(+phi), FB = 1
  compactness-normalized coupling
    |
    v
  C_A(E,r) = A_write E/(hbar c r),      a = -c^2 grad(C_A)

```

3 Energy, gravity, and compactness

derived interpretation

Energy, gravity, and compactness are not three unrelated properties. In the V13.1 reading, they are one property measured three ways. A photon with energy E has wavelength $\lambda = hc/E$. Higher energy means shorter wavelength; shorter wavelength means greater compactness. The same energy sources settlement depth and therefore clock lag and curvature.

At macroscopic distance the normalized source field has the Green-kernel shape $\phi \sim Q/r$ and $g \sim Q/r^2$. At particle scale the same energy may be internally compounded by closure dynamics. At black-hole scale the compactness becomes a boundary-saturation problem. V13.1 does not claim that every regime is solved by the weak-field chain. It claims the same compactness variable is the correct bridge.

4 One particle: time and gravity as one write

derived bridge; mechanism guarded

Each maintained particle completes a cycle. That cycle advances the ledger and contributes to operation density. In worldline language the source bridge is

$$J_{\text{ops}}^\mu(x) = \sum_i \int d\tau_i \nu_{C,i} u_i^\mu(\tau_i) \delta^{(4)}(x - X_i(\tau_i)).$$

The same tick that advances proper history also contributes to the source density that appears as gravity. This is the clean sense in which time and gravity are two faces of one write.

5 Time dilation as settlement congestion

mechanically motivated

The one-speed lapse is

$$F = e^{-\phi}.$$

Where ϕ is deeper, clocks run slower. The mechanical reading is congestion: where more maintenance writes have accumulated, the next local write is harder to accommodate. The boundary has less available capacity in that neighborhood. This is consistent with the derived closure $F = e^{-\phi}$, but the local accommodation rate belongs to the open Γ_{settle} problem.

Clock-gradient gravity

We fall toward whatever is advancing in time the slowest. In SFT language, we fall down the compactness/clock-lag gradient produced by accumulated settlement.

6 Many particles: from q_i to stars

derived / toy-supported

A second nearby particle adds another settlement source. A million nearby particles add a million. In normalized source language,

$$\rho_{\text{set}}(x) = \sum_i q_i \delta(x - x_i).$$

R225M-R226M tested the discrete-to-continuum bridge: particle clouds converge toward the continuum exterior field; root normalization changes amplitude, not shape; whole-star 6π multiplication is rejected as a category error.

A star is not a new gravitational object added on top of particles. A star is what accumulated particle maintenance looks like after coarse graining.

7 What counts as source

derived source ledger

V13.1 separates active source into components:

$$\rho_{\text{active}} = \rho_{\text{rest}} + u_{\text{int}} + \rho_{\text{rad}} + \frac{3p}{c^2} + \rho_{\text{bind}}.$$

Rest mass is the maintenance demand from closure. Internal energy and radiation add source. Pressure contributes through the trace term. Binding energy is negative: a bound system has less total energy than its separated constituents.

For a $\gamma = 5/3$ gas,

$$u_{\text{int}} + 3p_{\text{gas}}/c^2 = 3u_{\text{int}},$$

where the notation means the active contribution of thermal motion is three times the internal energy density in the toy ledger. For radiation,

$$\rho_{\text{rad}} + 3p_{\text{rad}}/c^2 = 2\rho_{\text{rad}}.$$

This is why photon boxes must include pressure/stress: radiation gravitates as stress-energy, not merely as a scalar energy count.

8 From source to weak-field gravity

derived weak-field skeleton

The enclosed active source is

$$Q_{\text{active}}(r) = \int_0^r 4\pi r'^2 \rho_{\text{active}}(r') dr'.$$

The weak-field skeleton is

$$g(r) = \frac{Q_{\text{active}}(r)}{r^2}.$$

Outside the source,

$$\phi_{\text{ext}}(r) = \frac{Q_{\text{active,total}}}{r}, \quad g_{\text{ext}}(r) = \frac{Q_{\text{active,total}}}{r^2}.$$

The inverse-square form is not an independent force law. It is the gradient of a $1/r$ settlement field in three dimensions.

9 Clock lag and spatial closure

derived

The reciprocal one-speed metric closure is

$$F = e^{-\phi}, \quad B = e^{+\phi}, \quad FB = 1.$$

Where time slows, space stretches. This is the local one-speed closure. R229M adds the necessary guardrail: $FB = 1$ can remain exact while weak-field expansion fails at high compactness. Exact reciprocal closure is not a compact-star solution.

10 Gravity without primitive G

derived reframing; A_{write} not derived

Earlier V13.1 language said that SFT does not derive Newton's G . R234G-R238G sharpened this. G is not one mystery. It splits into a dimensionless geometric footprint and a dimensional write-area quantum.

The dimensionless footprint candidate is

$$\gamma = 4\pi \times 2\pi = 8\pi^2,$$

read as universal spatial solid angle times universal temporal phase completion. It cannot be read as charged-only gauge phase or fermion-only spinor closure; those readings would violate universal gravity.

The dimensional primitive is A_{write} , the boundary settlement-area quantum: the amount of boundary area claimed by one irreversible settlement write. Then

$$G_A = \frac{A_{\text{write}} c^3}{\hbar}.$$

G_A is what A_{write} looks like when expressed as a macroscopic SI gravitational coupling.

11 The compactness-normalized equation

R238G freeze

The cleanest gravitational coupling statement is

$$C_A(E, r) = \frac{A_{\text{write}} E}{\hbar c r}.$$

Factorized:

$$C_A = \left(\frac{A_{\text{write}}}{r^2} \right) \left(\frac{Er}{\hbar c} \right).$$

The first factor is boundary write-area coverage at radius r . The second is source phase accumulated over one light-crossing distance.

Compactness in one sentence

Compactness is boundary write-area coverage multiplied by source phase over one light-crossing radius.

The motion rule is

$$a = -c^2 \nabla C_A.$$

For a point source with $E = Mc^2$,

$$C_A(M, r) = \frac{A_{\text{write}} Mc}{\hbar r},$$

and

$$|a| = \frac{A_{\text{write}} Mc^3}{\hbar r^2} = \frac{G_A M}{r^2}.$$

Newton's law is recovered, but the fundamental equation contains A_{write} , $\hbar$, and c , not primitive G .

12 Scale checks

consistency checks

Using $A_{\text{write}} = \ell_P^2$ only as a consistency check gives

$$\ell_P^2 = 2.6122803039748724 \times 10^{-70} \text{ m}^2,$$

$$G_A = 6.6743 \times 10^{-11} \text{ m}^3 \text{ kg}^{-1} \text{ s}^{-2}.$$

The R238G scale diagnostics are:

- Electron at spin radius: $C_A = 3.503619 \times 10^{-45}$; internal-radius diagnostic only; closure binding is not solved.
- Electron at 1 m: $C_A = 6.764774 \times 10^{-58}$ and $a = 6.079876 \times 10^{-41} \text{ m/s}^2$.
- Proton at 1 m: $C_A = 1.242116 \times 10^{-54}$ and $a = 1.116358 \times 10^{-37} \text{ m/s}^2$.
- Earth surface: $C_A = 6.961311 \times 10^{-10}$ and $a = 9.820302 \text{ m/s}^2$.
- Sun surface: $C_A = 2.122567 \times 10^{-6}$ and $a = 274.2084 \text{ m/s}^2$.
- Critical-density Hubble sphere: $C_A \approx 0.5$; this is an order-unity horizon diagnostic and remains convention-dependent.

The Hubble-sphere value is a horizon-scale diagnostic, not a completed cosmic-sector derivation. In the critical-density/Hubble-radius convention it gives $C_A \approx 0.5$, showing the expected order-unity boundary behavior.

13 Gravity-expansion equilibrium

mechanically motivated / later V13 sector

Gravity and expansion are not simply two unrelated forces. In SFT they are two faces of writing. Local settlement says: this region has been written; energy is here; compactness increases. Global capacity growth says: new writes require new addresses; boundary capacity must grow.

The local toy form is

$$\frac{dS}{dt} = \nu_C \Delta_{\text{close}} - \Gamma_{\text{settle}} S.$$

The explicit Γ_{settle} remains open. This section is carried forward as the gravity/expansion bridge, not a final cosmology theorem.

14 The compactness funnel

toy-supported / guarded

The spectrum from open radiation to particles to black holes is naturally pictured as a compactness funnel. The rim is photon-like propagation: low compactness, open motion. The middle contains stable particle closure: compact enough to maintain, not compact enough to collapse. The throat is black-hole behavior: boundary saturation and compact-sector dynamics.

The Planck boundary remains dimensional. It is not a non-circular derivation of A_{write} if Planck units were defined using G . The funnel is a useful geometry of the problem; the nonlinear settlement equation is still open.

15 Pair production and closure threshold

toy-supported; deepest gap open

For two photons of equal energy meeting at angle θ , the invariant mass is

$$M = 2E \sin(\theta/2).$$

Head-on photons maximize available invariant mass. The V12.12A closure-fit identity is

$$\lambda_\gamma(E = mc^2) = 4\pi r_{\text{spin}}.$$

This says formation is not only energy threshold but wavelength-to-closure matching. The gravitational-lensing interpretation is conceptual and guarded: ordinary weak gravity is far too small at the Compton scale. If this picture is right, SFT must derive the internal settlement compounding/funnel that amplifies effective closure by the required factor. That remains open.

16 Black holes as boundary saturation

toy-supported / compact-sector handoff

As $\phi \rightarrow \infty$, $F = e^{-\phi} \rightarrow 0$. Mechanically, the local settlement is so deep that the next write cannot be accommodated in ordinary weak-field form. This is boundary saturation language, not a completed black-hole theory.

R229M provides the handoff rule: low compactness and low pressure remain in the weak-field sector; high compactness or high pressure require a future compact/TOV-like sector.

17 What gravity is not

derived interpretation with guardrails

Gravity is not a separate substance added to matter. It is not a whole-star 6π multiplier. It is not a force that can be understood without clock lag. It is the direction-blind, far-field face of accumulated settlement. At short range the full closure structure can be enormous; at large range the scalar depth component survives and spreads across huge volumes.

In the current SFT framing, Newton's G is not the primitive. The primitive is A_{write} . Gravity is what accumulated writes look like after compactness is converted into motion by $a = -c^2 \nabla C_A$.

18 Claim boundary ledger

freeze ledger

- **Promote:** V13.1 unifies the gravity program with the V12.13 particle framework as a structural unification, not a final validation.
- **Promote:** gravity is accumulated settlement geometry of locally-real particle support.
- **Promote:** each maintained particle contributes normalized source q_i ; species-specific q_i remains open.
- **Promote:** q_i coarse-grains into ρ_{set} and then ρ_{active} ; real EOS remains open.
- **Promote:** gravity is motion down compactness/clock-lag gradient, with weak-field rule $a = -c^2 \nabla C_A$.
- **Promote with guardrail:** Newton's G is reframed as $G_A = A_{\text{write}} c^3 / \hbar$; A_{write} is primitive/open and not derived from no-overwrite yet.
- **Block:** A_{write} has not been derived from first principles.
- **Block:** Planck area is not a non-circular proof if ℓ_P^2 is defined using G .
- **Defer:** compact stars, collapse, black holes, galaxy/cosmic expansion, and observed validation remain future sectors.

- **Reject:** whole-star 6π multiplication; 6π remains particle/top-sector closure, not a macroscopic multiplier.

19 Run catalog

evidence catalog

- **R225M:** particle-to-star accumulation; synthetic particle clouds converge to continuum exterior field and whole-star 6π is rejected.
- **R226M:** q_i to ρ_{set} source bridge; normalized source dictionary and root-amplitude boundary clarified.
- **R227M:** stellar source skeleton; ρ_{ops} and Q_{ops} produce interior/exterior weak-field shapes.
- **R228M:** active source ledger; rest, internal, radiation, pressure, and binding components separated.
- **R229M:** compactness guardrail; weak, transitional, and compact-sector regimes separated.
- **R230M-R233M:** gravity rollup, source manuscript, and first PDF/source freeze.
- **R234G-R235G:** G-root scaffold and clock-lag/photon-box prototype; common target $\gamma A_{\text{write}} = 8\pi^2 \ell_P^2$ found.
- **R236G/R236O:** geometric gamma hunt; $\gamma = 8\pi^2$ from 4π spatial solid angle times 2π temporal phase survives universality gate.
- **R237G/R237O:** A_{write} adjudication; A_{write} not derived, primitive-write-area reframing survives.
- **R238G:** compactness-normalized freeze; $C_A = A_{\text{write}} E/(\hbar c r)$, $a = -c^2 \nabla C_A$, and $G_A = A_{\text{write}} c^3/\hbar$ frozen.

20 The sentence

V13.1 revised

Gravity is the compactness-gradient motion produced by accumulated particle maintenance: each write claims boundary area, energy supplies write phase, compactness records the accumulated settlement depth, and matter falls down that clock-lag gradient at c^2 .

Acknowledgments and provenance

The R225M-R238G chain and the V13.1 gravity rewrite were developed in iterative collaboration with ChatGPT/5.5. The narrative companion supplied by Claude/Opus emphasized the particle-maintenance story, time-and-gravity-as-one-write, congestion interpretation, gravity-expansion equilibrium, compactness funnel, pair-production lensing picture, and the compactness-normalized G reframing. This R239G rewrite integrates those narrative elements into the guarded mathematical structure of the V13.1 source chain.