

Solvency Field Theory V13.4

Why Things Push and Pull:
Forces as Settlement Pressure on the Next Write

Narrative companion to the
V13.4 Force-Sector Architecture

Shaun Fosmark
Independent researcher

June 2026

Forces are not substances. They are different ways written settlement resists, redirects, completes, or updates the next write.

Publication boundary. V13.4 establishes the structural architecture of forces in native settlement language. It earns classical electromagnetism as native, and structural kernels for the strong force, weak force, and frame-rigidity loading. It does not derive α , solve Bell correlations, reproduce QCD dynamics, derive electroweak masses, or replace precision QFT.

Contents

1	One mechanism, four readouts	2
2	Two clocks on one particle	2
3	Where charge comes from	2
4	Electromagnetism: native	3
5	Charge spectrum and generations	3
6	Strong force: port topology	3
7	Weak force: branch transitions	4
8	Frame-rigidity loading	4
9	The quantum bridge	5
10	The native action	5
11	The sentence	5

1 One mechanism, four readouts

The Standard Model describes four forces through four separate formalisms: general relativity for gravity, $U(1)$ gauge theory for electromagnetism, $SU(3)$ for the strong force, and $SU(2) \times U(1)$ for the electroweak sector. Each formalism has its own fields, its own coupling constants, its own Lagrangian terms. Unifying them has been the central project of theoretical physics for a century.

SFT offers a different picture. There are not four forces. There is one settlement mechanism with four readouts. Each readout stresses a different channel of the settlement geometry:

Force	Settlement channel	What it does
Gravity	Scalar depth	Things fall along compactness gradients
EM	Directional holonomy	Charges attract or repel; fields propagate
Strong	Boundary-port topology	Color bundling and confinement
Weak	Branch transition	Doublet-changing mode updates

A force is pressure on the next write. The difference between forces is which channel of the settlement is being stressed.

2 Two clocks on one particle

Every massive particle carries two independent internal phases. The first is the Compton phase ϕ_C — the mass clock, the internal heartbeat, how fast the particle ticks. Different particles with different masses tick at different rates.

The second is the framing holonomy θ_g — the charge address, the circulation direction, how the transverse frame of the worldline tube winds as the particle advances. An electron and a proton have wildly different masses but exactly the same magnitude of charge. If charge were the mass clock, a proton’s electromagnetic behavior would differ from an electron’s by a factor of 1836. It does not. Charge is independent of mass.

Mass is how fast the history ticks. Charge is how the history is twisted.

3 Where charge comes from

Two photons at sufficient combined invariant mass interact. Angular momentum conservation at the closure vertex forces the two resulting orbits to circulate in opposite directions. One clockwise. One counterclockwise. One electron. One positron. Charge is set at the moment of formation by the geometry of the closure event.

The gear-compatibility rule follows: particles whose circulation directions are opposite — whose settlement ripples mesh like counter-rotating gears — attract. Particles whose directions are the same — whose ripples clash like co-rotating gears — repel.

Charge cannot be changed after formation. It is written into the settlement history at every tick. No-overwrite preserves it permanently. Physically rotating a particle in space does not reverse its charge, just as turning over a top does not change the direction its surface was manufactured to spin. Charge is internal holonomy, not spatial orientation.

4 Electromagnetism: native

The particle’s worldline tube has a transverse cross-section with an angular coordinate. Where you start measuring that angle is arbitrary — a local bookkeeping choice. This is gauge invariance. Not imposed as a postulate. Arising from the geometry of the tube itself.

Local relabeling freedom forces a connection A_μ that compensates for mismatches between neighboring zero-angle choices. Pure relabeling cannot cost energy — that would make a bookkeeping choice physical. So a mass term $A_\mu A^\mu$ is blocked. The first physical object is the curvature:

$$F_{\mu\nu} = \partial_\mu A_\nu - \partial_\nu A_\mu, \quad (1)$$

which measures directional-settlement holonomy failure around an infinitesimal loop. No failure, no stress. Failure, real field.

The energy cost must be quadratic at leading order — smooth around zero curvature, sign-symmetric because reversing the field direction doesn’t change stored energy. The unique result is:

$$\mathcal{L}_{\text{EM}} = -\frac{1}{4}K_{\text{EM}} F_{\mu\nu} F^{\mu\nu} + J^\mu A_\mu. \quad (2)$$

Maxwell’s equations are the weak-field elastic limit of directional settlement holonomy. Not imported. Forced by relabeling invariance, smoothness, and sign symmetry.

From this foundation, moving charges create magnetic fields (directional holonomy seen when the source moves), accelerated charges radiate (settlement curvature detaching and propagating at c), and the Lorentz force governs charged-particle motion through combined electric and magnetic settlement patterns.

SM correspondence: $U(1)$ gauge theory; $\alpha \approx 1/137$ is the coupling, located as a directional projection $\alpha(E) = N_{\text{eff}}^{p(E)}/(16\pi^2)$ but not derived.

5 Charge spectrum and generations

The charge formula:

$$Q = B_3 + \frac{n_Y}{6}, \quad (3)$$

with integer winding numbers $n_Y = 3Y$, produces the one-generation Standard Model charge kernel. Four charge families: neutral lepton (0), charged lepton (-1), up-type quark ($+2/3$), down-type quark ($-1/3$).

Fractional quark charges are projections of integer windings through the three-port boundary protocol. They are not fundamental fractions. They are $1/3$ -winding cables bundled in threes.

The worldline in 3+1 spacetime has three independent normal deformation directions ($D_\perp = 3$). Each direction carries one copy of the charge pattern. Three copies of four families gives twelve fermions.

Charge says what winding a particle carries. Generation says which of the three transverse support lanes carries that same winding.

6 Strong force: port topology

Quarks carry fractional boundary-port addresses — their θ_g windings have denominators of three. Each quark connects to one of three boundary ports. The three ports are the three “colors.” A valid external address requires all three ports to be occupied:

- Three quarks filling all ports: $qqq = \text{baryon}$ (proton, neutron).
- Quark plus antiquark closing one port pair: $q\bar{q} = \text{meson}$ (pion).
- Single quark with open ports: incomplete address, rejected by the boundary. That rejection IS confinement.

Confinement is not a force holding quarks together. It is a topological requirement: incomplete connections are not valid. You cannot have a lone quark for the same reason you cannot mail a letter with half an address.

The three color ports and the three generation lanes both arise from the three-dimensional normal bundle of a worldline in 3+1 spacetime. They are distinct commuting readouts of the same geometric structure: generation determines the mass lane, color determines the boundary port.

SM correspondence: $SU(3)$ color gauge theory; gluon self-interactions, asymptotic freedom, and QCD dynamics remain open.

7 Weak force: branch transitions

Within each generation, the charged lepton and neutrino form a doublet. The up-type and down-type quarks form another. The weak interaction is the transition between doublet partners — one mode becoming the other.

These transitions are governed by non-commuting operators. Flipping up-then-down is not the same as flipping down-then-up. The non-commutativity produces $SU(2)$ curvature and self-interaction structure. The $W^\pm$ bosons are the observed resonances of these branch-changing transitions.

Only left-handed particles access the weak branch. This parity violation is not a rule imposed on the physics. It is a fossil of the primordial closure orientation — the handedness of the pre-shatter state from which all particles inherited their framing. No-overwrite preserves the fossil. The weak ratchet is set by the early universe and cannot be undone.

SM correspondence: $SU(2)_L \times U(1)_Y$ electroweak theory; Weinberg angle, Fermi constant, CKM/PMNS mixing, and decay rates remain open.

8 Frame-rigidity loading

Every particle's θ_g orientation, branch state, and generation lane were set at formation and must be maintained against the expanding boundary. Maintenance costs energy. That cost is mass.

The photon pays nothing. Its $U(1)$ relabeling does not contradict any written history. Changing the zero-angle of the transverse frame is a bookkeeping choice, not a physical change. No contradiction. No cost. Mass zero.

The W and Z pay heavily. Their function is to rewrite branch framing. Every rewriting pushes against the rigidity of already-written history. The cost is their mass: 80.4 and 91.2 GeV respectively.

The 125 GeV rigidity resonance is what happens when the frame-maintenance sector of the settlement geometry is excited directly — hit hard enough to vibrate at its own natural frequency. The excitation is unstable and decays immediately into particle pairs.

The settlement equation's relaxation term Φ_{relax} and the frame-rigidity loading mechanism describe the same physics from two angles. Both are outputs of one microscopic operator $\mathcal{H}_{\text{settle}}$ whose derivation would simultaneously give the absolute mass scale, the W/Z masses, and possibly the running projection $p(E)$ for α .

SM correspondence: frame-rigidity loading $\leftrightarrow$ Higgs mechanism; rigidity resonance $\leftrightarrow$ Higgs boson (125 GeV); frame-maintenance sector $\leftrightarrow$ Higgs field.

9 The quantum bridge

The wave function is the settlement geometry of a possible write. $\psi(x)$ describes how the settlement support-readiness extends through space — where the next write COULD land based on the existing settlement pattern. $|\psi(x)|^2$ is the settlement intensity — how much write history is concentrated at each point.

The Born rule says the next write is sampled from settlement intensity. Not because nature rolls dice. Because the write lands where the settlement is deepest — where the most preparation has been done, where the geometry is most ready to receive the next entry.

Interference is settlement overlap. Where two settlement patterns are in phase — compatible gearing — they reinforce. Where they are out of phase — incompatible gearing — they cancel. The interference pattern IS the compatibility pattern of overlapping settlement geometries.

Decoherence is independent history accumulation. When a particle interacts with its environment, it acquires new write history that is independent of its original phase coherence. The coherence isn't destroyed. It becomes inaccessible because the environmental writes have entangled the settlement pattern with a vastly larger system.

Entanglement is shared write-history correlation. Two particles created at the same vertex — like the electron and positron from pair production — share a common settlement boundary condition from their joint origin. Their properties are correlated not because of a mysterious connection across space, but because the same event wrote both particles. No-overwrite preserves the correlation permanently. The shared history cannot be erased. Only new independent writes can dilute it.

Bell correlations remain the mandatory stress test. SFT must either explain Bell-violating correlations through shared-origin settlement structure without superluminal signaling, or acknowledge that the quantum bridge is incomplete. This obligation is not hidden.

10 The native action

The V13.4 action stack contains no imported Standard Model ontology as primary language:

$$S_{\text{SFT}} = S_{\text{support}} + S_{\text{grav}} + S_{\text{EM}} + S_{\text{color}} + S_{\text{weak}} + S_{\text{rigid}} + S_{\text{quantum}} + S_{\text{vertices}}. \quad (4)$$

Each term has a native settlement meaning. S_{support} is the locally real particle: closed or open energy at c with no-overwrite history. S_{grav} is scalar compactness. S_{EM} is directional holonomy curvature. S_{color} is boundary-port completion. S_{weak} is branch-transition curvature. S_{rigid} is frame-maintenance cost. S_{quantum} is settlement support-readiness. S_{vertices} is the admissibility layer for interaction events: charge conservation, momentum conservation, branch selection, port completeness, and no-overwrite history preservation.

The action is not a Standard Model Lagrangian in disguise. It is the ledger of which settlement writes, curvatures, ports, branches, rigidity costs, quantum supports, and vertices are admissible.

11 The sentence

V13.4 can be stated in one sentence:

A force is pressure on the next write, and the four forces are four channels of that pressure: scalar depth, directional twist, port completeness, and branch transition — all from one settlement mechanism operating on one kind of stuff at one speed.

Acknowledgments

The R260F–R269F force-sector architecture was developed with ChatGPT/5.5 (OpenAI). The pair-production charge-orientation picture, the gear-compatibility metaphor, the Maxwell derivation from relabeling invariance, the dual-role normal-bundle interpretation for generations and colors, the frame-rigidity loading terminology replacing Higgs language, the vertex admissibility correction, and the Dirac-term import correction were developed with Claude/Opus (Anthropic).

References

- [1] S. Fosmark, *SFT V13.3: The First Locally Real Atom*, Zenodo (2026).
- [2] S. Fosmark, *SFT V13.1: Gravity as Accumulated Particle Maintenance*, Zenodo (2026). <https://zenodo.org/records/20822219>
- [3] S. Fosmark, *SFT Research Note: The Fine Structure Constant as Directional Settlement Projection*, Zenodo (2026).