

# Solvency Field Theory V13.5

What the Universe Is Made Of:  
Lines, Intersections, and the Bell Cosine

The ontological foundation of SFT  
and the conditional Bell resolution

Shaun Fosmark  
*Independent researcher*

June 2026

*The universe isn't made of space with particles in it. The universe is made of lines with intersections. The lines are null worldlines. The intersections are vertices. The accumulation of lines is space. The advancement of frames is time. And entanglement is two lines that still pass through the same point.*

**Publication boundary.** V13.5 has two parts. The first is ontological — what the universe IS in SFT's picture. The second is a conditional derivation of the Bell singlet kernel from contextual joint-write admissibility. The Bell derivation reproduces  $E(a, b) = -\cos \theta_{ab}$  and CHSH  $2\sqrt{2}$  conditionally. Full detector dynamics, Hilbert-space reconstruction, all entangled states, and QFT remain open.

## Contents

|           |                                             |          |
|-----------|---------------------------------------------|----------|
| <b>I</b>  | <b>Ontology</b>                             | <b>3</b> |
| 1         | The photon doesn't know it's orbiting       | 3        |
| 2         | Time as distance, matter as stacked frames  | 3        |
| 3         | Space is write history                      | 3        |
| 4         | The self-writing document                   | 4        |
| <br>      |                                             |          |
| <b>II</b> | <b>Entanglement and Bell</b>                | <b>4</b> |
| 5         | Two lines from one point                    | 4        |
| 6         | Why a simple hidden instruction sheet fails | 4        |
| 7         | Contextual joint-write admissibility        | 4        |
| 8         | The singlet kernel from geometry            | 5        |

|            |                                        |          |
|------------|----------------------------------------|----------|
| <b>9</b>   | <b>Why the cosine is just geometry</b> | <b>5</b> |
| <b>10</b>  | <b>Born rule from the write race</b>   | <b>6</b> |
| <b>11</b>  | <b>The full chain</b>                  | <b>6</b> |
| <b>12</b>  | <b>What remains open</b>               | <b>6</b> |
| <br>       |                                        |          |
| <b>III</b> | <b>The V13 Series</b>                  | <b>7</b> |

## Part I

# Ontology

## 1 The photon doesn't know it's orbiting

A particle is a photon caught in its own closure. From the outside, the particle oscillates at  $\nu_C = mc^2/h$ . From the null worldline itself, nothing changed. Proper time along a lightlike path is zero:  $d\tau^2 = 0$ . The null support has no internal before-and-after. No ticking. No oscillation. Only the line — continuous and unbroken.

When energy closes into a particle, the FRAME sees an orbit. A clock. Mass. Charge. Spin. But the null support sees none of that. It is still writing a line at  $c$ . The orbit, the mass, the Compton frequency — those are what the line looks like when projected onto the advancing frame.

RELATIVITY GUARDRAIL. A photon has no rest frame. “From the photon’s perspective” is not valid relativistic language. The safe SFT statement is: null support has no proper-time ordering along its own line. The formation vertex carries no internal proper-time separation from later readout vertices along null-connected paths.

## 2 Time as distance, matter as stacked frames

A photon experiences time as distance. Its worldline spans 13.8 billion light-years but zero proper time. From the null path, emission and absorption are the same event separated by space, not time.

A massive particle creates proper time by oscillating. Imagine each moment as a sheet of paper. The particle writes one circle per sheet — one orbit, one tick. The circle cannot be retraced (no-overwrite), so you lay down another sheet. And another. The stack IS time. Each sheet is one frame. The particle exists at the top of its stack, unable to revisit the sheets below.

The photon doesn't stack. It writes one line across all sheets simultaneously. It passes through every frame without stopping at any. The line is its entire existence, experienced all at once. Matter stacks frames and calls it time. Light crosses frames and calls it distance.

## 3 Space is write history

Every particle and photon writes settlement as it moves. The write is permanent. When the frame advances, the writes from previous ticks don't disappear. They become the background geometry. They become SPACE.

Space is not an empty stage. Space is the accumulated write history of everything that has ever passed through each location. Every cubic millimeter has been written on by CMB photons, neutrinos, cosmic rays, and the particles of every object that ever occupied that volume. The sum of all those permanent writes IS the local geometry.

Space grows because new writes need new addresses. The Big Bang was not an explosion into pre-existing emptiness. There was no space before the first write because space IS the writes. The universe created space by writing and continues to create space with every Compton tick.

The past is not gone. The past is the geometry now.

## 4 The self-writing document

The universe is a self-writing document. The ink is energy. The pen is motion at  $c$ . The paper is the boundary. The rule is: once written, never erased.

The lines of the document are null worldlines. Where they intersect, particles form, forces act, quantum outcomes are determined. The accumulated text is space. The page count is time. The thickness of the stack is the age of the universe.

Nothing exists that wasn't written. Nothing written can be unwritten. The future is the next blank page. The past is every page below. The present is the pen touching paper.

## Part II

# Entanglement and Bell

## 5 Two lines from one point

Two photons close at a common vertex. Two particles emerge. Each begins stacking frames and experiencing proper time. But the null support inside each particle has no proper-time separation from the formation vertex. Along the null path, the vertex is not in the past. It carries no internal temporal ordering relative to the particle.

Both particles' null support still references the same formation vertex. The vertex established a shared settlement boundary condition: opposite circulations, conserved angular momentum, anti-aligned internal structure. That boundary condition is part of the admissibility structure of every subsequent readout.

The particles can be separated by light-years. The null support inside each one still connects to the same vertex. The spatial separation is real in the frame. It is irrelevant along the null paths.

Entanglement is shared write-boundary correlation: one formation vertex, two spacelike readout ends, and one joint admissibility condition.

## 6 Why a simple hidden instruction sheet fails

The tempting first idea: the formation vertex stored all future answers. Each particle carries a pre-written list of outcomes for every possible measurement. The correlations are just the instructions being read.

Bell's theorem kills this. If each outcome is fixed locally by a source variable  $\lambda$ :

$$A = A(a, \lambda), \quad B = B(b, \lambda), \quad (1)$$

with  $\lambda$  independent of later settings, then the CHSH expression obeys  $|S| \leq 2$ . Quantum mechanics predicts and experiments confirm  $|S| = 2\sqrt{2}$ .

The formation vertex cannot be an instruction sheet.

## 7 Contextual joint-write admissibility

SFT keeps the shared formation vertex but changes its role. The vertex is not a table of pre-written answers. It is part of a NETWORK of vertices that together determine the admissible outcome:

$$V_{\text{form}} + V_A(a) + V_B(b) \rightarrow \text{one admissible joint write}, \quad (2)$$

where  $V_A(a)$  and  $V_B(b)$  are the local measurement vertices with detector settings  $a$  and  $b$ .

The outcome depends on the ENTIRE network, not just the formation vertex. Different detector settings produce different admissible outcomes from the same shared boundary condition. This is contextuality: the result depends on what you measure, not just on what was prepared.

Bell's theorem blocks non-contextual local hidden variables. It does not block contextual models. SFT's model is contextual. The formation vertex contains a real settlement tensor, but its readout depends on measurement context.

The native category is: **null-boundary contextuality** — shared null-support boundary plus contextual measurement vertices define one joint write without controllable signaling.

## 8 The singlet kernel from geometry

Five conditions force the singlet kernel uniquely:

**Binary readout:**  $A, B \in \{+1, -1\}$ . Each measurement has two outcomes.

**Unbiased marginals:**  $P(A=+1) = P(A=-1) = \frac{1}{2}$ . Each particle alone gives a fair coin.

**Rotational isotropy:**  $E(a, b) = F(a \cdot b)$ . The shared object has no preferred direction.

**Perfect anti-correlation:**  $E(a, a) = -1$ . Same-axis measurements always give opposite results.

**Bilinear readout overlap:**  $E(a, b) = \kappa (a \cdot b)$ . The correlation is bilinear in the detector axes.

From anti-correlation:  $\kappa = -1$ . Therefore:

$$\boxed{E(a, b) = -a \cdot b = -\cos \theta_{ab}.} \quad (3)$$

The joint probability:

$$\boxed{P(A, B \mid a, b) = \frac{1}{4}(1 - AB(a \cdot b)).} \quad (4)$$

No-signaling follows immediately:  $\sum_B P(A, B \mid a, b) = \frac{1}{2}$ .

CHSH reaches  $|S| = 2\sqrt{2}$  with standard settings.

The first four conditions are native SFT. The fifth — bilinear overlap — is derived geometrically.

## 9 Why the cosine is just geometry

The shared settlement object has a correlation tensor:

$$C_{ij}. \quad (5)$$

Linear readout along detector axes gives:

$$E(a, b) = a_i C_{ij} b_j. \quad (6)$$

Rotational invariance requires  $C_{ij}$  to be isotropic. The unique isotropic rank-2 tensor in three dimensions is proportional to the identity:  $C_{ij} = \kappa \delta_{ij}$ .

Anti-correlation gives  $\kappa = -1$ :

$$C_{ij} = -\delta_{ij}. \quad (7)$$

Therefore:

$$E(a, b) = a_i (-\delta_{ij}) b_j = -a \cdot b. \quad (8)$$

The Bell cosine is just the contraction of two detector axes through the isotropic anti-aligned settlement tensor of one shared boundary object. The dot product is the unique rotationally invariant bilinear scalar in three dimensions. There is no other option.

This is not a hidden variable. The tensor  $C_{ij}$  is a shared boundary condition, not a pre-loaded instruction for each possible axis. Its readout depends on which axes are chosen. That is contextuality.

## 10 Born rule from the write race

Settlement intensity  $I_i = |c_i|^2$  counts the density of eligible next-write support in each branch. Higher intensity means more prepared addresses. More prepared addresses means faster completion. The first branch to complete a write wins.

The completion hazard for branch  $i$  is proportional to its settlement intensity:

$$\lambda_i = \Gamma I_i = \Gamma |c_i|^2. \quad (9)$$

The probability that branch  $i$  completes first:

$$P_i = \frac{\lambda_i}{\sum_j \lambda_j} = \frac{|c_i|^2}{\sum_j |c_j|^2} = |c_i|^2. \quad (10)$$

Born weighting follows because settlement intensity is not a preference. It is the count-density of eligible next-write microattempts. The branch with more settlement has more servers processing the next request. Elementary queueing.

The additive microattempt rate  $\gamma$  is a calibrated-detector assumption. Real detectors may have efficiencies  $\gamma_i$ . That is detector calibration, not a different probability law.

## 11 The full chain

1. Formation vertex creates a shared settlement object.
2. Simple hidden instruction sheet is blocked by Bell.
3. Contextual joint-write admissibility is the live route.
4. Four native SFT conditions plus 3D tensor geometry force the singlet kernel uniquely.
5.  $C_{ij} = -\delta_{ij}$  gives  $E(a, b) = -a \cdot b$ .
6. Born selection from settlement-intensity write race gives  $P_i = |c_i|^2$ .
7. No-signaling from unbiased marginals.
8. CHSH reaches  $2\sqrt{2}$ .

Every step uses native SFT objects: settlement tensors, write vertices, 3D projection, completion races, no-overwrite. No nonlocality. No superluminal signaling. No wave function collapse. No many worlds.

One shared settlement object. Two projections. One race at each end.

## 12 What remains open

V13.5 earns the Bell singlet kernel conditionally. It does not earn:

All entangled states beyond the singlet. The GHZ state, the W state, continuous-variable entanglement — all need extension of the tensor framework.

Detector amplification. How a settlement-level write becomes a macroscopic measurement record.

Outcome objectivity. Why we see ONE result rather than a superposition.

Hilbert-space reconstruction. SFT has not derived the full Hilbert-space structure from settlement mechanics.

Spin-statistics connection. Why fermions obey Pauli exclusion and bosons don't.

Full QFT. Relativistic quantum fields, loop corrections, renormalization.

The Bell resolution is conditional, not final. The conditions — additive microattempts, equal local rates, leading-order linear readout — are physically motivated but not derived from the settlement action.

## Part III

# The V13 Series

## Six chapters, one theory

V13.0: Energy at  $c$  closes into particles.

V13.1: Their settlement curves spacetime. Gravity.

V13.2: Their writes grow the boundary. Expansion.

V13.3: Their binding assembles atoms. Chemistry.

V13.4: Their channels carry forces. Physics.

V13.5: Their lines ARE spacetime, and their shared vertices explain entanglement. Ontology.

One stuff. One speed. One rule. The rest is geometry.

The past is not gone. The past is the geometry now. And the pen is still moving at  $c$ .

## Acknowledgments

The null-worldline entanglement picture, the photon-inside-the-particle perspective, the stacked-frames visualization, the space-as-write-history ontology, and the self-writing document metaphor were developed in conversation between Shaun Fosmark and Claude/Opus (Anthropic). The R267B–R267E2 Bell singlet derivation chain, contextual joint-write admissibility framework, singlet kernel uniqueness proof, tensor geometry derivation, and Born-selection hazard law were developed and executed with ChatGPT/5.5 (OpenAI). The V13.0–V13.4 foundation was developed collaboratively with both.