

Creating a Firewall Alias for Internal Networks

A firewall alias was created in OPNsense under **Firewall → Aliases**. An alias is a named group of addresses or networks that can be used in firewall rules, so a rule can refer to one name instead of listing every network separately.

The new alias:

Name	Type	Description	Content
InternalNets	Network(s)	All private addresses	10.0.0.0/8, 172.16.0.0/12, 192.168.0.0/16

These three ranges are the private IPv4 address blocks reserved for internal networks. Grouping them as InternalNets lets later firewall rules refer to all internal traffic with one name, for example to control traffic between the lab zones or keep internal traffic from going out the WAN.

The alias list also contains OPNsense's built-in aliases, such as **bogons** and **bogonsv6** (lists of invalid or unassigned addresses) and **sshlockout** and **virusprot** (addresses blocked automatically after abuse). These are managed by OPNsense and were left unchanged.

Firewall: Aliases 0% (6/5118000)

Aliases | **GeolIP settings** | Actions

Search: [] Filter type: [] Categories: []

Enabled	Name	Type	Description	Content	Commands
☐	__lo0_network	Internal (automatic)	Loopback net	dynamic	
☒	__opt1_netw...	Internal (automatic)	CLIENTS net	dynamic	
☒	__opt2_netw...	Internal (automatic)	ATTACK net	dynamic	
☒	__wan_netw...	Internal (automatic)	wan net	dynamic	

Showing 1 to 10 of 10 entries