

# Master Reloading & Ballistics Acronym Glossary

*For Gunstuff Ballistics App – Printable & Shareable Edition*

**AB** – AccuBond: Nosler bonded hunting bullet

**ABLR** – AccuBond Long Range: Long range bonded bullet

**AL** – Annealing Line: Heat discoloration mark on brass

**ALR** – Extreme Long Range: Shooting discipline

**AR** – Automatic Rifle: Firearm action type

**BC** – Ballistic Coefficient: Bullet aerodynamic efficiency

**BCG** – Bolt Carrier Group: Semi-auto rifle component

**BHN** – Brinell Hardness Number: Lead hardness measurement

**BL** – Base Length: Case base dimension

**BP** – Base Plug: Bullet jacket forming component

**BR** – Bench Rest: Precision shooting discipline

**BT** – Boat Tail: Tapered bullet base

**BTHP** – Boat Tail Hollow Point: Match bullet design

**BTO** – Base To Ogive: Seating measurement reference

**CB** – Copper Bullet: Monolithic projectile

**CBTO** – Cartridge Base To Ogive: Precise seating depth metric

**CFE** – Copper Fouling Eraser: Hodgdon powder additive

**CG** – Case Gauge: Chamber fit tool

**CIP** – Commission Internationale Permanente: European ammo standards body

**CLR** – Case Length Resize: Sizing operation

**CMP** – Civilian Marksmanship Program: US shooting organization

**COAL** – Cartridge Overall Length: Total cartridge length

**COL** – Cartridge Overall Length: Alternate spelling

**CP** – Cratered Primer: Pressure sign

**CUP** – Copper Units of Pressure: Legacy pressure system

**DOA** – Dead On Arrival: Hunting term

**DOPE** – Data On Previous Engagements: Ballistic adjustment data

**EJ** – Ejector Mark: Pressure sign

**ELR** – Extreme Long Range: Ultra distance shooting

**ES** – Extreme Spread: Velocity variation range

**FF** – Form Factor: Drag efficiency value

**FG** – Fine Grain: Powder granulation

**FH** – Flash Hole: Primer flame channel

**FL** – Full Length Sizing: Resize entire brass case

**FMJ** – Full Metal Jacket: Encased bullet

**FP** – Flattened Primer: Pressure sign

**FPS** – Feet Per Second: Velocity unit

**FTL** – Full Throttle Load: Near-maximum load

**G1** – G1 Drag Model: Traditional BC reference

**G7** – G7 Drag Model: Modern boat-tail BC reference

**GS** – Grains: Weight unit

**HBN** – Hexagonal Boron Nitride: Bullet coating

**HP** – Hollow Point: Bullet nose type

**HPBT** – Hollow Point Boat Tail: Match bullet

**HPT** – High Pressure Test: Proof testing

**IMR** – Improved Military Rifle: Powder series

**JHP** – Jacketed Hollow Point: Defensive bullet

**JSP** – Jacketed Soft Point: Hunting bullet

**K** – Kelvin: Temperature unit used in ballistics modeling

**KPSI** – Thousand PSI: Pressure unit

**LADDER** – Ladder Test: Load development method

**LC** – Lake City: US military brass manufacturer

**LPP** – Large Pistol Primer: Primer size

**LR** – Large Rifle Primer: Primer size

**MAP** – Maximum Average Pressure: SAAMI pressure spec

**MIL** – Milliradian: Optic adjustment unit

**MOA** – Minute Of Angle: Angular accuracy unit

**MV** – Muzzle Velocity: Bullet exit speed

**NATO** – North Atlantic Treaty Organization: Military standard

**NS** – Neck Sizing: Resize case neck only

**OAL** – Overall Length: Cartridge length

**OCW** – Optimal Charge Weight: Load development system

**OGIVE** – Ogive: Curved bullet nose section

**OTM** – Open Tip Match: Match bullet type

**PP** – Primer Pocket: Primer cavity

**PPM** – Parts Per Million: Chemical measurement

**PRS** – Precision Rifle Series: Competition format

**PSI** – Pounds per Square Inch: Pressure unit

**QF** – QuickFOAM: Case capacity modeling software

**QL** – QuickLOAD: Internal ballistics software

**RBC** – Reduced Bearing Curve: Bullet design

**RL** – Reloder: Powder line

**RT** – Resizing Trim: Case trimming step

**SAAMI** – Sporting Arms and Ammunition Manufacturers Institute: US ammo standards

**SD** – Standard Deviation: Velocity consistency

**SDR** – Sectional Density Ratio: Penetration indicator

**SMK** – Sierra MatchKing: Match bullet line

**SP** – Soft Point: Hunting bullet

**SPP** – Small Pistol Primer: Primer size

**SR** – Small Rifle Primer: Primer size

**SWC** – Semi Wadcutter: Pistol bullet

**TC** – Taper Crimp: Crimp method

**TIR** – Total Indicated Runout: Concentricity measurement

**TMJ** – Total Metal Jacket: Encapsulated bullet

**TMP** – Total Metal Point: Jacketed bullet

**TOF** – Time of Flight: Bullet travel time

**TR** – Target Rifle: Shooting category

**TSX** – Triple Shock X: Barnes copper bullet

**VLD** – Very Low Drag: Bullet profile

**VMAX** – V-Max: Hornady varmint bullet

**WLR** – Winchester Large Rifle: Primer model

**WSM** – Winchester Short Magnum: Cartridge family

**WT** – Wall Thickness: Brass measurement

**XTP** – Extreme Terminal Performance: Hornady pistol bullet