Problem 1 — Replacing the unencrypted backend EBS volume with an encrypted volume

The original backend EBS volume was unencrypted. EBS encryption is not enabled in place on an existing unencrypted volume. The documented workflow uses a snapshot, copies that snapshot with encryption enabled, creates a replacement volume from the encrypted copy, and swaps the volume attached to the backend instance.


Steps documented in the screenshots


• Identify the unencrypted volume attached to cloudshield-backend.
• Create a snapshot of the source volume.
• Copy the snapshot and enable encryption for the copied snapshot.
• Wait for the encrypted snapshot copy to complete.
• Create a replacement EBS volume from the encrypted snapshot in the instance's Availability Zone.
• Stop the instance as required, detach the original volume, and attach the replacement using the expected device mapping.
• Verify the replacement volume's attachment and encryption status in the EC2 console.


Why this matters


The replacement volume provides encryption at rest for the data stored on that volume. The encrypted snapshot copy and replacement volume are distinct from the original volume; the original does not become encrypted in place. Validate the replacement volume's Encryption field and KMS key in the EC2 Volumes console.


> The original screenshot evidence from CloudShield-Final-PDF, pages 128–141, follows this explanation.



AWS Management Console
Instances | EC2 | ap-south-1
ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#Instances:
Search [Alt+S]
Asia Pacific (Mumbai)
Shaurya Singh (754025990014)
Vansh
EC2 > Instances
EC2
Dashboard
AWS Global View
Events
Instances
Instances
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
UltraServers New
Capacity Manager New
Images
AMIs
AMI Catalog
Elastic Block Store
Volumes
Snapshots
Lifecycle Manager
Instances (1/5) Info
Last updated 8 minutes ago
Connect
Instance state
Actions
Launch instances
Saved filter sets
Choose filter set
Filter Instance by attribute or tag (case-sensitive)
Name
Instance ID
Instance state
Instance type
Status check
Availability Zone
Public IPv4 DNS
Public IPv4 ...
i-0b4ed97a463de8637 Terminated t3.micro – ap-south-1b – – –
i-0c5d2c7aada30dcd5 Running t3.micro 3/3 checks passec ap-south-1b ec2-15-252-182-3.ap-s... 15.252.182.3 –
cloudshield-ba... i-0eeeec62c89c2c1d7 Running t3.micro 3/3 checks passec ap-south-1a – – –
i-0eeeec62c89c2c1d7 (cloudshield-backend)
Root device details
Root device name
/dev/xvda
Root device type
EBS
EBS optimization
Enabled
Block devices
Filter block devices
Volume ID
Device name
Volume size (GiB)
Volume State
Attachment status
Attachment time
Encrypted
KMS key ID
vol-05de7940265982455 /dev/xvda 8 In-use Attached 2026/10/05 14:08 GMT+5:30 No –
Volume monitoring (1)
Activate Windows
Go to Settings to activate Windows.
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
Type here to search
ENG IN
12:18 PM 08-Oct-26



AWS Management Console
Instances | EC2 | ap-south-1
ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#Instances:
Search
[Alt+S]
Asia Pacific (Mumbai)
Shaurya Singh (754025990014)
Vansh
EC2 > Instances
EC2
Dashboard
AWS Global View
Events
Instances
Instances
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
UltraServers New
Capacity Manager New
Images
AMIs
AMI Catalog
Elastic Block Store
Volumes
Snapshots
Lifecycle Manager
Instances (1/5) Info
Last updated 9 minutes ago
Connect
Instance state
Actions
Launch instances
Saved filter sets
Choose filter set
Filter instance by attribute or tag (case-sensitive)
Name
Instance ID
Public IPv4 ...
Elastic
cloudshield-ba...
i-0eeeec62c89c2c1d7
15.252.182.3
13.235.242.102
Stop instance
Stopping your instance allows you to reduce costs, modify settings, and troubleshoot problems.
Instance ID
Stop protection
Result
i-0eeeec62c89c2c1d7 (cloudshield-backend)
Disabled
Can stop
Associated resources
You will continue to incur charges for these resources while the instance is stopped
You will be billed for associated resources
After you stop the instance, you are no longer charged usage or data transfer fees for it. However, you will still be billed for associated Elastic IP addresses and EBS volumes.
Skip OS shutdown
This option skips the graceful OS shutdown process. Use only when your instance must be stopped immediately, such as during an emergency or failover.
Skip OS shutdown
Cancel
Stop
i-0eeeec62c89c2c1d7 (cloudshield-backend)
Activate Windows
Go to Settings to activate Windows.
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
Type here to search
Hot...
ENG
IN
12:18 PM
08-Oct-26



AWS Management Console
Instances | EC2 | ap-south-1
ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#Instances:
Search
[Alt+S]
Asia Pacific (Mumbai)
Shaurya Singh (754025990014)
Vansh
EC2 > Instances
EC2
Dashboard
AWS Global View
Events
Instances
Instances
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
UltraServers New
Capacity Manager New
Images
AMIs
AMI Catalog
Elastic Block Store
Volumes
Snapshots
Lifecycle Manager
Instances (5) Info
Last updated less than a minute ago
Connect
Instance state
Actions
Launch instances
Saved filter sets
Choose filter set
Filter Instance by attribute or tag (case-sensitive)
Name
Instance ID
Instance state
Instance type
Status check
Availability Zone
Public IPv4 DNS
Public IPv4 ...
i-0b4ed97a463de8637 Terminated t3.micro – ap-south-1b – – –
i-0c5d2c7aada30dcd5 Running t3.micro 3/3 checks passed ap-south-1b ec2-15-252-182-3.ap-s... 15.252.182.3 –
cloudshield-ba... i-0eeeec62c89c2c1d7 Stopped t3.micro – ap-south-1a – – –
All instances
Instance alarm states
In alarm
None
Show instances in alarm
View in CloudWatch
Service health
EC2 service status
Operating normally
View Service Health Dashboard
Health events affecting EC2 instances
Open events
None
Show instances
Upcoming events
None
Show instances
View AWS Health Dashboard
Activate Windows
Go to Settings to activate Windows.
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
Type here to search
Hot...
ENG
IN
12:20 PM
08-Oct-26



AWS Management Console
Volumes | EC2 | ap-south-1
ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#Volumes:
Search
[Alt+S]
Asia Pacific (Mumbai)
Shaurya Singh (754025990014)
Vansh
EC2
Dashboard
AWS Global View
Events
Instances
Instances
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
UltraServers New
Capacity Manager New
Images
AMIs
AMI Catalog
Elastic Block Store
Volumes
Snapshots
Lifecycle Manager
Volumes (1/3) Info
Last updated 2 minutes ago
Recycle Bin
Actions
Create volume
Saved filter sets
Choose filter set
Search
Name
Volume ID
Type
Size
IOPS
Throughput
Owner ID
Created
vol-05d4bcf22ca943418 gp3 8 GiB 3000 125 754025990014 2026/10/
vol-07ff78a2ddd862927 gp3 8 GiB 3000 125 754025990014 2026/10/
vol-05de7940265982455 gp3 8 GiB 3000 125 754025990014 2026/10/
Modify volume
Create snapshot
Create snapshot lifecycle policy
Delete volume
Attach volume
Detach volume
Force detach volume
Manage auto-enabled I/O
Copy volume - updated
Share volume - new
Manage tags
Resilience testing
Previously fault injection
Volume ID: vol-05de7940265982455
Details
Status checks
Monitoring
Volume sharing - new
Tags
Volume ID
vol-05de7940265982455
Size
8 GiB
Type
gp3
Status check
Okay
Owner ID
754025990014 (This account)
Volume state
In-use
IOPS
3000
Throughput
125
Fast snapshot restored
No
Availability Zone
aps1-az1 (ap-south-1a)
Created
Mon Oct 05 2026 14:08:49 GMT+0530 (India Standard Time)
Multi-Attach enabled
No
Activate Windows
Go to Settings to activate Windows.
Attached resources
Outposts ARN
Managed
Operator
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
Type here to search
33°C
ENG IN
12:23 PM 08-Oct-26



AWS Management Console
Create snapshot | EC2 | ap-sout
ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#CreateSnapshotFromVolume:volumeId=vol-05de7940265982455
Search
[Alt+S]
Asia Pacific (Mumbai)
Shaurya Singh (754025990014)
Vansh
EC2 > Volumes > vol-05de7940265982455 > Create snapshot
Create snapshot Info
Create a point-in-time snapshot to back up the data on an Amazon EBS volume to Amazon S3.
Source volume
Volume ID
vol-05de7940265982455
Availability Zone
aps1-az1 (ap-south-1a)
Snapshot details
Description
Add a description for your snapshot
cloudshield-backend-snapshot
255 characters maximum.
Encryption Info
Not encrypted
Tags Info
A tag is a label that you assign to an AWS resource. Each tag consists of a key and an optional value. You can use tags to search and filter your resources or track your AWS costs.
No tags associated with the resource.
Add new tag
You can add up to 50 tags.
Activate Windows
Go to Settings to activate Windows.
Cancel
Create snapshot
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
Type here to search
33°C
ENG
IN
12:24 PM
08-Oct-26



AWS Management Console
Snapshots | EC2 | ap-south-1
ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#Snapshots:
Search
[Alt+S]
Asia Pacific (Mumbai)
Shaurya Singh (754025990014)
Vansh
EC2
Dashboard
AWS Global View
Events
Instances
Instances
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
UltraServers New
Capacity Manager New
Images
AMIs
AMI Catalog
Elastic Block Store
Volumes
Snapshots
Lifecycle Manager
Snapshots (1/1) Info
Last updated less than a minute ago
Recycle Bin
Actions
Create snapshot
Snapshot scope
Owned by me
Search
Name
Snapshot ID
Full snapshot size
Volume size
Description
Snapshot status
cloudshield-backend-EC2-volume-snapshot
snap-0c08f51c25660fb9b
1.71 GiB
8 GiB
cloudshield
Completed
Create volume from snapshot
Create image from snapshot
Copy snapshot
Launch copy duration calculator
Delete snapshot
Manage tags
Snapshot settings
Archiving
Snapshot ID: snap-0c08f51c25660fb9b (cloudshield-backend-EC2-volume-snapshot)
Details
Snapshot settings
Storage tier
Tags
Snapshot ID
snap-0c08f51c25660fb9b (cloudshield-
Full snapshot size
1.71 GiB
Progress
100%
Snapshot status
Completed
Activate Windows
Go to Settings to activate Windows.
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
Type here to search
33°C
ENG
IN
12:26 PM
08-Oct-26



AWS Management Console
Copy snapshot | EC2 | ap-south
ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#CopySnapshot:snapshotId=snap-0c08f51c25660fb9b
Search
[Alt+S]
Asia Pacific (Mumbai)
Shaurya Singh (754025990014)
Vansh
EC2 > Snapshots > snap-0c08f51c25660fb9b > Copy snapshot
Copy snapshot Info
Copy a snapshot from one AWS Region to another, or within the same Region.
Source snapshot
The original snapshot that is to be copied.
Snapshot ID
snap-0c08f51c25660fb9b (cloudshield-backend-EC2-volume-snapshot)
Region
ap-south-1
Snapshot copy details
Description
A description for the snapshot copy.
cloudshield-backend-encrypted-snapshot
255 characters maximum.
Destination Region
The Region in which to create the snapshot copy.
ap-south-1
Time-based copy | Info
Specify a completion duration for the snapshot copy operation. Additional costs apply. Learn more
Enable time-based copy
Encryption | Info
Use Amazon EBS encryption as an encryption solution for your EBS resources.
Encrypt this snapshot
KMS key | Info
Activate Windows
Go to Settings to activate Windows.
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
Type here to search
33°C
ENG
IN
12:27 PM
08-Oct-26



AWS Management Console
Copy snapshot | EC2 | ap-south
ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#CopySnapshot:snapshotId=snap-0c08f51c25660fb9b
Search
[Alt+S]
Asia Pacific (Mumbai)
Shaurya Singh (754025990014)
Vansh
EC2 > Snapshots > snap-0c08f51c25660fb9b > Copy snapshot
Use Amazon EBS encryption as an encryption solution for your EBS resources.
Encrypt this snapshot
KMS key | Info
(default) aws/ebs
KMS key description
Default key that protects my EBS volumes when no other key is defined
KMS key owner account
754025990014 (This account)
KMS key ID
846a3d22-6fe9-46da-ba37-5e429ce0f83f
KMS key ARN
arn:aws:kms:ap-south-1:754025990014:key/846a3d22-6fe9-46da-ba37-5e429ce0f83f
Tags - optional Info
A tag is a label that you assign to an AWS resource. Each tag consists of a key and an optional value. You can use tags to search and filter your resources or track your AWS costs.
No tags associated with the resource.
Add tag
You can add 50 more tags.
Cancel
Copy snapshot
Activate Windows
Go to Settings to activate Windows.
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
Type here to search
33°C
ENG
IN
12:28 PM
08-Oct-26



AWS Management Console
Snapshots | EC2 | ap-south-1
ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#Snapshots:sort=tag:Name
Search
[Alt+S]
Asia Pacific (Mumbai)
Shaurya Singh (754025990014)
Vansh
EC2
Dashboard
AWS Global View
Events
Instances
Instances
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
UltraServers New
Capacity Manager New
Images
AMIs
AMI Catalog
Elastic Block Store
Volumes
Snapshots
Lifecycle Manager
Snapshots (1/2) Info
Last updated less than a minute ago
Recycle Bin
Actions
Create snapshot
Snapshot scope
Owned by me
Search
Name
Snapshot ID
Full snapshot size
Volume size
cloudshield-backend-EC2-volume-encrypted-snapshot
snap-05c337d0527b59c87
1.71 GiB
8 GiB
Complete
cloudshield-backend-EC2-volume-snapshot
snap-0c08f51c25660fb9b
1.71 GiB
8 GiB
Complete
Create volume from snapshot
Create image from snapshot
Copy snapshot
Launch copy duration calculator
Delete snapshot
Manage tags
Snapshot settings
Archiving
Snapshot ID: snap-05c337d0527b59c87 (cloudshield-backend-EC2-volume-encrypted-snapshot)
Details
Snapshot settings
Storage tier
Tags
Snapshot ID
snap-05c337d0527b59c87 (cloudshield-
Full snapshot size
1.71 GiB
Progress
100%
Snapshot status
Completed
Activate Windows
Go to Settings to activate Windows.
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
Type here to search
ENG
IN
12:29 PM
08-Oct-26


AWS Management Console
Instances | EC2 | ap-south-1
Volumes | EC2 | ap-south-1
ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#Volumes:
Search
[Alt+S]
Asia Pacific (Mumbai)
Shaurya Singh (754025990014)
Vansh
Images
AMIs
AMI Catalog
Elastic Block Store
Volumes
Snapshots
Lifecycle Manager
Network & Security
Security Groups
Elastic IPs
Placement Groups
Key Pairs
Network Interfaces
Load Balancing
Load Balancers
Target Groups
Trust Stores
Auto Scaling
Auto Scaling Groups
Settings
Volumes (1/4) Info
Last updated less than a minute ago
Recycle Bin
Actions
Create volume
Saved filter sets
Choose filter set
Search
Name
Volume ID
Type
Size
IOPS
Throughput
Owner ID
Snapshot ID
Source volume ID
Created
vol-093b9db69f1fca3f8 gp3 8 GiB 3000 125 754025990014 snap-05c337d... - 2026/10/
vol-05d4bcf22ca943418 gp3 8 GiB 3000 125 754025990014 snap-0dfdd6b... - 2026/10/
vol-07ff78a2ddd862927 gp3 8 GiB 3000 125 754025990014 snap-0dfdd6b... - 2026/10/
vol-05de7940265982455 gp3 8 GiB 3000 125 754025990014 snap-0dfdd6b... - 2026/10/
Volume ID: vol-093b9db69f1fca3f8
Source
Snapshot ID
snap-05c337d0527b59c87
Source volume ID
-
Encryption
Encryption
Encrypted
KMS key ID
846a3d22-6fe9-46da-ba37-5e429ce0f83f
KMS key alias
aws/ebs
KMS key ARN
arn:aws:kms:ap-south-1:754025990014:key/846a3d22-6fe9-46da-ba37-5e429ce0f83f
Activate Windows
Go to Settings to activate Windows.
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
Type here to search
Gold
ENG IN
12:34 PM 08-Oct-26


AWS Management Console
Instances | EC2 | ap-south-1
ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#Instances:
Search [Alt+S]
Asia Pacific (Mumbai)
Shaurya Singh (754025990014)
Vansh
EC2 > Instances
EC2
Dashboard
AWS Global View
Events
Instances
Instances
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
UltraServers New
Capacity Manager New
Images
AMIs
AMI Catalog
Elastic Block Store
Volumes
Snapshots
Lifecycle Manager
Successfully detached volume vol-05de7940265982455 from instance i-0eeeec62c89c2c1d7.
Instances (1/5) Info
Last updated 1 minute ago
Connect
Instance state
Actions
Launch instances
Saved filter sets
Choose filter set
Filter Instance by attribute or tag (case-sensitive)
Name
Instance ID
Instance state
Instance type
Status check
Availability Zone
Public IPv4 DNS
Public IPv4 ...
i-0b4ed97a463de8637 Terminated t3.micro – ap-south-1b – –
i-0c5d2c7aada30dcd5 Running t3.micro 3/3 checks passec ap-south-1b ec2-15-252-182-3.ap-s... 15.252.182.3
cloudshield-ba... i-0eeeec62c89c2c1d7 Stopped t3.micro – ap-south-1a – –
i-0df9ecfc9f8afd280 Terminated t3.micro – ap-south-1a – –
i-08d0058c1142283fd Running t3.micro 3/3 checks passec ap-south-1a ec2-13-235-242-102.ap... 13.235.242.102
i-0eeeec62c89c2c1d7 (cloudshield-backend)
Details
Status and alarms
Monitoring
Security
Networking
Storage
Tags
Instance summary Info
Instance ID
i-0eeeec62c89c2c1d7
IPv6 address
–
Public IPv4 address
–
Instance state
Stopped
Private IPv4 addresses
10.0.2.146
Public DNS
–
Activate Windows
Go to Settings to activate Windows.
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
Type here to search
ENG IN
12:36 PM 08-Oct-26


AWS Management Console
Attach volume | EC2 | ap-south
in the ec2 launch template, wha
ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#AttachVolumeFromInstance:instanceId=i-0eeeec62c89c2c1d7
Search
[Alt+S]
Ask Amazon Q
Asia Pacific (Mumbai)
Shaurya Singh (754025990014)
Vansh
EC2 > Instances > i-0eeeec62c89c2c1d7 > Attach volume
Attach volume Info
You can create and configure EBS volumes in your account and then attach them to EC2 instances in your VPC.
Instance ID
i-0eeeec62c89c2c1d7 (cloudshield-backend)
Availability Zone
ap-south-1a
Currently attached volumes (1)
Volume Info
vol-093b9db69f1fca3f8
Create new volume
Device name Info
/dev/xvda
Recommended device names for Linux: /dev/xvda for root volume. /dev/sd[f-p] for data volumes.
Cancel
Attach volume
Activate Windows
Go to Settings to activate Windows.
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
Type here to search
33°C
ENG
IN
12:39 PM
08-Oct-26


AWS Management Console
Instances | EC2 | ap-south-1
in the ec2 launch template, wha
ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#Instances:
Search
[Alt+S]
Ask Amazon Q
Asia Pacific (Mumbai)
Shaurya Singh (754025990014)
Vansh
EC2 > Instances
EC2
Dashboard
AWS Global View
Events
Instances
Instances
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
UltraServers New
Capacity Manager New
Images
AMIs
AMI Catalog
Elastic Block Store
Volumes
Snapshots
Lifecycle Manager
Instances (1/5) Info
Last updated less than a minute ago
Connect
Instance state
Actions
Launch instances
Stop instance
Start instance
Reboot instance
Hibernate instance
Terminate (delete) instance
Saved filter sets
Choose filter set
Filter Instance by attribute or tag (case-sensitive)
Name
Instance ID
Instance state
Instance type
Status check
Availability
Public IPv4 ...
i-0b4ed97a463de8637 Terminated t3.micro – ap-south-1
i-0c5d2c7aada30dcd5 Running t3.micro 3/3 checks passec ap-south-1 15.252.182.3
cloudshield-ba... i-0eeeec62c89c2c1d7 Stopped t3.micro – ap-south-1a
i-0df9ecfc9f8afd280 Terminated t3.micro – ap-south-1a
i-08d0058c1142283fd Running t3.micro 3/3 checks passec ap-south-1a ec2-13-235-242-102.ap... 13.235.242.102
i-0eeeec62c89c2c1d7 (cloudshield-backend)
Details
Status and alarms
Monitoring
Security
Networking
Storage
Tags
Instance summary Info
Instance ID
i-0eeeec62c89c2c1d7
Public IPv4 address
–
Private IPv4 addresses
10.0.2.146
IPv6 address
–
Instance state
Stopped
Public DNS
–
Activate Windows
Go to Settings to activate Windows.
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
Type here to search
33°C
ENG IN
12:41 PM 08-Oct-26


AWS Management Console
Instances | EC2 | ap-south-1
in the ec2 launch template, wha
ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#Instances:v=3;$case=tags:true%5C,client:false;$regex=tags:false%5C,client:false
Search
[Alt+S]
Ask Amazon Q
Asia Pacific (Mumbai)
Shaurya Singh (754025990014)
Vansh
EC2 > Instances
EC2
Dashboard
AWS Global View
Events
Instances
Instances
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
UltraServers New
Capacity Manager New
Images
AMIs
AMI Catalog
Elastic Block Store
Volumes
Snapshots
Lifecycle Manager
Network & Security
Security Groups
Elastic IPs
Placement Groups
Instances (5) Info
Last updated less than a minute ago
Connect
Instance state
Actions
Launch instances
Saved filter sets
Choose filter set
Filter Instance by attribute or tag (case-sensitive)
Name
Instance ID
Instance state
Instance type
Status check
Availability Zone
Public IPv4 DNS
Public IPv4 ...
Ela
i-0b4ed97a463de8637 Terminated t3.micro – ap-south-1b – –
i-0c5d2c7aada30dcd5 Running t3.micro 3/3 checks passec ap-south-1b ec2-15-252-182-3.ap-s... 15.252.182.3
cloudshield-backend i-0eeeec62c89c2c1d7 Running t3.micro 3/3 checks passec ap-south-1a – –
i-0df9ecfc9f8afd280 Terminated t3.micro – ap-south-1a – –
i-08d0058c1142283fd Running t3.micro 3/3 checks passec ap-south-1a ec2-13-235-242-102.ap... 13.235.242.102
All instances
Instance alarm states
In alarm
None Show instances in alarm
Service health
EC2 service status
Operating normally
Health events affecting EC2 instances
Open events
None Show instances
Activate Windows
Go to Settings to activate Windows.
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
Type here to search
Gold
ENG IN
12:49 PM 08-Oct-26