Phase 6 — Account-level S3 Block Public Access, always-encrypted EBS volumes, Access Analyzer, CloudTrail and VPC Flow Logs with S3 destinations, EventBridge, and EC2 metadata options

Purpose of this phase

This phase adds account-wide storage protections, improves visibility into AWS activity and network flows, and creates EventBridge rules that can alert on sensitive account events. These controls complement security groups and IAM; they do not replace least-privilege permissions or log review.

1. Account-level S3 Block Public Access

Enable all four account-level Block Public Access settings to block public access that could be granted through ACLs or public bucket/access-point policies. Account-level settings act as a protective ceiling for S3 in the account. Still review bucket-level settings and bucket policies, and confirm applications that genuinely require public access are not relying on it.

2. Always encrypt new EBS volumes

Enable EBS encryption by default in the required AWS Region. New EBS volumes created in that Region will then be encrypted by default, helping protect data at rest. This setting does not encrypt existing unencrypted volumes retroactively; an existing volume requires a separate snapshot/copy/replacement workflow if it must be encrypted.

3. IAM Access Analyzer

Use Access Analyzer findings to identify supported resources that may be accessible outside the intended trust boundary, such as through resource policies. Review each finding, confirm whether the access is expected, and then revise the relevant policy if access is unintended. A finding is a signal to investigate, not automatic proof of compromise.

4. CloudTrail and VPC Flow Logs with S3 destinations

CloudTrail records supported AWS account activity and API calls, helping answer who performed an action, what action occurred, and when. VPC Flow Logs record metadata about IP traffic to and from network interfaces; they do not capture packet contents. Send the logs to the intended S3 destination, such as the project’s cloudshield-cloudtrail-logs bucket for CloudTrail, and keep bucket access tightly restricted. Confirm each logging service is configured for its own intended destination and that delivery permissions are valid.

5. EventBridge rules

EventBridge event patterns are filters: a rule matches only events whose fields satisfy the pattern. The four rules below cover IAM changes, root-user API activity, root console sign-ins, and security-group changes. A matching rule does not send an alert by itself; the rule must have a target (for example, an SNS topic) and the target must have permission to be invoked. Verify the target and notification delivery separately.

EventBridge JSON patterns — what each rule detects

Rule 1 — CloudShield-IAM-Change-Alert

This rule matches CloudTrail API-call events from IAM. It looks for changes such as creating or deleting users and roles, attaching or detaching policies, changing inline policies, and creating or deleting access keys. These actions can change who can access the account or what permissions they have, so the rule helps surface identity and permission changes for review.

```
{
  "source": ["aws.iam"],
  "detail-type": ["AWS API Call via CloudTrail"],
  "detail": {
    "eventSource": ["iam.amazonaws.com"],
    "eventName": [
      "CreateUser", "DeleteUser", "CreateRole", "DeleteRole",
      "AttachUserPolicy", "DetachUserPolicy", "AttachRolePolicy", "DetachRolePolicy",
      "PutUserPolicy", "DeleteUserPolicy", "PutRolePolicy", "DeleteRolePolicy",
      "CreateAccessKey", "DeleteAccessKey"
    ]
  }
}
```

Rule 2 — CloudShield-Root-Activity-Alert

This rule matches CloudTrail API-call events where the identity type is Root. It is intended to flag API activity performed using the account root identity. Root access is highly privileged and should be avoided for routine work; investigate matching events and confirm whether the activity was expected.

```
{
  "detail-type": ["AWS API Call via CloudTrail"],
  "detail": {
    "userIdentity": {
      "type": ["Root"]
    }
  }
}
```

EventBridge JSON patterns — continued

Rule 3 — CloudShield-Root-Console-Login-Alert

This rule matches a console sign-in event from signin.amazonaws.com when the event name is ConsoleLogin and the identity type is Root. It specifically focuses on root console sign-ins, rather than all root API calls. Review each notification and verify that the sign-in was authorized.

```
{
  "detail-type": ["AWS Console Sign In via CloudTrail"],
  "detail": {
    "eventSource": ["signin.amazonaws.com"],
    "eventName": ["ConsoleLogin"],
    "userIdentity": {
      "type": ["Root"]
    }
  }
}
```

Rule 4 — CloudShield-SecurityGroup-Change-Alert

This rule matches EC2 API-call events that create or delete a security group, or authorize/revoke inbound or outbound rules. Security-group changes can expose services to new sources or alter outbound connectivity, so review the rule change, affected group, ports, and source/destination ranges.

```
{
  "source": ["aws.ec2"],
  "detail-type": ["AWS API Call via CloudTrail"],
  "detail": {
    "eventSource": ["ec2.amazonaws.com"],
    "eventName": [
      "AuthorizeSecurityGroupIngress", "RevokeSecurityGroupIngress",
      "AuthorizeSecurityGroupEgress", "RevokeSecurityGroupEgress",
      "CreateSecurityGroup", "DeleteSecurityGroup"
    ]
  }
}
```

6. EC2 instance metadata options

Review metadata settings in both the launch template and already-running instances. Prefer IMDSv2 with tokens required, and set the metadata response hop limit only as high as the architecture needs. A launch-template setting affects instances launched from that template; verify the effective settings on existing instances as well. Metadata controls reduce exposure of instance-role credentials but do not replace least-privilege IAM policies.

Validation checklist

• Confirm all four account-level S3 Block Public Access controls are enabled. • Confirm EBS encryption by default is enabled in the intended Region. • Review Access Analyzer findings. • Confirm CloudTrail and VPC Flow Logs are active and deliver to the intended S3 destinations. • For each EventBridge rule, check the event pattern, enabled state, target, target permissions, and a safe test/notification. • Confirm IMDSv2 settings on the launch template and deployed instances.


AWS Management Console
Account and organization settir
Access Analyzer summary | Acc
ap-south-1.console.aws.amazon.com/s3/account-settings?region=ap-south-1
Search
[Alt+S]
Asia Pacific (Mumbai)
Shaurya Singh (754025990014)
Vansh
Amazon S3
Account and organization settings
Buckets
General purpose buckets
Directory buckets
Table buckets
Vector buckets
Files
File systems
Access management and security
Access Points
Access Points for FSx
Access Grants
IAM Access Analyzer
Storage management and insights
Storage Lens
Batch Operations
Account and organization settings
AWS Marketplace for S3
Block Public Access settings for this account successfully updated.
Account and organization settings
Block Public Access settings for this account
Edit
Public access is granted to buckets and objects through access control lists (ACLs), bucket policies, access point policies or all. In order to ensure that public access to all your S3 buckets and objects is blocked, turn on Block all public access. These settings apply account-wide for all current and future buckets and access points. AWS recommends that you turn on Block all public access, but before applying any of these settings, ensure that your applications will work correctly without public access. If you require some level of public access to your buckets or objects, you can customize the individual settings below to suit your specific storage use cases. Learn more
Block all public access
On
Block public access to buckets and objects granted through new access control lists (ACLs)
On
Block public access to buckets and objects granted through any access control lists (ACLs)
On
Block public access to buckets and objects granted through new public bucket or access point policies
On
Block public and cross-account access to buckets and objects through any public bucket or access point policies
On
AWS Organizations settings for Storage Lens Info
Edit trusted access
You can authorize Storage Lens to access your organization hierarchy. You can also register member accounts to act as delegated administrators. Learn more
AWS Organizations administrator permissions unavailable
You are not able to view this page because you are not an administrator for your AWS organization or because your account is not a member of any AWS organization. Learn more
Diagnose with Amazon Q
Activate Windows
Go to Settings to activate Windows.
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
Type here to search
34°C
ENG
IN
6:38 PM
06-Oct-26


AWS Management Console
Modify EBS encryption | EC2 | a
Access Analyzer summary | Acc
ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#ModifyEBSEncryption:
Search
[Alt+S]
Asia Pacific (Mumbai)
Shaurya Singh (754025990014)
Vansh
EC2
Settings - Data protection and security
Modify EBS encryption
EBS encryption Info
Manage the default encryption option of all new EBS volumes and copies of snapshots created in your account.
Always encrypt new EBS volumes
Enables encryption by default for newly created EBS volumes and snapshots.
Enable
Default encryption key
Specify the master key to encrypt your volumes.
arn:aws:kms:ap-south-1:754025990014:key/846a3d22-6fe9-46da-ba37-5e429ce0f83f
Copy
The settings above only apply to the Asia Pacific (Mumbai) region. Choose another region to change the settings for that region. You can only launch instance types that support EBS encryption once you enable account level encryption. Learn more about supported instance types.
Cancel
Update EBS encryption
Activate Windows
Go to Settings to activate Windows.
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
Type here to search
32°C
ENG
IN
6:48 PM
06-Oct-26


AWS Management Console
Dashboard | EC2 | ap-south-1
Analyzer settings | Access Analy
ap-south-1.console.aws.amazon.com/access-analyzer/home?region=ap-south-1#/settings
Search [Alt+S]
Asia Pacific (Mumbai)
Shaurya Singh (754025990014)
Vansh
IAM > Access Analyzer > Analyzer settings
Identity and Access Management (IAM)
Dashboard
Access management
User Groups
Users
Roles
Policies
Identity providers
Account settings
Root access management New
Temporary delegation requests
Access reports
Access analyzer
Resource analysis New
Unused access
Analyzer settings
Policy simulator
Credential report
Multi-account access
Account access manager
Organization activity
Analyzer settings Info
Settings
Access Analyzer administrator
754025990014 (Current account)
Analyzers (1)
Delete
Create analyzer
1
Analyzer name
Finding type
Managed by
Status
CloudShield-ExternalAccess-Analyzer
External access
Zone of trust: Current account (754025990014)
Customer managed
Active
Activate Windows
Go to Settings to activate Windows.
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
Type here to search
32°C
ENG
IN
7:24 PM
06-Oct-26


AWS Management Console
Dashboard | EC2 | ap-south-1
Access Analyzer summary | Acc
ap-south-1.console.aws.amazon.com/access-analyzer/home?region=ap-south-1#/dashboard
Search
[Alt+S]
Asia Pacific (Mumbai)
Shaurya Singh (754025990014)
Vansh
IAM
Access Analyzer summary
Identity and Access Management (IAM)
Dashboard
Access management
User Groups
Users
Roles
Policies
Identity providers
Account settings
Root access management New
Temporary delegation requests
Access reports
Access analyzer
Resource analysis New
Unused access
Analyzer settings
Policy simulator
Credential report
Multi-account access
Account access manager
Organization activity
Summary Info
Based on the number of roles and users analyzed, it can take time to reflect finding updates in the summary.
Select analyzers
Create analyzer
After you create the analyzer, it can take time to summarize the findings.
Resource access findings
Check back later to view the summary.
View active findings
Unused access findings
No analyzers to display.
Activate Windows
Go to Settings to activate Windows.
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
Type here to search
32°C
ENG
IN
7:24 PM
06-Oct-26


AWS Management Console
Create trail | CloudTrail | ap-sou
ap-south-1.console.aws.amazon.com/cloudtrailv2/home?region=ap-south-1#/create
Search [Alt+S]
Asia Pacific (Mumbai)
Shaurya Singh (754025990014)
Vansh
CloudTrail > Dashboard > Create trail
Step 3
Review and create
Trail name
Enter a display name for your trail.
CloudShield-Audit-Trail
3-128 characters. Only letters, numbers, periods, underscores, and dashes are allowed.
Enable for all accounts in my organization
To review accounts in your organization, open AWS Organizations. See all accounts
Storage location | Info
Create new S3 bucket
Create a bucket to store logs for the trail.
Use existing S3 bucket
Choose an existing bucket to store logs for this trail.
Trail log bucket and folder
Enter a new S3 bucket name and folder (prefix) to store your logs. Bucket names must be globally unique.
cloudshield-cloudtrail-logs
Logs will be stored in cloudshield-cloudtrail-logs/AWSLogs/754025990014
Log file SSE-KMS encryption | Info
Enabled
Additional settings
Log file validation | Info
Enabled
Recursive logging | Info
Enabled
SNS notification delivery | Info
Enabled
When a trail delivers events to destinations such as CloudWatch Logs, those delivery operations (for example, PutLogEvents) can themselves be recorded as data events if the trail has data events enabled for that service. This creates a recursive loop where each delivery generates a new event that triggers another delivery, inflating costs.
Clear the Recursive logging checkbox to suppress CloudTrail delivery operations from being recorded as data events on this trail. When cleared, events with invokedBy=cloudtrail.amazonaws.com and matching delivery event names (such as PutLogEvents) are filtered from delivery.
Was this content helpful?
Yes
No
Learn more
Creating a trail
Creating a trail for an organization
Activate Windows
Go to Settings to activate Windows.
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
Type here to search
Hot...
ENG
IN
2:48 PM
07-Oct-26


AWS Management Console
Create trail | CloudTrail | ap-sou
ap-south-1.console.aws.amazon.com/cloudtrailv2/home?region=ap-south-1#/create
Search [Alt+S]
Asia Pacific (Mumbai)
Shaurya Singh (754025990014)
Vansh
CloudTrail > Dashboard > Create trail
Recursive logging | Info
Enabled
SNS notification delivery | Info
Enabled
CloudWatch Logs – optional
Configure CloudWatch Logs to monitor your trail logs and notify you when specific activity occurs. Standard CloudWatch and CloudWatch Logs charges apply.
Learn more
CloudWatch Logs | Info
Enabled
Policy document
Tags – optional Info
You can add one or more tags to help you manage and organize your resources, including trails.
Key
Enter key
Value – optional
Enter value
Remove
Add tag
You can add 49 more tags
Cancel
Next
When a trail delivers events to destinations such as CloudWatch Logs, those delivery operations (for example, PutLogEvents) can themselves be recorded as data events if the trail has data events enabled for that service. This creates a recursive loop where each delivery generates a new event that triggers another delivery, inflating costs.
Clear the Recursive logging checkbox to suppress CloudTrail delivery operations from being recorded as data events on this trail. When cleared, events with invokedBy=cloudtrail.amazonaws.com and matching delivery event names (such as PutLogEvents) are filtered from delivery.
Was this content helpful?
Yes
No
Learn more
Creating a trail
Creating a trail for an organization
Activate Windows
Go to Settings to activate Windows.
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
Type here to search
Hot...
ENG
IN
2:49 PM
07-Oct-26


AWS Management Console
Create trail | CloudTrail | ap-sou
ap-south-1.console.aws.amazon.com/cloudtrailv2/home?region=ap-south-1#/create
Search
[Alt+S]
Asia Pacific (Mumbai)
Shaurya Singh (754025990014)
Vansh
CloudTrail > Dashboard > Create trail
Step 1
Choose trail attributes
Step 2
Choose log events
Step 3
Review and create
Choose log events
Events Info
Record API activity for individual resources, or for all current and future resources in AWS account. Additional charges apply
Event type
Choose the type of events that you want to log.
Management events
Capture management operations performed on your AWS resources.
Data events
Log the resource operations performed on or within a resource.
Insights events
Identify unusual activity, errors, or user behavior in your account.
Network activity events
Network activity events provide information about resource operations performed on a resource within a virtual private cloud endpoint.
Management events Info
Management events show information about management operations performed on resources in your AWS account.
No additional charges apply to log management events on this trail because this is your first copy of management events.
API activity
Choose the activities you want to log.
Read
Write
Activate Windows
Go to Settings to activate Windows.
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
Type here to search
34°C
ENG
IN
2:52 PM
07-Oct-26


AWS Management Console
Create trail | CloudTrail | ap-sou
ap-south-1.console.aws.amazon.com/cloudtrailv2/home?region=ap-south-1#/create
Search
[Alt+S]
Asia Pacific (Mumbai)
Shaurya Singh (754025990014)
Vansh
CloudTrail
Dashboard
Create trail
Review and create
Event type
Choose the type of events that you want to log.
Management events
Capture management operations performed on your AWS resources.
Data events
Log the resource operations performed on or within a resource.
Insights events
Identify unusual activity, errors, or user behavior in your account.
Network activity events
Network activity events provide information about resource operations performed on a resource within a virtual private cloud endpoint.
Management events Info
Management events show information about management operations performed on resources in your AWS account.
No additional charges apply to log management events on this trail because this is your first copy of management events.
API activity
Choose the activities you want to log.
Read
Write
Exclude AWS KMS events
Exclude Amazon RDS Data API events
Cancel
Previous
Next
Activate Windows
Go to Settings to activate Windows.
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
Type here to search
34°C
ENG
IN
2:52 PM
07-Oct-26


AWS Management Console
Trails | CloudTrail | ap-south-1
S3 buckets | S3 | ap-south-1
ap-south-1.console.aws.amazon.com/cloudtrailv2/home?region=ap-south-1#/trails
Search
[Alt+S]
Ask Amazon Q
Asia Pacific (Mumbai)
Shaurya Singh (754025990014)
Vansh
CloudTrail > Trails
Trails
Copy events to Lake
Delete
Create trail
Name
Home region
Multi-region trail
ARN
Insights
Organization trail
S3 bucket
Log file prefix
CloudWatch Logs log group
Status
CloudShield-Audit-Trail
Asia Pacific (Mumbai)
Yes
arn:aws:cloudtrail:ap-south-1:754025990014:trail/CloudShield-Audit-Trail
Disabled
No
cloudshield-cloudtrail-logs
-
-
Logging
Activate Windows
Go to Settings to activate Windows.
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
Type here to search
34°C
ENG
IN
3:03 PM
07-Oct-26


AWS Management Console
Trails | CloudTrail | ap-south-1
S3 buckets | S3 | ap-south-1
ap-south-1.console.aws.amazon.com/s3/buckets?region=ap-south-1
Search
[Alt+S]
Asia Pacific (Mumbai)
Shaurya Singh (754025990014)
Vansh
Amazon S3
Buckets
Buckets
General purpose buckets
All AWS Regions
Directory buckets
General purpose buckets (2) Info
Copy ARN
Empty
Delete
Create bucket
Buckets are containers for data stored in S3.
Find buckets by name
Name
AWS Region
Creation date
cloudshield-cloudtrail-logs
Asia Pacific (Mumbai) ap-south-1
October 7, 2026, 15:00:38 (UTC+05:30)
cloudshield-s3-bucket
Asia Pacific (Mumbai) ap-south-1
October 3, 2026, 15:04:48 (UTC+05:30)
Account snapshot Info
View dashboard
Updated daily
Storage Lens provides visibility into storage usage and activity trends.
External access summary Info
Updated daily
External access findings help you identify bucket permissions that allow public access or access from other AWS accounts.
Activate Windows
Go to Settings to activate Windows.
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
Type here to search
34°C
ENG
IN
3:03 PM
07-Oct-26


AWS Management Console
Trails | CloudTrail | ap-south-1
cloudshield-cloudtrail-logs - S3
ap-south-1.console.aws.amazon.com/s3/buckets/cloudshield-cloudtrail-logs?region=ap-south-1&tab=properties
Search [Alt+S]
Asia Pacific (Mumbai)
Shaurya Singh (754025990014)
Vansh
Amazon S3 > Buckets > cloudshield-cloudtrail-logs
cloudshield-cloudtrail-logs Info
Objects Metadata Properties Permissions Metrics Management File systems Access Points
Bucket overview
AWS Region
Asia Pacific (Mumbai) ap-south-1
Amazon Resource Name (ARN)
arn:aws:s3:::cloudshield-cloudtrail-logs
Creation date
October 7, 2026, 15:00:38 (UTC+05:30)
Bucket Versioning
Edit
Versioning is a means of keeping multiple variants of an object in the same bucket. You can use versioning to preserve, retrieve, and restore every version of every object stored in your Amazon S3 bucket. With versioning, you can easily recover from both unintended user actions and application failures. Learn more
Bucket Versioning
Enabled
Multi-factor authentication (MFA) delete
An additional layer of security that requires multi-factor authentication for changing Bucket Versioning settings and permanently deleting object versions. To modify MFA delete settings, use the AWS CLI, AWS SDK, or the Amazon S3 REST API. Learn more
Disabled
Bucket ABAC
Edit
Attribute-based access control (ABAC) is an authorization strategy that defines permissions based on attributes. With ABAC, you can attach tags to your general purpose buckets and AWS Identity and Access Management (IAM) entities (users or roles), then scale access to objects in your S3 general purpose buckets using tag-based policies. Learn more
ABAC status
Disabled
Activate Windows
Go to Settings to activate Windows.
CloudShell Agent Toolkit for AWS Feedback Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences
Type here to search
ENG IN
3:23 PM 07-Oct-26


AWS Management Console
Trails | CloudTrail | ap-south-1
cloudshield-cloudtrail-logs - S3
ap-south-1.console.aws.amazon.com/s3/buckets/cloudshield-cloudtrail-logs?region=ap-south-1&tab=properties
Search [Alt+S]
Asia Pacific (Mumbai)
Shaurya Singh (754025990014)
Vansh
Amazon S3 > Buckets > cloudshield-cloudtrail-logs
Key
Value - optional
There are no user-defined tags associated with this bucket.
Add new tag
Default encryption
Edit
Server-side encryption is automatically applied to new objects stored in this bucket.
Encryption type Info
Server-side encryption with Amazon S3 managed keys (SSE-S3)
Bucket Key
When KMS encryption is used to encrypt new objects in this bucket, the bucket key reduces encryption costs by lowering calls to AWS KMS. Learn more
Disabled
Blocked encryption types Info
Server-Side Encryption with Customer-Provided Keys (SSE-C)
Intelligent-Tiering Archive configurations (0)
View details
Edit
Delete
Create configuration
Enable objects stored in the Intelligent-Tiering storage class to tier-down to the Archive Access tier or the Deep Archive Access tier which are optimized for objects that will be rarely accessed for long periods of time. Learn more
Find Intelligent-Tiering Archive configurations
Name
Status
Scope
Days until transition to Archive Access t...
Days until transition to Deep Archive A...
Activate Windows
Go to Settings to activate Windows.
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
Type here to search
ENG
IN
3:23 PM
07-Oct-26


AWS Management Console
Trails | CloudTrail | ap-south-1
Create lifecycle rule - S3 bucket
ap-south-1.console.aws.amazon.com/s3/management/cloudshield-cloudtrail-logs/lifecycle/create?region=ap-south-1
Search
[Alt+S]
Asia Pacific (Mumbai)
Shaurya Singh (754025990014)
Vansh
Amazon S3 > Buckets > cloudshield-cloudtrail-logs > Lifecycle configuration > Create lifecycle rule
Create lifecycle rule Info
Lifecycle rule configuration
Lifecycle rule name
Cloudshield-lifecycle-rule
Up to 255 characters
Choose a rule scope
Limit the scope of this rule using one or more filters
Apply to all objects in the bucket
Apply to all objects in the bucket
If you want the rule to apply to specific objects, you must use a filter to identify those objects. Choose "Limit the scope of this rule using one or more filters". Learn more
I acknowledge that this rule will apply to all objects in the bucket.
Lifecycle rule actions
Choose the actions you want this rule to perform.
Transition current versions of objects between storage classes
This action will move current versions.
Transition noncurrent versions of objects between storage classes
This action will move noncurrent versions.
Expire current versions of objects
Permanently delete noncurrent versions of objects
Delete expired object delete markers or incomplete multipart uploads
Activate Windows
Go to Settings to activate Windows.
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
Type here to search
34°C
ENG
IN
3:41 PM
07-Oct-26


AWS Management Console
Trails | CloudTrail | ap-south-1
Create lifecycle rule - S3 bucket
ap-south-1.console.aws.amazon.com/s3/management/cloudshield-cloudtrail-logs/lifecycle/create?region=ap-south-1
Search
[Alt+S]
Asia Pacific (Mumbai)
Shaurya Singh (754025990014)
Vansh
Amazon S3 > Buckets > cloudshield-cloudtrail-logs > Lifecycle configuration > Create lifecycle rule
Lifecycle rule actions
Choose the actions you want this rule to perform.
Transition current versions of objects between storage classes
This action will move current versions.
Transition noncurrent versions of objects between storage classes
This action will move noncurrent versions.
Expire current versions of objects
Permanently delete noncurrent versions of objects
Delete expired object delete markers or incomplete multipart uploads
These actions are not supported when filtering by object tags or object size.
Expire current versions of objects
For version-enabled buckets, Amazon S3 adds a delete marker and the current version of an object is retained as a noncurrent version. For non-versioned buckets, Amazon S3 permanently removes the object. Learn more
Days after object creation
90
Permanently delete noncurrent versions of objects
Choose when Amazon S3 permanently deletes specified noncurrent versions of objects. Learn more
Days after objects become noncurrent
30
Number of newer versions to retain - Optional
Number of versions
Can be 1 to 100 versions. All other noncurrent versions will be moved.
Activate Windows
Go to Settings to activate Windows.
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
Type here to search
34°C
ENG
IN
3:41 PM
07-Oct-26


AWS Management Console
Trails | CloudTrail | ap-south-1
Create lifecycle rule - S3 bucket
ap-south-1.console.aws.amazon.com/s3/management/cloudshield-cloudtrail-logs/lifecycle/create?region=ap-south-1
Search
[Alt+S]
Asia Pacific (Mumbai)
Shaurya Singh (754025990014)
Vansh
Amazon S3 > Buckets > cloudshield-cloudtrail-logs > Lifecycle configuration > Create lifecycle rule
90
Permanently delete noncurrent versions of objects
Choose when Amazon S3 permanently deletes specified noncurrent versions of objects. Learn more
Days after objects become noncurrent
30
Number of newer versions to retain - Optional
Number of versions
Can be 1 to 100 versions. All other noncurrent versions will be moved.
Review transition and expiration actions
Current version actions
Day 0
Objects uploaded
Day 90
Objects expire
Noncurrent versions actions
Day 0
Objects become noncurrent
Day 30
0 newest noncurrent versions are retained
All other noncurrent versions are permanently deleted
Cancel
Create rule
Activate Windows
Go to Settings to activate Windows.
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
Type here to search
34°C
ENG
IN
3:42 PM
07-Oct-26


AWS Management Console
Trails | CloudTrail | ap-south-1
Lifecycle configuration list - S3
ap-south-1.console.aws.amazon.com/s3/management/cloudshield-cloudtrail-logs/lifecycle?region=ap-south-1
Search
[Alt+S]
Asia Pacific (Mumbai)
Shaurya Singh (754025990014)
Vansh
Amazon S3 > Buckets > cloudshield-cloudtrail-logs > Lifecycle configuration
Lifecycle configuration
To manage your objects so that they are stored cost effectively throughout their lifecycle, configure their lifecycle. A lifecycle configuration is a set of rules that define actions that Amazon S3 applies to a group of objects. Lifecycle rules run once per day.
Default minimum object size for transitions
All storage classes 128K
Lifecycle rules (1)
View details
Edit
Delete
Actions
Create lifecycle rule
Use lifecycle rules to define actions you want Amazon S3 to take during an object's lifetime such as transitioning objects to another storage class, archiving them, or deleting them after a specified period of time. Learn more
Find lifecycle rules by name
Lifecycle rule name
Status
Scope
Current version actions
Noncurrent versions ac...
Expired object delete ...
Incomplete multipart u...
Cloudshield-lifecycle-rule
Enabled
Entire bucket
Expires
Permanently delete
-
-
Activate Windows
Go to Settings to activate Windows.
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
Type here to search
34°C
ENG
IN
3:43 PM
07-Oct-26


AWS Management Console
S3 buckets | S3 | ap-south-1
Create flow logs | VPC | ap-sou
ap-south-1.console.aws.amazon.com/vpcconsole/home?region=ap-south-1#CreateFlowLogs:TargetResourceId=vpc-00d60f9c997388d02
Search [Alt+S]
Asia Pacific (Mumbai)
Shaurya Singh (754025990014)
Vansh
VPC > Your VPCs > Create flow logs
Create flow log Info
Flow logs can capture IP traffic flow information for the network interfaces associated with your resources. You can create multiple flow logs to send traffic to different destinations.
Selected resources Info
Flow logs will only be created for resources in an available state.
Name | Resource ID | State
MyVPC | vpc-00d60f9c997388d02 | Available
Flow log settings
Name - optional
Cloudshield-VPC-flow-logs
Filter
The type of traffic to capture (accepted traffic only, rejected traffic only, or all traffic).
Accept
Reject
All
Maximum aggregation interval Info
The maximum interval of time during which a flow of packets is captured and aggregated into a flow log record.
10 minutes
1 minute
Destination
The destination to which to publish the flow log data.
Send to CloudWatch Logs
Send to an Amazon S3 bucket
Send to Amazon Data Firehose in the same account
Partition logs by time
You should partition your logs per hour to reduce your query costs and get faster response if you have a large volume of logs and typically run queries targeted to a specific hour timeframe.
Learn more
VPC flow logs
Maximum aggregation interval
Destination log groups
IAM roles
Activate Windows
Go to Settings to activate Windows.
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
Type here to search
34°C
ENG
IN
4:12 PM
07-Oct-26


AWS Management Console
S3 buckets | S3 | ap-south-1
Create flow logs | VPC | ap-sou
ap-south-1.console.aws.amazon.com/vpcconsole/home?region=ap-south-1#CreateFlowLogs:TargetResourceId=vpc-00d60f9c997388d02
Search [Alt+S]
Asia Pacific (Mumbai)
Shaurya Singh (754025990014)
Vansh
VPC > Your VPCs > Create flow logs
Destination
The destination to which to publish the flow log data.
Send to CloudWatch Logs
Send to an Amazon S3 bucket
Send to Amazon Data Firehose in the same account
Send to Amazon Data Firehose in a different account
S3 bucket ARN
The ARN of the Amazon S3 bucket to which the flow log is published. You can specify a specific folder in the bucket using the arn:aws:s3:::[bucket-name]/[folder_name]/ format.
arn:aws:s3:::cloudshield-cloudtrail-logs
Create S3 bucket
Must be in the format: arn:aws:s3:::[bucket-name]
Please note, a resource-based policy will be created for you and attached to the target bucket.
Log record format
Specify the fields to include in the flow log record.
AWS default format
Custom format
Additional metadata
Include additional metadata to AWS default log record format.
Include Amazon ECS metadata
EC2 tag fields
Include EC2 tag information in flow log records.
Include EC2 tag field specifications
Format preview
${version} ${account-id} ${interface-id} ${srcaddr} ${dstaddr} ${srcport} ${dstport} ${protocol} ${packets} ${bytes} ${start} ${end} ${action} ${log-status}
Copy
Partition logs by time
You should partition your logs per hour to reduce your query costs and get faster response if you have a large volume of logs and typically run queries targeted to a specific hour timeframe.
Learn more
VPC flow logs
Maximum aggregation interval
Destination log groups
IAM roles
Activate Windows
Go to Settings to activate Windows.
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
Type here to search
34°C
ENG
IN
4:13 PM
07-Oct-26


AWS Management Console
S3 buckets | S3 | ap-south-1
Create flow logs | VPC | ap-sou
ap-south-1.console.aws.amazon.com/vpcconsole/home?region=ap-south-1#CreateFlowLogs:TargetResourceId=vpc-00d60f9c997388d02
Search [Alt+S]
Asia Pacific (Mumbai)
Shaurya Singh (754025990014)
Vansh
VPC > Your VPCs > Create flow logs
Log file format | Info
The format for the log files. Each log file is compressed using Gzip compression.
Text (default)
Parquet
Hive-compatible S3 prefix | Info
Enable to use Hive-compatible S3 prefixes to simplify the loading of new data into your Hive-compatible tools.
Enable
Partition logs by time | Info
Partition your logs per hour to reduce your query costs and get faster response if you have a large volume of logs and typically run queries targeted to a specific hour timeframe.
Every 24 hours (default)
Every 1 hour (60 minutes)
Tags
A tag is a label that you assign to an AWS resource. Each tag consists of a key and an optional value. You can use tags to search and filter your resources or track your AWS costs.
Key
Name
Value - optional
Cloudshield-VPC-flow-logs
Remove tag
Add tag
You can add 49 more tags
Partition logs by time
You should partition your logs per hour to reduce your query costs and get faster response if you have a large volume of logs and typically run queries targeted to a specific hour timeframe.
Learn more
VPC flow logs
Maximum aggregation interval
Destination log groups
IAM roles
Cancel
Create flow log
Activate Windows
Go to Settings to activate Windows.
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
Type here to search
34°C
ENG
IN
4:13 PM
07-Oct-26


AWS Management Console
S3 buckets | S3 | ap-south-1
VPC details | VPC | ap-south-1
ap-south-1.console.aws.amazon.com/vpcconsole/home?region=ap-south-1#VpcDetails:VpcId=vpc-00d60f9c997388d02
Search [Alt+S]
Asia Pacific (Mumbai)
Shaurya Singh (754025990014)
Vansh
VPC > Your VPCs > vpc-00d60f9c997388d02
VPC dashboard
Filter by VPC
AWS Global View
Virtual private cloud
Your VPCs
Subnets
Route tables
Internet gateways
Egress-only internet gateways
DHCP option sets
Elastic IPs
Managed prefix lists
NAT gateways
Peering connections
Route servers
Security
Network ACLs
Security groups
PrivateLink and Lattice
Getting started
vpc-00d60f9c997388d02 / MyVPC
Actions
Details Info
VPC ID
vpc-00d60f9c997388d02
State
Available
Block Public Access
Off
DNS hostnames
Enabled
DNS resolution
Enabled
Tenancy
default
DHCP option set
dopt-0c04419e60d38d623
Main route table
rtb-0806a6af73fa5e5bb / MAIN
Main network ACL
acl-0c1d6aad0bf785aa6
Default VPC
No
IPv4 CIDR
10.0.0.0/16
IPv6 pool
–
IPv6 CIDR (Network border group)
–
Network Address Usage metrics
Disabled
Route 53 Resolver DNS Firewall rule groups
–
Owner ID
754025990014
Encryption control ID
–
Encryption control mode
–
Resource map
CIDRs
Flow logs
Tags
Related resources
Integrations
Flow logs (1)
Actions
Create flow log
Search
1
Name
Flow log ID
Traffic type
Destination type
Destination name
Cloudshield-VPC-flow-logs
fl-0e1ecc7e15c7d24c0
All
s3
cloudshield-cloudtrail-logs
Activate Windows
Go to Settings to activate Windows.
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
Type here to search
ENG
IN
4:20 PM
07-Oct-26


AWS Management Console
Amazon EventBridge | ap-south
VPC details | VPC | ap-south-1
ap-south-1.console.aws.amazon.com/events/home?region=ap-south-1#/eventbus/default
Search
[Alt+S]
Asia Pacific (Mumbai)
Shaurya Singh (754025990014)
Vansh
Amazon EventBridge
Event buses
default
Amazon EventBridge
Dashboard
Event buses New
Pipes
Pipes
Scheduler
Schedules
Schedule groups
Scheduled rules (legacy) Updated
Integration
Partner event sources
API destinations
Connections
Schema registry
Schemas
Classic event routing
Global endpoints
Developer resources
Learn
Sandbox
default
Edit
Send events
Start discovery
CloudFormation Template
Event bus details
Event bus name
default
Description
-
Event bus ARN
arn:aws:events:ap-south-1:754025990014:event-bus/default
Schema discovery
Not Initiated
Discoverer ID
No discoverer
Discoverer ARN
No discoverer
Created on
-
Last modified
-
Rules
Encryption
Permissions
Monitoring
Logs
Archives & Replays
Tags
Event pattern rules
Delete
Enable
Edit
CloudFormation Template
Create rule
We have moved Scheduled rules in your account to 'Scheduler' section, where you can view, create and edit a scheduled rule.
Go to Scheduled rules
Find rules
Any status
Name
Status
Type
Event bus
ARN
Description
No rules
No rules to display.
Activate Windows
Go to Settings to activate Windows.
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
Type here to search
ENG
IN
4:33 PM
07-Oct-26


AWS Management Console
Create rule > Review and create
ap-south-1.console.aws.amazon.com/events/home?region=ap-south-1#/rules/create?list=EVENTS&section=CANVAS
Search
[Alt+S]
Ask Amazon Q
Asia Pacific (Mumbai)
Shaurya Singh (754025990014)
Vansh
Amazon EventBridge
Event buses
Create rule
Amazon EventBridge
Dashboard
Event buses New
Pipes
Pipes
Scheduler
Schedules
Schedule groups
Scheduled rules (legacy) Updated
Integration
Partner event sources
API destinations
Connections
Schema registry
Schemas
Classic event routing
Global endpoints
Developer resources
Learn
Sandbox
Builder mode
Enhanced builder
Visual drag-and-drop builder
Advanced builder
Step-by-step rule configuration
Feedback
Step 1
Define rule detail
Step 2
Build event pattern
Step 3
Select target(s)
Step 4 - optional
Configure tags
Step 5
Review and create
Review and create
Step 1: Define rule detail
Edit
Define rule detail
Rule name
CloudShield-Root-Activity-Alert
Status
Enabled
Event bus
default
Description
Alert when AWS root account activity occurs.
Rule type
Standard rule
Step 2: Build event pattern
Edit
Event pattern Info
{
"detail-type": ["AWS API Call via CloudTrail"],
"detail": {
"userIdentity": {
"type": ["Root"]
}
}
}
Activate Windows
Go to Settings to activate Windows.
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
Type here to search
28°C
ENG
IN
9:54 AM
08-Oct-26


AWS Management Console
Create rule > Review and create
ap-south-1.console.aws.amazon.com/events/home?region=ap-south-1#/rules/create?list=EVENTS&section=CANVAS
Search
[Alt+S]
Ask Amazon Q
Asia Pacific (Mumbai)
Shaurya Singh (754025990014)
Vansh
Amazon EventBridge
Event buses
Create rule
Amazon EventBridge
Dashboard
Event buses New
Pipes
Pipes
Scheduler
Schedules
Schedule groups
Scheduled rules (legacy) Updated
Integration
Partner event sources
API destinations
Connections
Schema registry
Schemas
Classic event routing
Global endpoints
Developer resources
Learn
Sandbox
Step 2: Build event pattern
Edit
Event pattern Info
{
"detail-type": ["AWS API Call via CloudTrail"],
"detail": {
"userIdentity": {
"type": ["Root"]
}
}
}
Copy
Step 3: Select target(s)
Edit
Targets
Details
Target Name
Type
ARN
Input
Role
Cloudwatch-alarms-topic
SNS topic
arn:aws:sns:ap-south-1:754025990014:Cloudwatch-alarms-topic
Matched event
Amazon_EventBridge_Invoke_Sns_1599416846
Input to target: Matched event
Additional parameters: --
Dead-letter queue (DLQ): -
Activate Windows
Go to Settings to activate Windows.
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
Type here to search
28°C
ENG IN
9:54 AM 08-Oct-26


AWS Management Console
Create rule > Review and create
ap-south-1.console.aws.amazon.com/events/home?region=ap-south-1#/rules/create?list=EVENTS&section=CANVAS
Search
[Alt+S]
Ask Amazon Q
Asia Pacific (Mumbai)
Shaurya Singh (754025990014)
Vansh
Amazon EventBridge
Event buses
Create rule
Amazon EventBridge
Dashboard
Event buses New
Pipes
Pipes
Scheduler
Schedules
Schedule groups
Scheduled rules (legacy) Updated
Integration
Partner event sources
API destinations
Connections
Schema registry
Schemas
Classic event routing
Global endpoints
Developer resources
Learn
Sandbox
Step 3: Select target(s)
Edit
Targets
Details
Target Name
Type
ARN
Input
Role
Cloudwatch-alarms-topic
SNS topic
arn:aws:sns:ap-south-1:754025990014:Cloudwatch-alarms-topic
Matched event
Amazon_EventBridge_Invoke_Sns_1599416846
Input to target: Matched event
Additional parameters: --
Dead-letter queue (DLQ): -
Step 4: Configure tag(s)
Edit
Tags (0)
A tag is a label that you assign to an AWS resource. Each tag consists of a key and an optional value. You can use tags to search and filter your resources or track your AWS costs.
Key
Value
No tags associated with this resource.
Cancel
Previous
Create rule
Activate Windows
Go to Settings to activate Windows.
https://ap-south-1.console.aws.amazon.com/events/home?region=ap-south-1#/a...
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
Type here to search
28°C
ENG IN
9:54 AM 08-Oct-26


AWS Management Console
Create rule > Review and create
ap-south-1.console.aws.amazon.com/events/home?region=ap-south-1#/rules/create?ruleType=standard
Search
[Alt+S]
Asia Pacific (Mumbai)
Shaurya Singh (754025990014)
Vansh
Amazon EventBridge
Event buses
Create rule
Amazon EventBridge
Dashboard
Event buses New
Pipes
Pipes
Scheduler
Schedules
Schedule groups
Scheduled rules (legacy) Updated
Integration
Partner event sources
API destinations
Connections
Schema registry
Schemas
Classic event routing
Global endpoints
Developer resources
Learn
Sandbox
Builder mode
Enhanced builder
Visual drag-and-drop builder
Advanced builder
Step-by-step rule configuration
Feedback
Step 1
Define rule detail
Step 2
Build event pattern
Step 3
Select target(s)
Step 4 - optional
Configure tags
Step 5
Review and create
Review and create
Step 1: Define rule detail
Edit
Define rule detail
Rule name
CloudShield-Root-Console-Login-Alert
Status
Enabled
Event bus
default
Description
Rule type
Standard rule
Step 2: Build event pattern
Edit
Event pattern Info
{
"detail-type": ["AWS Console Sign In via CloudTrail"],
"detail": {
"eventSource": ["signin.amazonaws.com"],
"eventName": ["ConsoleLogin"],
"userIdentity": {
"type": ["Root"]
}
}
Activate Windows
Go to Settings to activate Windows.
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
Type here to search
28°C
ENG
IN
10:02 AM
08-Oct-26


AWS Management Console
Create rule > Review and create
ap-south-1.console.aws.amazon.com/events/home?region=ap-south-1#/rules/create?ruleType=standard
Search
[Alt+S]
Asia Pacific (Mumbai)
Shaurya Singh (754025990014)
Vansh
Amazon EventBridge > Event buses > Create rule
Amazon EventBridge
Dashboard
Event buses New
Pipes
Pipes
Scheduler
Schedules
Schedule groups
Scheduled rules (legacy) Updated
Integration
Partner event sources
API destinations
Connections
Schema registry
Schemas
Classic event routing
Global endpoints
Developer resources
Learn
Sandbox
Step 2: Build event pattern
Edit
Event pattern Info
{
"detail-type": ["AWS Console Sign In via CloudTrail"],
"detail": {
"eventSource": ["signin.amazonaws.com"],
"eventName": ["ConsoleLogin"],
"userIdentity": {
"type": ["Root"]
}
}
}
Copy
Step 3: Select target(s)
Edit
Targets
Details
Target Name
Type
ARN
Input
Role
Cloudwatch-alarms-topic
SNS topic
arn:aws:sns:ap-south-1:754025990014:Cloudwatch-alarms-topic
Matched event
Amazon_EventBridge_Invoke_Sns_1245652260
Input to target:
Matched event
Additional parameters:
--
Activate Windows
Go to Settings to activate Windows.
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
Type here to search
28°C
ENG
IN
10:02 AM
08-Oct-26


AWS Management Console
Create rule > Review and create
ap-south-1.console.aws.amazon.com/events/home?region=ap-south-1#/rules/create?ruleType=standard
Search
[Alt+S]
Asia Pacific (Mumbai)
Shaurya Singh (754025990014)
Vansh
Amazon EventBridge
Event buses
Create rule
Amazon EventBridge
Dashboard
Event buses New
Pipes
Pipes
Scheduler
Schedules
Schedule groups
Scheduled rules (legacy) Updated
Integration
Partner event sources
API destinations
Connections
Schema registry
Schemas
Classic event routing
Global endpoints
Developer resources
Learn
Sandbox
Step 3: Select target(s)
Edit
Targets
Details
Target Name
Type
ARN
Input
Role
Cloudwatch-alarms-topic
SNS topic
arn:aws:sns:ap-south-1:754025990014:Cloudwatch-alarms-topic
Matched event
Amazon_EventBridge_Invoke_Sns_1245652260
Input to target: Matched event
Additional parameters: --
Dead-letter queue (DLQ): -
Step 4: Configure tag(s)
Edit
Tags (0)
A tag is a label that you assign to an AWS resource. Each tag consists of a key and an optional value. You can use tags to search and filter your resources or track your AWS costs.
Key
Value
No tags associated with this resource.
Cancel
Previous
Create rule
Activate Windows
Go to Settings to activate Windows.
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
Type here to search
28°C
ENG IN
10:02 AM 08-Oct-26


AWS Management Console
Create rule > Review and create
ap-south-1.console.aws.amazon.com/events/home?region=ap-south-1#/rules/create?ruleType=standard
Search
[Alt+S]
Asia Pacific (Mumbai)
Shaurya Singh (754025990014)
Vansh
Amazon EventBridge
Event buses
Create rule
Amazon EventBridge
Dashboard
Event buses New
Pipes
Pipes
Scheduler
Schedules
Schedule groups
Scheduled rules (legacy) Updated
Integration
Partner event sources
API destinations
Connections
Schema registry
Schemas
Classic event routing
Global endpoints
Developer resources
Learn
Sandbox
Step 1
Define rule detail
Step 2
Build event pattern
Step 3
Select target(s)
Step 4 - optional
Configure tags
Step 5
Review and create
Review and create
Step 1: Define rule detail
Edit
Define rule detail
Rule name
CloudShield-IAM-Change-Alert
Status
Enabled
Event bus
default
Description
Rule type
Standard rule
Step 2: Build event pattern
Edit
Event pattern Info
{
"source": ["aws.iam"],
"detail-type": ["AWS API Call via CloudTrail"],
"detail": {
"eventSource": ["iam.amazonaws.com"],
"eventName": ["CreateUser", "DeleteUser", "CreateRole", "DeleteRole", "AttachUserPolicy", "DetachUserPolicy", "AttachRolePolicy", "DetachRolePol
}
}
Copy
Activate Windows
Go to Settings to activate Windows.
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
Type here to search
TCS
ENG
IN
10:06 AM
08-Oct-26


AWS Management Console
Create rule > Review and create
ap-south-1.console.aws.amazon.com/events/home?region=ap-south-1#/rules/create?ruleType=standard
Search
[Alt+S]
Asia Pacific (Mumbai)
Shaurya Singh (754025990014)
Vansh
Amazon EventBridge
Event buses
Create rule
Amazon EventBridge
Dashboard
Event buses New
Pipes
Pipes
Scheduler
Schedules
Schedule groups
Scheduled rules (legacy) Updated
Integration
Partner event sources
API destinations
Connections
Schema registry
Schemas
Classic event routing
Global endpoints
Developer resources
Learn
Sandbox
Step 3: Select target(s)
Edit
Targets
Details
Target Name
Type
ARN
Input
Role
Cloudwatch-alarms-topic
SNS topic
arn:aws:sns:ap-south-1:754025990014:Cloudwatch-alarms-topic
Matched event
Amazon_EventBridge_Invoke_Sns_30448795
Input to target: Matched event
Additional parameters: --
Dead-letter queue (DLQ): -
Step 4: Configure tag(s)
Edit
Tags (0)
A tag is a label that you assign to an AWS resource. Each tag consists of a key and an optional value. You can use tags to search and filter your resources or track your AWS costs.
Key
Value
No tags associated with this resource.
Cancel
Previous
Create rule
Activate Windows
Go to Settings to activate Windows.
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
Type here to search
TCS
ENG IN
10:06 AM 08-Oct-26


AWS Management Console
Create rule > Review and create
ap-south-1.console.aws.amazon.com/events/home?region=ap-south-1#/rules/create?ruleType=standard
Search
[Alt+S]
Asia Pacific (Mumbai)
Shaurya Singh (754025990014)
Vansh
Amazon EventBridge
Event buses
Create rule
Amazon EventBridge
Dashboard
Event buses New
Pipes
Pipes
Scheduler
Schedules
Schedule groups
Scheduled rules (legacy) Updated
Integration
Partner event sources
API destinations
Connections
Schema registry
Schemas
Classic event routing
Global endpoints
Developer resources
Learn
Sandbox
Step 1
Define rule detail
Step 2
Build event pattern
Step 3
Select target(s)
Step 4 - optional
Configure tags
Step 5
Review and create
Review and create
Step 1: Define rule detail
Edit
Define rule detail
Rule name
CloudShield-SecurityGroup-Change-Alert
Status
Enabled
Event bus
default
Description
Rule type
Standard rule
Step 2: Build event pattern
Edit
Event pattern Info
{
"source": ["aws.ec2"],
"detail-type": ["AWS API Call via CloudTrail"],
"detail": {
"eventSource": ["ec2.amazonaws.com"],
"eventName": ["AuthorizeSecurityGroupIngress", "RevokeSecurityGroupIngress", "AuthorizeSecurityGroupEgress", "RevokeSecurityGroupEgress", "Creat
}
}
Copy
Activate Windows
Go to Settings to activate Windows.
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
Type here to search
Hot...
ENG
IN
10:13 AM
08-Oct-26


AWS Management Console
Create rule > Review and create
ap-south-1.console.aws.amazon.com/events/home?region=ap-south-1#/rules/create?ruleType=standard
Search
[Alt+S]
Asia Pacific (Mumbai)
Shaurya Singh (754025990014)
Vansh
Amazon EventBridge
Event buses
Create rule
Amazon EventBridge
Dashboard
Event buses New
Pipes
Pipes
Scheduler
Schedules
Schedule groups
Scheduled rules (legacy) Updated
Integration
Partner event sources
API destinations
Connections
Schema registry
Schemas
Classic event routing
Global endpoints
Developer resources
Learn
Sandbox
Step 3: Select target(s)
Edit
Targets
Details
Target Name
Type
ARN
Input
Role
Cloudwatch-alarms-topic
SNS topic
arn:aws:sns:ap-south-1:754025990014:Cloudwatch-alarms-topic
Matched event
Amazon_EventBridge_Invoke_Sns_1041966955
Input to target: Matched event
Additional parameters: --
Dead-letter queue (DLQ): -
Step 4: Configure tag(s)
Edit
Tags (0)
A tag is a label that you assign to an AWS resource. Each tag consists of a key and an optional value. You can use tags to search and filter your resources or track your AWS costs.
Key
Value
No tags associated with this resource.
Cancel
Previous
Create rule
Activate Windows
Go to Settings to activate Windows.
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
Type here to search
Hot...
ENG IN
10:13 AM 08-Oct-26


AWS Management Console
Amazon EventBridge | ap-south
ap-south-1.console.aws.amazon.com/events/home?region=ap-south-1#/eventbus/default
Search
[Alt+S]
Asia Pacific (Mumbai)
Shaurya Singh (754025990014)
Vansh
Amazon EventBridge > Event buses > default
Amazon EventBridge
Dashboard
Event buses New
Pipes
Pipes
Scheduler
Schedules
Schedule groups
Scheduled rules (legacy) Updated
Integration
Partner event sources
API destinations
Connections
Schema registry
Schemas
Classic event routing
Global endpoints
Developer resources
Learn
Sandbox
default
Edit
Send events
Start discovery
CloudFormation Template
Event bus details
Event bus name
default
Description
-
Event bus ARN
arn:aws:events:ap-south-1:754025990014:event-bus/default
Schema discovery
Not Initiated
Discoverer ID
No discoverer
Discoverer ARN
No discoverer
Created on
-
Last modified
-
Rules
Encryption
Permissions
Monitoring
Logs
Archives & Replays
Tags
Event pattern rules (4)
Delete
Enable
Edit
CloudFormation Template
Create rule
We have moved Scheduled rules in your account to 'Scheduler' section, where you can view, create and edit a scheduled rule.
Go to Scheduled rules
Find rules
Any status
Name
Status
Type
Event bus
ARN
Description
CloudShield-IAM-Change-Alert
Enabled
Standard
default
arn:aws:events:ap-south-1:754025990014:rule/CloudShield-IAM-Change-Alert
Activate Windows
Go to Settings to activate Windows.
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
Type here to search
ENG IN
10:14 AM 08-Oct-26


AWS Management Console
Amazon EventBridge | ap-south
ap-south-1.console.aws.amazon.com/events/home?region=ap-south-1#/eventbus/default
Search
[Alt+S]
Asia Pacific (Mumbai)
Shaurya Singh (754025990014)
Vansh
Amazon EventBridge
Event buses
default
Amazon EventBridge
Dashboard
Event buses New
Pipes
Pipes
Scheduler
Schedules
Schedule groups
Scheduled rules (legacy) Updated
Integration
Partner event sources
API destinations
Connections
Schema registry
Schemas
Classic event routing
Global endpoints
Developer resources
Learn
Sandbox
Event pattern rules (4)
Delete
Enable
Edit
CloudFormation Template
Create rule
We have moved Scheduled rules in your account to 'Scheduler' section, where you can view, create and edit a scheduled rule.
Go to Scheduled rules
Find rules
Any status
1
Name
Status
Type
Event bus
ARN
Description
CloudShield-IAM-Change-Alert
Enabled
Standard
default
arn:aws:events:ap-south-1:754025990014:rule/CloudShield-IAM-Change-Alert
-
CloudShield-Root-Activity-Alert
Enabled
Standard
default
arn:aws:events:ap-south-1:754025990014:rule/CloudShield-Root-Activity-Alert
Alert when AWS root account activity occurs.
CloudShield-Root-Console-Login-Alert
Enabled
Standard
default
arn:aws:events:ap-south-1:754025990014:rule/CloudShield-Root-Console-Login-Alert
-
CloudShield-SecurityGroup-Change-Alert
Enabled
Standard
default
arn:aws:events:ap-south-1:754025990014:rule/CloudShield-SecurityGroup-Change-Alert
-
Activate Windows
Go to Settings to activate Windows.
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
Type here to search
ENG IN
10:14 AM 08-Oct-26


AWS Management Console
Instances | EC2 | ap-south-1
what is hop limit in ec2 metada
ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#Instances:
Search
[Alt+S]
Asia Pacific (Mumbai)
Shaurya Singh (754025990014)
Vansh
EC2 > Instances
EC2
Dashboard
AWS Global View
Events
Instances
Instances
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
UltraServers New
Capacity Manager New
Images
AMIs
AMI Catalog
Elastic Block Store
Volumes
Snapshots
Lifecycle Manager
Instances (1/3) Info
Last updated 6 minutes ago
Connect
Instance state
Actions
Launch instances
Saved filter sets
Choose filter set
Filter instance by attribute or tag
Name
Instance ID
Public IPv4 DNS
Public IPv4 ...
i-0b4ed97a463de8637
ec2-13-201-225-157.ap...
13.201.225.157
cloudshield-ba...
i-0eeeec62c89c2c1d7
i-0df9ecfc9f8afd280
ec2-65-1-109-154.ap-s...
65.1.109.154
Modify instance metadata options
IMDSv2 uses session-oriented requests. With session-oriented requests, you create a session token that defines the session duration, which can be a minimum of 1 second and a maximum of 6 hours. Learn more
Instance ID
i-0eeeec62c89c2c1d7 (cloudshield-backend)
Instance metadata service
Enable
IMDSv2
Optional
Required
Ensure that your instance is making no IMDSv1 calls before setting IMDSv2 to required. IMDSv1 calls are recorded by the MetadataNoToken metric in CloudWatch. View MetadataNoToken for your instance
HTTP PUT response hop limit
The desired HTTP PUT response hop limit for instance metadata requests
1
Cancel
Save
i-0eeeec62c89c2c1d7 (cloudshield-backend)
Details
Status and alarms
Monitoring
Instance summary Info
Instance ID
i-0eeeec62c89c2c1d7
IPv6 address
Hostname type
IP name: ip-10-0-2-146.ap-south-1.compute.internal
Activate Windows
Go to Settings to activate Windows.
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
Type here to search
ENG
IN
11:34 AM
08-Oct-26


AWS Management Console
Modify template (Create new ve
what is hop limit in ec2 metada
ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#ModifyTemplate:launchTemplateId=lt-0fdf55cef0505b3f7
Search [Alt+S]
Asia Pacific (Mumbai)
Shaurya Singh (754025990014)
Vansh
EC2 > Launch templates > Modify template (Create new version)
Nested virtualization | Info
Don't include in launch template
Nested virtualization is not supported with the selected instance type.
Metadata accessible | Info
Enabled
Metadata IPv6 endpoint | Info
Don't include in launch template
Metadata version | Info
V2 only (token required)
For V2 requests, you must include a session token in all instance metadata requests. Applications or agents that use V1 for instance metadata access will break.
Metadata response hop limit | Info
1
Allow tags in metadata | Info
Don't include in launch template
User data - optional | Info
Upload a file with your user data or enter it in the field.
Choose file
Summary
Software Image (AMI)
Amazon Linux 2023 AMI 2023.12....read more
ami-08e3b3155fc937a94
Virtual server type (instance type)
t3.micro
Firewall (security group)
Web-SG
Storage (volumes)
1 volume(s) - 8 GiB
Cancel
Create template version
Activate Windows
Go to Settings to activate Windows.
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
Type here to search
32°C
ENG
IN
11:42 AM
08-Oct-26


AWS Management Console
Modify template (Create new ve
what is hop limit in ec2 metada
ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#ModifyTemplate:launchTemplateId=lt-0fdf55cef0505b3f7
Search [Alt+S]
Asia Pacific (Mumbai)
Shaurya Singh (754025990014)
Vansh
EC2 > Launch templates > Modify template (Create new version)
Hide details
Volume 1 (AMI Root) (Custom)
Storage type | Info
EBS
Device name - required | Info
/dev/xvda
Snapshot | Info
snap-0dfdd6b8a5ce7a58d
Size (GiB) | Info
8
Volume type | Info
gp3 Free tier eligible
IOPS | Info
3000
Delete on termination | Info
Yes
Encrypted | Info
Encrypted
Don't include in launch template
Encrypted
Not encrypted
KMS key | Info
Don't include in launch template
Throughput | Info
125
EBS card index - new, optional | Info
Don't include in launch template
The selected instance type does not support multiple EBS card indexes.
Add new volume
Summary
Software Image (AMI)
Amazon Linux 2023 AMI 2023.12....read more
ami-08e3b3155fc937a94
Virtual server type (instance type)
t3.micro
Firewall (security group)
Web-SG
Storage (volumes)
1 volume(s) - 8 GiB
Cancel
Create template version
Resource tags Info
No resource tags are currently included in this template. Add a resource tag to include it in the launch template.
Add new tag
You can add up to 50 more tags.
Activate Windows
Go to Settings to activate Windows.
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
Type here to search
32°C
ENG IN
11:42 AM 08-Oct-26


AWS Management Console
Launch templates | EC2 | ap-so
what is hop limit in ec2 metada
ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#LaunchTemplates:
Search
[Alt+S]
Asia Pacific (Mumbai)
Shaurya Singh (754025990014)
Vansh
EC2
Dashboard
AWS Global View
Events
Instances
Instances
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
UltraServers New
Capacity Manager New
Images
AMIs
AMI Catalog
Elastic Block Store
Volumes
Snapshots
Lifecycle Manager
Launch templates (1/1) Info
Actions
Create launch template
Launch template ID
Launch template name
Default version
Latest version
Create time
Created by
lt-0fdf55cef0505b3f7
cloudshield-web-template
2
3
2026-10-05T10:07:15.000Z
arn:aws:iam::754025990014:u...
false
cloudshield-web-template (lt-0fdf55cef0505b3f7)
Versions (3)
Actions
Delete template version
Version
Default Version
Description
Creation Time
Created By
3
No
final version with a demo nginx server set to pass "health checks", IMDSv2 already enabled but, hop limit 1
2026-10-08T06:12:51.000Z
2
Yes
-
2026-10-06T05:18:00.000Z
1
No
this template tells what type of instances to launch in order for the frontend to work properly.
2026-10-05T10:07:15.000Z
Activate Windows
Go to Settings to activate Windows.
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
Type here to search
32°C
ENG
IN
11:43 AM
08-Oct-26


AWS Management Console
Edit Auto Scaling group | EC2 |
what is hop limit in ec2 metada
ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#EditAutoScalingGroup:id=cloudshield-web-asg
Search
[Alt+S]
Asia Pacific (Mumbai)
Shaurya Singh (754025990014)
Vansh
EC2 > Auto Scaling groups > cloudshield-web-asg > Edit
Images
AMIs
AMI Catalog
Elastic Block Store
Volumes
Snapshots
Lifecycle Manager
Network & Security
Security Groups
Elastic IPs
Placement Groups
Key Pairs
Network Interfaces
Load Balancing
Load Balancers
Target Groups
Trust Stores
Auto Scaling
Auto Scaling Groups
Settings
Launch template
For accounts created after May 31, 2023, the EC2 console only supports creating Auto Scaling groups with launch templates. Creating Auto Scaling groups with launch configurations is not recommended but still available via the CLI and API until December 31, 2023.
Launch template
Choose a launch template that contains the instance-level settings, such as the Amazon Machine Image (AMI), instance type, key pair, and security groups.
cloudshield-web-template
Create a launch template
Version
Latest (3)
Create a launch template version
Description
final version with a demo nginx server set to pass "health checks", IMDSv2 already enabled but, hop limit 1
Launch template
cloudshield-web-template
lt-0fdf55cef0505b3f7
Instance type
t3.micro
AMI ID
ami-08e3b3155fc937a94
Security groups
-
Request Spot Instances
No
Key pair name
Shaurya-Singh-new-key-pair
Security group IDs
sg-00196ab775a9839a6
Additional details
Storage (volumes)
/dev/xvda
Date created
Thu Oct 08 2026 11:42:51 GMT+0530 (India Standard Time)
Activate Windows
Go to Settings to activate Windows.
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
Type here to search
32°C
ENG
IN
11:44 AM
08-Oct-26


AWS Management Console
Instances | EC2 | ap-south-1
what is hop limit in ec2 metada
ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#Instances:
Search [Alt+S]
Asia Pacific (Mumbai)
Shaurya Singh (754025990014)
Vansh
EC2 > Instances
EC2
Dashboard
AWS Global View
Events
Instances
Instances
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
UltraServers New
Capacity Manager New
Images
AMIs
AMI Catalog
Elastic Block Store
Volumes
Snapshots
Lifecycle Manager
Instances (2/3) Info
Last updated less than a minute ago
Connect
Instance state
Actions
Launch instances
Stop instance
Start instance
Reboot instance
Hibernate instance
Terminate (delete) instance
Saved filter sets
Choose filter set
Filter Instance by attribute or tag (case-sensitive)
Name
Instance ID
Instance state
Instance type
Status check
Availability
Public IPv4 ...
i-0b4ed97a463de8637 Running t3.micro 3/3 checks passec ap-south-1 13.201.225.157
cloudshield-ba... i-0eeeec62c89c2c1d7 Running t3.micro 3/3 checks passec ap-south-1
i-0df9ecfc9f8afd280 Running t3.micro 3/3 checks passec ap-south-1a ec2-65-1-109-154.ap-s... 65.1.109.154
2 instances selected
Monitoring
Configure CloudWatch agent
Alarm recommendations
Investigate with AI - new
1h 3h 12h 1d 3d 1w Custom
UTC timezone
Explore related
CPU utilization (%)
Percent
0.21%
0.11%
Network in (bytes)
Bytes
4.314k
2.157k
Network out (bytes)
Bytes
12.97k
6.485k
Network packets in (count)
Count
29.6
14.8
Activate Windows
Go to Settings to activate Windows.
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
Type here to search
Hot...
ENG IN
11:52 AM 08-Oct-26


AWS Management Console
Instances | EC2 | ap-south-1
what is hop limit in ec2 metada
ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#Instances:
Search [Alt+S]
Asia Pacific (Mumbai)
Shaurya Singh (754025990014)
Vansh
EC2 > Instances
EC2
Dashboard
AWS Global View
Events
Instances
Instances
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
UltraServers New
Capacity Manager New
Images
AMIs
AMI Catalog
Elastic Block Store
Volumes
Snapshots
Lifecycle Manager
Instances (2/3) Info
Connect
Instance state
Actions
Launch instances
Saved filter sets
Choose filter set
Filter Instance by attribute or tag (case-sensitive)
Name
Instance ID
Instance state
Instance type
Status check
Availability Zone
Public IPv4 DNS
Public IPv4 ...
i-0b4ed97a463de8637 Terminated t3.micro – ap-south-1b
cloudshield-ba... i-0eeeec62c89c2c1d7 Running t3.micro 3/3 checks passec ap-south-1a
i-0df9ecfc9f8afd280 Terminated t3.micro – ap-south-1a
2 instances selected
Monitoring
Alarm recommendations
Investigate with AI - new
1h 3h 12h 1d 3d 1w Custom
UTC timezone
Explore related
CPU utilization (%)
Percent
0.21%
0.11%
0%
Network in (bytes)
Bytes
4.314k
2.157k
0
Network out (bytes)
Bytes
12.97k
6.485k
0
Network packets in (count)
Count
29.6
14.8
0
05:20 05:30 05:40 05:50 06:00 06:10
Activate Windows
Go to Settings to activate Windows.
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
Type here to search
ENG IN
11:53 AM 08-Oct-26


AWS Management Console
Auto Scaling groups | EC2 | ap-
what is hop limit in ec2 metada
ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#AutoScalingGroups:id=cloudshield-web-asg;view=activity
Search
[Alt+S]
Ask Amazon Q
Asia Pacific (Mumbai)
Shaurya Singh (754025990014)
Vansh
EC2 > Auto Scaling groups
Images
AMIs
AMI Catalog
Elastic Block Store
Volumes
Snapshots
Lifecycle Manager
Network & Security
Security Groups
Elastic IPs
Placement Groups
Key Pairs
Network Interfaces
Load Balancing
Load Balancers
Target Groups
Trust Stores
Auto Scaling
Auto Scaling Groups
Settings
Auto Scaling groups (1/1) Info
Last updated 1 minute ago
Launch configurations
Launch templates
Actions
Create Auto Scaling group
Search your Auto Scaling groups
Name
Status - new
Launch template/configuration
Instances
Instance health - new
Desired capacity
Min
Max
cloudshield-web-asg
Updating capacity
cloudshield-web-template | Version Latest
4
2/4 Healthy
2
2
3
Auto Scaling group: cloudshield-web-asg
Successful
Launching a new EC2 instance: i-08d0058c1142283fd
At 2026-10-08T06:26:25Z an instance was launched in response to an unhealthy instance needing to be replaced.
2026 October 08, 11:56:26 AM +05:30
2026 October 08, 11:56:31 AM +05:30
Connection draining in progress
Terminating EC2 instance: i-0df9ecfc9f8afd280 - Waiting For ELB Connection Draining.
At 2026-10-08T06:26:24Z an instance was taken out of service in response to an EC2 health check indicating it has been terminated or stopped.
2026 October 08, 11:56:24 AM +05:30
Successful
Launching a new EC2 instance: i-0c5d2c7aada30dcd5
At 2026-10-08T06:24:20Z an instance was launched in response to an unhealthy instance needing to be replaced.
2026 October 08, 11:54:21 AM +05:30
2026 October 08, 11:54:26 AM +05:30
Successful
Terminating EC2 instance: i-0b4ed97a463de8637
At 2026-10-08T06:24:19Z an instance was taken out of service in response to an EC2 health check indicating it has been terminated or stopped.
2026 October 08, 11:54:19 AM +05:30
2026 October 08, 11:59:21 AM +05:30
Activate Windows
Go to Settings to activate Windows.
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
Type here to search
33°C
ENG IN
12:00 PM 08-Oct-26


AWS Management Console
Auto Scaling groups | EC2 | ap-
what is hop limit in ec2 metada
ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#AutoScalingGroups:id=cloudshield-web-asg;view=details
Search
[Alt+S]
Ask Amazon Q
Asia Pacific (Mumbai)
Shaurya Singh (754025990014)
Vansh
EC2
Auto Scaling groups
Images
AMIs
AMI Catalog
Elastic Block Store
Volumes
Snapshots
Lifecycle Manager
Network & Security
Security Groups
Elastic IPs
Placement Groups
Key Pairs
Network Interfaces
Load Balancing
Load Balancers
Target Groups
Trust Stores
Auto Scaling
Auto Scaling Groups
Settings
Auto Scaling groups (1/1) Info
Last updated less than a minute ago
Launch configurations
Launch templates
Actions
Create Auto Scaling group
Search your Auto Scaling groups
Name
Status - new
Launch template/configuration
Instances
Instance health - new
Desired capacity
Min
Max
cloudshield-web-asg
At desired capacity
cloudshield-web-template | Version Latest
2
2/2 Healthy
2
2
3
Auto Scaling group: cloudshield-web-asg
Details
Integrations
Automatic scaling
Instance management
Instance refresh
Activity
Monitoring
Tags
cloudshield-web-asg Capacity overview
Edit
Activate Windows
Go to Settings to activate Windows.
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
Type here to search
33°C
ENG
IN
12:01 PM
08-Oct-26


AWS Management Console
Target groups | EC2 | ap-south-
what is hop limit in ec2 metada
ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#TargetGroups:
Search
[Alt+S]
Ask Amazon Q
Asia Pacific (Mumbai)
Shaurya Singh (754025990014)
Vansh
EC2 > Target groups
Images
AMIs
AMI Catalog
Elastic Block Store
Volumes
Snapshots
Lifecycle Manager
Network & Security
Security Groups
Elastic IPs
Placement Groups
Key Pairs
Network Interfaces
Load Balancing
Load Balancers
Target Groups
Trust Stores
Auto Scaling
Auto Scaling Groups
Settings
Target groups (1/1) Info | What's new?
Actions
Create target group
Filter target groups
Name
ARN
Port
Protocol
Target type
Load balancer
VPC ID
cloudshield-web-tg
arn:aws:elasticloadbalancin...
80
HTTP
Instance
cloudshield-alb
vpc-00d60f9c997388d02
Target group: cloudshield-web-tg
Registered targets (2) Info
Anomaly mitigation: Not applicable
Deregister
Register targets
Target groups route requests to individual registered targets using the protocol and port number specified. Health checks are performed on all registered targets according to the target group's health check settings. Anomaly detection is automatically applied to HTTP/HTTPS target groups with at least 3 healthy targets.
Filter targets
Instance ID
Name
Port
Zone
Health status
Health status details
Admini...
Overri...
Launch...
i-08d0058c1142283fd
80
ap-south-1a (a...
Healthy
No override.
No overri...
October 8...
i-0c5d2c7aada30dcd5
80
ap-south-1b (a...
Healthy
No override.
No overri...
October 8...
Activate Windows
Go to Settings to activate Windows.
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
Type here to search
Gold
ENG
IN
12:02 PM
08-Oct-26


AWS Management Console
Instances | EC2 | ap-south-1
what is hop limit in ec2 metada
ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#Instances:
Search
[Alt+S]
Ask Amazon Q
Asia Pacific (Mumbai)
Shaurya Singh (754025990014)
Vansh
EC2 > Instances
EC2
Dashboard
AWS Global View
Events
Instances
Instances
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
UltraServers New
Capacity Manager New
Images
AMIs
AMI Catalog
Elastic Block Store
Volumes
Snapshots
Lifecycle Manager
Instances (5) Info
Last updated less than a minute ago
Connect
Instance state
Actions
Launch instances
Saved filter sets
Choose filter set
Filter Instance by attribute or tag (case-sensitive)
Name
Instance ID
Instance state
Instance type
Status check
Availability Zone
Public IPv4 DNS
Public IPv4 ...
i-0b4ed97a463de8637 Terminated t3.micro – ap-south-1b – –
i-0c5d2c7aada30dcd5 Running t3.micro 3/3 checks passec ap-south-1b ec2-15-252-182-3.ap-s... 15.252.182.3
cloudshield-ba... i-0eeeec62c89c2c1d7 Running t3.micro 3/3 checks passec ap-south-1a – –
i-0df9ecfc9f8afd280 Terminated t3.micro – ap-south-1a – –
i-08d0058c1142283fd Running t3.micro 3/3 checks passec ap-south-1a ec2-13-235-242-102.ap... 13.235.242.102
All instances
Instance alarm states
In alarm
None Show instances in alarm
View in CloudWatch
Service health
EC2 service status
Operating normally
View Service Health Dashboard
Health events affecting EC2 instances
Open events
None Show instances
Upcoming events
None Show instances
View AWS Health Dashboard
Activate Windows
Go to Settings to activate Windows.
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
Type here to search
Gold
ENG IN
12:02 PM 08-Oct-26