*  client

PK ——→ clientID
FK ——→ clientEmailID    Not Null
           client Firstname
           client Last name
           client Password
           client Contact Number

*  Lawyer

PK ——————→ LawyerID
FK ——————→ Lawyer EmailID  Not Null
           Lawyer FirstName
           Lawyer LastName
           Lawyer BarId  => unique
           Lawyer password
           Lawyer Contact No.
           Lawyer Fees
           Lawyer DOB
           Lawyer Gender
           Lawyer Qualification
           Lawyer Experience
           Lawyer Address
           Lawyer Pic

# * LawyerType :-

PK ⟶ ID
FK ⟶ LawyerID
LawyerType

## * Judge :-

Pk  ——→ Judge Id

FK  ——→ Judge Email Id

             Judge First Name

             Judge Last Name

             Judge Password

             Judge DOB

             Judge Gender

             Judge Pic

             Judge DOA

## * TypeWriter :-

Pk  ——→ TypeWriter Id

FR  ——→ TypeWriter Email Id

             TypeWriter First Name

             TypeWriter Last Name

             TypeWriter Password.

# Auth-user

PK $\longrightarrow$ id UserId (Email Id)
Password.

# Case

PK $\longrightarrow$ CaseId
Casetype
CaseDescription
CaseHearing Date
CaseStatus.

# CaseAdmission

PK $\longrightarrow$ ID
FK1 $\longrightarrow$ LawyerId
FK2 $\longrightarrow$ clientId
AcaseId
AcaseType
AcaseDescription
Acase Document in pdf
AcaseStatus
Defendant MailId.

**\* JudgeCase:-**

PK ⟶ ID
FK1 ⟶ CaseID
FK2 ⟶ JudgeID

**\* Prosecutor :-**

PK ⟶ ID
FK1 ⟶ CaseId
FK2 ⟶ clientId
FK3 ⟶ LawyerId.

**\* Defendent :-**

PK ⟶ Id
FK1 ⟶ CaseId
FK2 ⟶ clientId
FK3 ⟶ LawyerID

\* **Notification :-**

PK ⟶ Id
FK1 ⟶ CaseId
FK2 ⟶ JudgeId
FK3 ⟶ LawyerId
FK4 ⟶ ClientId

\* **Lawyer Request :-**

PK ⟶ Id
FK1 ⟶ LawyerId
FK2 ⟶ ClientId
        Description
        Status