

AWS Cloud Security Audit Report

Vulnerability Assessment & Hardening — Final Report

Prepared by: Shauryaman Menaria

Date: August 20, 2026

Tool: Prowler v5.39.1

Region: ap-south-1 (Mumbai)

Frameworks: CIS AWS Benchmark v3.0 | MITRE ATT&CK Cloud

Classification: **Confidential**

632 → 632 Total Checks	118 → 113 Failed	124 → 174 Passed	50% → 59.18% Pass Rate
--	--	--	--

1. Executive Summary

This report presents the complete findings of a cloud security audit conducted against an AWS environment using Prowler v5.39.1 on August 20, 2026. The audit covered the ap-south-1 (Mumbai) region and followed a full security lifecycle — preparation, intentional misconfiguration, scanning, analysis, hardening, re-scanning, and verification.

The initial scan identified 118 failed checks across 632 total with 7 critical findings spanning IAM, EC2, and S3. Following targeted hardening, a re-scan confirmed significant improvement — passed checks increased from 124 to 174 (+40%) and critical findings dropped from 7 to 3 (all documented accepted risks). All 5 original critical misconfigurations were fully resolved.

Hardening was verified both through a Prowler re-scan and independently via Boto3 Python scripts that directly queried AWS APIs — confirming S3 block public access, CloudTrail logging, GuardDuty status, IAM password policy, MFA on all users, and VPC Flow Logs.

1.1 Before vs After — Key Metrics

Metric	Before Hardening	After Hardening	Change
Total checks run	632	632	Same
Failed checks	118 (47.58%)	113 (38.44%)	-5 failures
Passed checks	124 (50%)	174 (59.18%)	+50 passing
Critical findings	7	3 (accepted risk)	4 resolved
High findings	30	17	13 resolved
EC2 Critical	2	0	Fully resolved
S3 Critical	1	0	Fully resolved
IAM Critical	4	3	1 fixed + 2 accepted

1.2 Compliance Posture

Framework	Before (Fail%)	After (Fail%)	Status
AWS Account Security Onboarding	92.31%	~70%	Improved
AWS Foundational Security Best Practices	57.53%	~40%	Improved
AWS Well-Architected Security Pillar	50.78%	~38%	Improved
ASD Essential Eight	52.5%	~35%	Improved
AWS Control Tower Guardrails	80.0%	~55%	Improved

2. Audit Methodology

This audit followed the Cloud Security Audit Lifecycle: Prepare → Scan → Analyze → Report → Remediate → Re-scan.

2.1 Scope

Parameter	Value
AWS Account	[REDACTED]
Region	ap-south-1 (Asia Pacific — Mumbai)
Audit Date	August 20, 2026
Re-scan Date	August 20, 2026 (post-hardening)
Total Resources Assessed	56 (before) / 64 (after)
Total Checks Executed	632
Services Covered	IAM, EC2, S3, CloudTrail, CloudWatch, VPC, GuardDuty

2.2 Tools Used

Tool	Version	Purpose
Prowler	v5.39.1	Automated cloud security scanning — 632 checks
AWS CLI	v2.x	Credential configuration and CLI-based verification
Python	3.11	Prowler runtime environment
Boto3	Latest	Programmatic verification scripts (5 scripts)

2.3 Lab Setup Approach

A dedicated AWS Free Tier account was provisioned with intentional misconfigurations to simulate a real-world insecure environment. This mirrors how security teams assess newly onboarded or inherited cloud accounts.

Misconfiguration Created	Service	Severity	CIS Control
Root account with no MFA	IAM	CRITICAL	CIS 1.5
IAM admin user with no MFA and AdministratorAccess	IAM	CRITICAL	CIS 1.10
Security group: SSH open to 0.0.0.0/0	EC2	CRITICAL	CIS 5.2
Security group: RDP open to 0.0.0.0/0	EC2	CRITICAL	CIS 5.3
S3 bucket with public access enabled	S3	CRITICAL	CIS 2.1.5
CloudTrail disabled	CloudTrail	HIGH	CIS 3.1
VPC Flow Logs disabled	VPC	HIGH	CIS 3.7
EBS volume unencrypted	EC2	HIGH	CIS 2.2.1

2.4 Scan Command Used


```
prowler aws --output-formats html json-ocsf --region ap-south-1
```

3. Initial Scan — Before Hardening

The following screenshots document the state of the AWS environment before any hardening was applied. These serve as the baseline evidence for all findings identified in this report.

3.1 Prowler Scan Running

Screenshot showing Prowler actively executing 632 checks against the AWS account.



```
Windows PowerShell
PS C:\Users\shaur> C:\Users\shaur\AppData\Local\Programs\Python\Python311\python.exe -m prowler aws --output-formats html json-ocsf --region ap-south-1

Prowler CLI - v5.39.1

Date: 2026-08-20 13:00:30

You're getting a snapshot 📷. Prowler Cloud gives you the full picture:

✓ Send your findings - directly from the Prowler CLI to Prowler Cloud.
✓ Continuous Security Monitoring - custom scheduling and scan configuration with history, trends and alerts.
✓ Triage - review findings, flag false positives and track accepted risk with your team.
✓ Lighthouse AI + MCP - autonomous triage, custom dashboards, prioritization with prevention and remediation.
✓ Alerts - get notified when anything you want is happening.
✓ Live Compliance - dashboards for 50+ frameworks, always up to date.
✓ Remediation - complete guided remediation including Autonomous remediation with Lighthouse AI.
✓ Attack Path Visualization - see how attackers chain risks to reach your crown jewels.
✓ Bulk Provisioning - add your entire AWS Organization in seconds.
✓ Integrations - Anything with our MCP + Jira, Slack, AWS Security Hub, Amazon S3, SSO and RBAC.

Start free at 🌟 cloud.prowler.com

-> Using the AWS credentials below:
  · AWS-CLI Profile: default
  · AWS Regions: ap-south-1
  · AWS Account:
  · User Id:
  · Caller Identity ARN:

-> Using the following configuration:
  · Config File: C:\Users\shaur\AppData\Local\Programs\Python\Python311\Lib\site-packages\prowler\config\config.yaml
  · Mutelist File: C:\Users\shaur\AppData\Local\Programs\Python\Python311\Lib\site-packages\prowler\config\aws_mutelist.yaml
  · Scanning unused services and resources: False

Executing 632 checks, please wait...
-> Scanning bedrock service | 60/632 [9%] in 40s
```

3.2 Initial Scan Summary

The scan completed in 2 minutes 28 seconds. Results showed 118 failed checks (47.58%) and 124 passed (50%) across 242 total findings.

```
Windows PowerShell X + ~  
Executing 632 checks, please wait...  
-> Scan completed! | ████████████████████████████████████████████████████████████████████████████████ | 632/632 [100%] in 2:28.2  
  
Overview Results:  
  
47.58% (118) Failed 50.0% (124) Passed 0.0% (0) Muted  
  
Account Scan Results (severity columns are for fails only):  
  
Provider Service Status Critical High Medium Low Muted  
aws accessanalyzer FAIL (1) 0 0 0 1 0  
aws account FAIL (1) 0 0 1 0 0  
aws backup FAIL (1) 0 0 0 1 0  
aws bedrock FAIL (3) 0 0 2 1 0  
aws cloudtrail FAIL (5) 0 1 1 3 0  
aws cloudwatch FAIL (15) 0 0 15 0 0  
aws config FAIL (2) 0 1 1 0 0  
aws drs FAIL (1) 0 0 1 0 0  
aws ec2 FAIL (29) 2 13 10 4 0  
aws emr PASS (1) 0 0 0 0 0  
aws eventbridge PASS (2) 0 0 0 0 0  
aws guardduty FAIL (2) 0 2 0 0 0  
aws iam FAIL (25) 4 6 9 6 0  
aws inspector2 FAIL (1) 0 0 1 0 0  
aws kms PASS (0) 0 0 0 0 0  
aws macie FAIL (1) 0 0 1 0 0  
aws networkfirewall FAIL (1) 0 0 1 0 0  
aws organizations FAIL (4) 0 1 2 1 0  
aws resourceexplorer2 PASS (1) 0 0 0 0 0  
aws s3 FAIL (14) 1 3 6 4 0
```

3.3 Compliance Framework Status — Before

Prowler automatically mapped findings to major compliance frameworks showing failure rates across all assessed frameworks.

aws	s3	FAIL (14)	1	3	6	4	0
aws	sagemaker	FAIL (3)	0	0	0	3	0
aws	securityhub	FAIL (2)	0	2	0	0	0
aws	ssmincidents	FAIL (1)	0	0	1	0	0
aws	trustedadvisor	FAIL (1)	0	0	0	1	0
aws	vpc	FAIL (5)	0	1	4	0	0

* You only see here those services that contains resources.

Detailed results are in:

- JSON-OCSF: C:\Users\shaur/output/prowler-output
- HTML: C:\Users\shaur/output/prowler-output-

Compliance Status of **ASD_ESSENTIAL_EIGHT_AWS** Framework:

52.5% (21) FAIL	47.5% (19) PASS	0.0% (0) MUTED
-----------------	-----------------	----------------

Compliance Status of **AWS_ACCOUNT_SECURITY_ONBOARDING_AWS** Framework:

92.31% (24) FAIL	7.69% (2) PASS	0.0% (0) MUTED
------------------	----------------	----------------

Compliance Status of **AWS_AUDIT_MANAGER_CONTROL_TOWER_GUARDRAILS_AWS** Framework:

80.0% (16) FAIL	20.0% (4) PASS	0.0% (0) MUTED
-----------------	----------------	----------------

Compliance Status of **AWS_FOUNDATIONAL_SECURITY_BEST_PRACTICES_AWS** Framework:

57.53% (42) FAIL	42.47% (31) PASS	0.0% (0) MUTED
------------------	------------------	----------------

Compliance Status of **AWS_FOUNDATIONAL_TECHNICAL_REVIEW_AWS** Framework:

41.25% (33) FAIL	58.75% (47) PASS	0.0% (0) MUTED
------------------	------------------	----------------

Compliance Status of **AWS_WELL_ARCHITECTED_FRAMEWORK_SECURITY_PILLAR_AWS** Framework:

50.78% (65) FAIL	49.22% (63) PASS	0.0% (0) MUTED
------------------	------------------	----------------

Compliance Status of C5_AWS Framework:

48.4% (91) FAIL

51.6% (97) PASS

0.0% (0) MUTED

Compliance Status of CCC_AWS Framework:

66.99% (69) FAIL

33.01% (34) PASS

0.0% (0) MUTED

Compliance Status of CIS_1.4_AWS Framework:

65.75% (48) FAIL

34.25% (25) PASS

0.0% (0) MUTED

Compliance Status of CIS_1.5_AWS Framework:

66.22% (49) FAIL

33.78% (25) PASS

0.0% (0) MUTED

Compliance Status of CIS_2.0_AWS Framework:

64.94% (50) FAIL

35.06% (27) PASS

0.0% (0) MUTED

Compliance Status of CIS_3.0_AWS Framework:

65.33% (49) FAIL

34.67% (26) PASS

0.0% (0) MUTED

Compliance Status of CIS_4.0_AWS Framework:

62.82% (49) FAIL

37.18% (29) PASS

0.0% (0) MUTED

Compliance Status of CIS_5.0_AWS Framework:

62.82% (49) FAIL

37.18% (29) PASS

0.0% (0) MUTED

Compliance Status of CIS_6.0_AWS Framework:

62.82% (49) FAIL

37.18% (29) PASS

0.0% (0) MUTED

Compliance Status of CIS_7.0_AWS Framework:

65.75% (48) FAIL

34.25% (25) PASS

0.0% (0) MUTED

Compliance Status of CIS_CONTROLS_8.1 Framework:

49.2% (92) FAIL

50.8% (95) PASS

0.0% (0) MUTED

Compliance Status of CISA_AWS Framework:

60.0% (33) FAIL

40.0% (22) PASS

0.0% (0) MUTED

Compliance Status of CMMC_2.0 Framework:

70.0% (42) FAIL

30.0% (18) PASS

0.0% (0) MUTED

Compliance Status of CSA_CCM_4.0 Framework:

68.64% (81) FAIL

31.36% (37) PASS

0.0% (0) MUTED

Compliance Status of DORA_2022_2554 Framework:

73.64% (81) FAIL

26.36% (29) PASS

0.0% (0) MUTED

Estado de Cumplimiento de ENS_RD2022_AWS:

55.56% (45) NO CUMPLE

44.44% (36) CUMPLE

0.0% (0) MUTED

Compliance Status of FEDRAMP_LOW_REVISION_4_AWS Framework:

57.89% (33) FAIL

42.11% (24) PASS

0.0% (0) MUTED

Compliance Status of FEDRAMP_MODERATE_REVISION_4_AWS Framework:

58.62% (34) FAIL

41.38% (24) PASS

0.0% (0) MUTED

Compliance Status of FFIEC_AWS Framework:

64.41% (38) FAIL

35.59% (21) PASS

0.0% (0) MUTED

Compliance Status of GDPR_AWS Framework:

65.91% (29) FAIL

34.09% (15) PASS

0.0% (0) MUTED

Compliance Status of GXP_21_CFR_PART_11_AWS Framework:

58.93% (33) FAIL

41.07% (23) PASS

0.0% (0) MUTED

Compliance Status of GXP_EU_ANNEX_11_AWS Framework:

90.0% (9) FAIL

10.0% (1) PASS

0.0% (0) MUTED

Compliance Status of HIPAA_AWS Framework:

64.91% (37) FAIL

35.09% (20) PASS

0.0% (0) MUTED

Compliance Status of ISO27001_2013_AWS Framework:

73.47% (36) FAIL

26.53% (13) PASS

0.0% (0) MUTED

Compliance Status of ISO27001_2022_AWS Framework:

44.86% (83) FAIL

55.14% (102) PASS

0.0% (0) MUTED

Compliance Status of KISA_ISMS_P_2023_AWS Framework:

47.77% (107) FAIL

52.23% (117) PASS

0.0% (0) MUTED

Compliance Status of KISA_ISMS_P_2023_KOREAN_AWS Framework:

47.77% (107) FAIL

52.23% (117) PASS

0.0% (0) MUTED

Compliance Status of MITRE_ATTACK_AWS Framework:

50.88% (58) FAIL

49.12% (56) PASS

0.0% (0) MUTED

Compliance Status of NIS2_AWS Framework:

52.17% (60) FAIL

47.83% (55) PASS

0.0% (0) MUTED

Compliance Status of NIST_800_171_REVISION_2_AWS Framework:

66.13% (41) FAIL

33.87% (21) PASS

0.0% (0) MUTED

Compliance Status of NIST_800_53_REVISION_4_AWS Framework:

58.62% (34) FAIL

41.38% (24) PASS

0.0% (0) MUTED

Compliance Status of NIST_800_53_REVISION_5_AWS Framework:

60.66% (37) FAIL

39.34% (24) PASS

0.0% (0) MUTED

Compliance Status of NIST_CSF_1.1_AWS Framework:

64.62% (42) FAIL

35.38% (23) PASS

0.0% (0) MUTED

Compliance Status of NIST_CSF_2.0_AWS Framework:

56.78% (67) FAIL

43.22% (51) PASS

0.0% (0) MUTED

Compliance Status of PCI_3.2.1_AWS Framework:

69.77% (30) FAIL

30.23% (13) PASS

0.0% (0) MUTED

Compliance Status of PCI_4.0_AWS Framework:

72.41% (42) FAIL

27.59% (16) PASS

0.0% (0) MUTED

Compliance Status of PROWLER_THREATSCORE_AWS Framework:

39.86% (55) FAIL

60.14% (83) PASS

0.0% (0) MUTED

Compliance Status of RBI_CYBER_SECURITY_FRAMEWORK_AWS Framework:

63.41% (26) FAIL

36.59% (15) PASS

0.0% (0) MUTED

Compliance Status of SECNUMCLOUD_3.2_AWS Framework:

69.09% (76) FAIL

30.91% (34) PASS

0.0% (0) MUTED

Compliance Status of SOC2_AWS Framework:

38.58% (49) FAIL

61.42% (78) PASS

0.0% (0) MUTED

3.4 Prowler HTML Report — Before

The HTML report provides a visual dashboard of all findings with severity breakdown and detailed per-finding analysis.



Report Information

Version: 3.39.1

Parameters used: aws --output-formats html json-ocf --region ap-south-1

Date: 2026-08-20T13:00:30.189522

AWS Assessment Summary

AWS Account: [REDACTED]

AWS CLI Profile: default

Audited Regions: ap-south-1

AWS Credentials

User Id: [REDACTED]

Caller Identity ARN: [REDACTED]

Assessment Overview

Total Findings: 242

Passed: 124

Passed (Muted): 0

Failed: 118

Failed (Muted): 0

Total Resources: 56

Search:

Status	Severity	Service Name	Region	Check ID	Check Title	Resource ID	Resource Tags	Status Extended	Risk	Recommendation	Compliance
MANUAL	medium	account	ap-south-1	account_security_questions_registered_in_the_aws_account	[DEPRECATED] AWS root user has security challenge questions configured	[REDACTED]		Login to the AWS Console as root. Choose your account name on the top right of the window -> My Account -> Configure Security Challenge Questions.	Absence of these questions read more...	Favor stronger recovery read more...	•AWS-Well-Architect Framework read more...
PASS	medium	s3	ap-south-1	s3_bucket_default_encryption	[DEPRECATED] S3 bucket has default server-side encryption (SSE) enabled	[REDACTED]		S3 Bucket cloudsec-audit-lab-shaurjaman has Server Side Encryption with AES256.	Without default encryption, read more...	Enable default encryption on read more...	•AWS-AI-Security-Framework-1, read more...
FAIL	medium	cloudwatch	ap-south-1	cloudwatch_log_metric_filter_disable_or_scheduled_deletion_of_kms_cmek	Account has a CloudWatch log metric filter and alarm for disabling or scheduled deletion of customer-managed KMS keys	[REDACTED]		No CloudWatch log groups found with metric filters or alarms associated.	Missing alerts on CMK disablement or scheduled deletion read more...	Establish CloudWatch metric filters and alarms read more...	•AWS-AI-Security-Framework-1, read more...
FAIL	medium	cloudwatch	ap-south-1	cloudwatch_log_metric_filter_authentication_failures	Account has a CloudWatch Logs metric filter and alarm for AWS Management Console authentication failures	[REDACTED]		No CloudWatch log groups found with metric filters or alarms associated.	Absent visibility into failed read more...	Implement a log metric filter read more...	•AWS-Account-Security-Onboard read more...
FAIL	medium	cloudwatch	ap-south-1	cloudwatch_log_metric_filter_root_usage	Account has a CloudWatch Logs metric filter and alarm for root account usage	[REDACTED]		No CloudWatch log groups found with metric filters or alarms associated.	Without alerting on root activity read more...	Enable real-time alerts for root activity read more...	•AWS-Account-Security-Onboard read more...
FAIL	medium	cloudwatch	ap-south-1	cloudwatch_changes_to	Account monitors VPC route table changes	[REDACTED]		No CloudWatch log groups found with metric filters or alarms associated.	Without monitoring of route table changes read more...	Implement a CloudWatch Logs metric filter and alarms read more...	•AWS-Well-Architect Framework read more...

3.5 Critical Findings — Before

Filtered view of all critical severity findings in the initial scan. All 7 critical findings are visible with service, check ID, and detailed risk description.

Filters (2)

Show 100 entries

Total Resources: 56

Search:

Filters Active - 2

Clear Filters Collapse All Show

Status	Severity	Service Name	Region	Check Title	Resource ID	Resource Tags
FAIL	critical	ec2	ap-south-1	Attached AWS-managed IAM poli...		No data
	high	iam		EC2 instance does not allow ingre...		
	low	s3		EC2 instance does not allow ingre...		-Name=audit-lab-instance
	medium			IAM user does not have Administr...		



Report Information

Version: 5.39.1

Parameters used: aws --output-formats html json-ocf
--region ap-south-1

Date: 2026-06-20T13:00:30.189522

AWS Assessment Summary

AWS Account: [REDACTED]

AWS CLI Profile: default

Audited Regions: ap-south-1

AWS Credentials

User id: [REDACTED]

Caller Identity ARN: [REDACTED]

Assessment Overview

Total Findings: 242

Passed: 124

Passed (Muted): 0

Failed: 118

Failed (Muted): 0

Total Resources: 56

Filters (2) Show All entries

Status	Severity	Service Name	Region	Check ID	Check Title	Resource ID	Resource Tags	Status Extended	Risk	Recommendation	Compliance
FAIL	critical	iam	ap-south-1	iam_aws_attached_policy_no_administrative_privileges	Attached AWS-managed IAM policy does not allow "+" administrative privileges	[REDACTED]		AWS policy AdministratorAccess is attached and allows "+" administrative privileges.	Unrestricted "+" access read more...	Apply least privilege : avoid read more...	*ASD-Essential-Eight read more...
FAIL	critical	ec2	ap-south-1	ec2_instance_port_ssh_exposed_to_internet	EC2 instance does not allow ingress from the Internet to TCP port 22 (SSH)	[REDACTED]	+Name=audit-lab-instance	Instance [REDACTED] has SSH exposed to 0.0.0.0/0 on public IP address [REDACTED] in public subnet subnet-[REDACTED]	Internet-exposed SSH invites brute force read more...	Apply least privilege on SSH: read more...	*CS-2025: PI-01: read more...
FAIL	critical	ec2	ap-south-1	ec2_instance_port_rdp_exposed_to_internet	EC2 instance does not allow ingress from the Internet to TCP port 3389 (RDP)	[REDACTED]	+Name=audit-lab-instance	[REDACTED] RDP exposed to 0.0.0.0/0 on public IP address [REDACTED] in public subnet subnet-[REDACTED]	Internet-exposed RDP allows: read more...	Remove Internet-wide RDP: read more...	*CS-2025: PI-01: read more...
FAIL	critical	iam	ap-south-1	iam_user_administrator_access_policy	IAM user does not have AdministratorAccess policy attached	[REDACTED]	[REDACTED]	IAM User audit-admin has AdministratorAccess policy attached.	Assigning an IAM user full admin rights concentrates power in long-lived credentials. If compromised, attackers gain: - Confidentiality: read/export all data - Integrity: change configs, policies, code - Availability: delete resources, disrupt services Also enables persistence and uncontrolled spend.	Remove direct administrator access from users. - Apply least privilege with scoped policies - Use federation and roles for temporary admin access - Enforce separation of duties and approvals - Add guardrails (SCPs, permissions boundaries) - Require MFA and rotate any remaining long-lived credentials	*ASD-Essential-Eight 2023: EB-4.2 *AWS-AI Security-Framework: AISF-IAM-02 *CS-202 OS-34.028, SP-01.04 HR-01.018, IAM-01.0 IAM-01.048, IAM-10.0 *CCC-v2025.10: CCC.Core.CNOS.AR01 CCC.Core.CNOS.AR02 *NSA-ISMS-P-2023: 2.5.3, 2.5.6, 2.10.2 *HQ ISMS-P-2023-korean *ASD-Essential-Eight 2023: EB-3.1, EB-3.7 *AWS-Account-Secu Onboarding: Root us distribution email + *AWS-AI-Security-Framework: 1.0 AISF IAM-01 *AWS-Audit Manager-Control-760 Guardrails: 3.0.3 *AW Foundational-Security Best-Practices: IAM.6 *AWS-Foundational-Technical-Review: AR 003, IAM-001, IAM-0 *AWS-Well-Architect Framework: Security
FAIL	critical	iam	ap-south-1	iam_root_hardware_mfa_enabled	Root account has a hardware MFA device enabled	[REDACTED]		MFA is not enabled for root account.	Without hardware MFA on the root user: - No MFA: stolen password/keys enable full account takeover. - Virtual MFA: device compromise or backup restoration weakens second-factor assurance. An attacker could delete resources, change policies, and disable logging, harming confidentiality, integrity, and availability .	Require a hardware MFA token for the root user and remove any virtual MFA. Apply least privilege : avoid using root, disable access keys, and eliminate long-term credentials. In organizations, centralize root management . Keep a controlled break-glass process with strict recovery checks and continuous monitoring.	


FAIL	critical	s3	ap-south-1	s3_bucket_public_access	S3 bucket is not publicly accessible to Everyone or Authenticated Users	[REDACTED]		S3 bucket cloudbeaver-audit-lab-shauriyaman has public access due to bucket policy.	Publicly accessible buckets jeopardize confidentiality through unauthorized reads, integrity through write or ACL changes, and availability via object deletion or overwrite. Attackers can mass-eradicate data, host malware, or pivot after discovering secrets stored in objects.	Enforce defense in depth: enable S3 Block Public Access at org/account and bucket levels (<code>BlockPublicAccess</code> , <code>IgnorePublicAcls</code> , <code>RestrictPublicBuckets</code>). Apply least privilege with explicit principals; avoid ACLs via Object Ownership. Use private access patterns (e.g., CloudFront, S3 Object Lambda, or presigned URLs) and monitor with analyzers.	*AWS-Account-Secu Onboarding: S3 Blo Public Access *AWS Security-Framework: AISF-DATA-04 *AWS Audit-Manager-Cont Tower-Guardrails: 4.1 *AWS-Foundational-Technical-Review: S3 *AWS-Well-Architect Framework: Security Pillar: SEC03-BP07 *2025: PS-03.028, IAA 10.018, CCS-02.018
------	----------	----	------------	-------------------------	---	------------	--	---	---	--	---

4. Misconfiguration Evidence — Before Hardening

The following screenshots document each intentional misconfiguration as it appeared in the AWS Console before remediation.

4.1 Root Account — No MFA

The root account had no MFA devices assigned. This is CIS 1.5 — a critical finding as root has unrestricted access to all AWS resources.



4.2 S3 Bucket — Public Access Enabled

The S3 bucket had all Block Public Access settings disabled and a bucket policy allowing s3:GetObject to Principal '*'.

Block public access (bucket settings)

[Edit](#)

Public access is granted to buckets and objects through access control lists (ACLs), bucket policies, access point policies, or all. In order to ensure that public access to all your S3 buckets and objects is blocked, turn on Block all public access. These settings apply only to this bucket and its access points. AWS recommends that you turn on Block all public access, but before applying any of these settings, ensure that your applications will work correctly without public access. If you require some level of public access to your buckets or objects within, you can customize the individual settings below to suit your specific storage use cases. [Learn more](#)

Block all public access

⚠ Off

▼ Individual Block Public Access settings for this bucket

☐ Block public access to buckets and objects granted through **new access control lists (ACLs)**

S3 will block public access permissions applied to newly added buckets or objects, and prevent the creation of new public access ACLs for existing buckets and objects. This setting doesn't change any existing permissions that allow public access to S3 resources using ACLs.

☐ Block public access to buckets and objects granted through **any access control lists (ACLs)**

S3 will ignore all ACLs that grant public access to buckets and objects.

☐ Block public access to buckets and objects granted through **new public bucket or access point policies**

S3 will block new bucket and access point policies that grant public access to buckets and objects. This setting doesn't change any existing policies that allow public access to S3 resources.

☐ Block public and cross-account access to buckets and objects through **any public bucket or access point policies**

S3 will ignore public and cross-account access for buckets or access points with policies that grant public access to buckets and objects.

Bucket policy

[Edit](#)[Delete](#)

The bucket policy, written in JSON, provides access to the objects stored in the bucket. Bucket policies don't apply to objects owned by other accounts. [Learn more](#)

[Copy](#)

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Sid": "PublicRead",
      "Effect": "Allow",
      "Principal": "*",
      "Action": "s3:GetObject",
      "Resource": "arn:aws:s3:::my-bucket/*"
    }
  ]
}
```

4.3 EC2 Security Group — Open Ports

The default security group had SSH (22), HTTP (80), and RDP (3389) open to 0.0.0.0/0 — exposing the running EC2 instance directly to the internet.

Instance summary for (audit-lab-instance) Info

Updated less than a minute ago

Instance ID

IPv6 address

Hostname type

Answer private resource DNS name

Auto-assigned IP address

IAM role

IMDSv2

Operator

Public IPv4 address

Instance state

Private IP DNS name (IPv4 only)

Instance type

VPC ID

Subnet ID

Instance ARN

Private IPv4 addresses

Public DNS

Elastic IP addresses

AWS Compute Optimizer finding

Auto Scaling Group name

Managed

- default

Actions

Details

Security group name

Owner

Security group ID

Inbound rules count

Description

Outbound rules count

VPC ID

Inbound rules

Outbound rules

Sharing

VPC associations

Related resources - new

Tags

Inbound rules (4)

Manage tags

Edit inbound rules

Search

Name	Security group rule ID	IP version	Type	Protocol	Port range	Source	Description
-	sgr	-	All traffic	All	All	-	-
-	sgr	IPv4	RDP	TCP	3389	0.0.0.0/0	-
-	sgr	IPv4	SSH	TCP	22	0.0.0.0/0	-
-	sgr	IPv4	HTTP	TCP	80	0.0.0.0/0	-

4.4 CloudTrail — Disabled

The account had no CloudTrail trails configured. No API activity was being logged anywhere in the account.

CloudTrail > Dashboard

Dashboard Info

Query results history

Create a new query

No queries

No queries to display

Trails Info

Copy events to Lake

Create trail

No trails

No trails to display.

Create trail

CloudTrail Insights Info

CloudTrail Insights is not enabled

Insights event collection requires a trail. Additional charges apply. Learn more


Create a trail

Event history Info

Event name	Event time	Event source
AuthorizeSecurityGroup...	August 20, 2026, 12:31:33 (UTC...	ec2.amazonaws.com
AuthorizeSecurityGroup...	August 20, 2026, 12:31:09 (UTC...	ec2.amazonaws.com
RegisterManagedInstance	August 20, 2026, 12:28:11 (UTC...	ssm.amazonaws.com
SharedSnapshotVolume...	August 20, 2026, 12:27:56 (UTC...	ec2.amazonaws.com


4.5 VPC Flow Logs — Disabled

The default VPC had no flow logs configured. No network traffic visibility existed.



4.6 IAM Password Policy — Weak Default

The account used AWS default password policy requiring only 8 characters with no expiry.



5. Findings — Detailed Analysis

The following 5 critical and 5 high findings represent the prioritized remediation targets from the initial Prowler scan of 118 total failures.

5.1 Summary Table

ID	Severity	Service	Title	CIS	Status
F-001	CRITICAL	IAM	Root account — no MFA	CIS 1.5	FIXED
F-002	CRITICAL	IAM	IAM user: AdministratorAccess, no MFA	CIS 1.10	FIXED
F-003	CRITICAL	EC2	SSH open to 0.0.0.0/0	CIS 5.2	FIXED
F-004	CRITICAL	EC2	RDP open to 0.0.0.0/0	CIS 5.3	FIXED
F-005	CRITICAL	S3	S3 bucket publicly accessible	CIS 2.1.5	FIXED
F-006	HIGH	CloudTrail	CloudTrail not enabled	CIS 3.1	FIXED
F-007	HIGH	VPC	VPC Flow Logs not enabled	CIS 3.7	FIXED
F-008	HIGH	EC2	EBS volumes unencrypted	CIS 2.2.1	PARTIAL
F-009	HIGH	GuardDuty	GuardDuty not enabled	AWS FSB	FIXED
F-010	HIGH	IAM	No IAM password policy	CIS 1.8	FIXED

5.2 Critical Findings Detail

F-001 — undefined [CRITICAL]

Status: **FIXED**

Service: IAM

CIS Control: CIS 1.5 — Ensure MFA is enabled for the root account

Description: The AWS root account had no MFA devices assigned. Root has unrestricted access to all AWS resources and cannot be locked out using IAM policies.

Risk: If root credentials are compromised, attacker gains complete and irrevocable control over the entire AWS account. Can delete all resources, disable security controls, and exfiltrate all data.

Remediation: Enabled virtual MFA via Google Authenticator. Two MFA devices now assigned (Virtual + Passkey).

F-002 — undefined [CRITICAL]

Status: **FIXED**

Service: IAM

CIS Control: CIS 1.10 — Ensure MFA is enabled for all IAM users with console access

Description: IAM user "audit-admin" had AdministratorAccess policy attached with console access enabled and no MFA device configured.

Risk: Stolen password alone provides complete admin access. No second factor exists to prevent unauthorized login.

Remediation: Enabled MFA via authenticator app. Replaced AdministratorAccess with ReadOnlyAccess following least privilege principle.

F-003 — undefined [CRITICAL]

Status: **FIXED** 

Service: EC2

CIS Control: CIS 5.2 — Ensure no security groups allow ingress from 0.0.0.0/0 to port 22

Description: Default security group allowed SSH (TCP/22) from any IP address on the internet. Instance had a public IPv4 address making it directly reachable.

Risk: Exposes instance to brute-force SSH attacks from any location globally. Production instances directly accessible without restriction.

Remediation: Deleted SSH inbound rule from security group. Inbound rules now show only the default self-referencing rule.

F-004 — undefined [CRITICAL]

Status: **FIXED** 

Service: EC2

CIS Control: CIS 5.3 — Ensure no security groups allow ingress from 0.0.0.0/0 to port 3389

Description: Default security group allowed RDP (TCP/3389) from any IP. RDP is a primary ransomware attack vector.

Risk: Internet-exposed RDP is exploited daily by ransomware operators for initial access. High blast radius if compromised.

Remediation: Deleted RDP inbound rule from security group.

F-005 — undefined [CRITICAL]

Status: **FIXED** 

Service: S3

CIS Control: CIS 2.1.5 — Ensure S3 buckets are configured with Block Public Access

Description: Bucket had all 4 Block Public Access settings disabled and a bucket policy with Principal "*" allowing s3:GetObject to everyone on the internet.

Risk: Any data stored in the bucket is accessible to the entire internet without authentication. Risk of data exfiltration, compliance violations, and reputational damage.

Remediation: Enabled all 4 Block Public Access settings. Deleted the public bucket policy. Confirmed "No policy to display."

5.3 High Findings Detail

ID	Service	Finding	Risk	Action Taken
F-006	CloudTrail	No trails configured — zero API logging	Attackers can operate undetected — no audit trail	Created multi-region trail sending to S3
F-007	VPC	VPC Flow Logs disabled — no network visibility	No visibility into network traffic — lateral movement undetected	Created flow log to CloudWatch Logs


ID	Service	Finding	Risk	Action Taken
F-008	EC2	EBS volumes not encrypted at rest	Data at rest accessible if physical media compromised	Partial — enable default encryption for new volumes
F-009	GuardDuty	GuardDuty not enabled	No threat detection — compromises may go unnoticed indefinitely	Enabled GuardDuty in ap-south-1
F-010	IAM	No password policy — default 8 chars, no expiry	Weak passwords increase brute-force risk	Set 14-char min, all complexity, 90-day expiry

6. Hardening Actions — After Evidence

The following screenshots document each remediation action taken. Every finding has a corresponding before screenshot in Section 4 and an after screenshot below.


Fix 1 — Root Account MFA Enabled

Assigned virtual MFA device to root account using Google Authenticator. Root account now has 2 MFA devices assigned (Virtual + Passkey).




Fix 2 — IAM User MFA Enabled

Enabled MFA on audit-admin user. Console access now shows "Enabled with MFA" status.



Fix 3 — IAM Least Privilege Applied

Removed AdministratorAccess policy from audit-admin. Replaced with ReadOnlyAccess following least privilege principle.



1 policy added

audit-admin Info

Delete

Summary

ARN arn:aws:iam::[redacted]:user/audit-admin	Console access Enabled with MFA	Access key 1 [redacted] Active
Created August 20, 2026, 11:45 (UTC+05:30)	Last console sign-in Never	Access key 2 Create access key

Permissions | Groups | Tags (1) | Security credentials | Last Accessed

Permissions policies (2)

Permissions are defined by policies attached to the user directly or through groups.


Filter by Type: All types

☐	Policy name ↗	Type	Attached via ↗
☐	IAMUserChangePassword	AWS managed	Directly
☐	ReadOnlyAccess	AWS managed - job function	Directly

► **Permissions boundary** (not set)

Fix 4 — EC2 Security Group Locked Down

Deleted all 3 open port rules (SSH/HTTP/RDP). Security group now has only 1 inbound rule — the default self-referencing rule.



Inbound security group rules successfully modified on security group [sg-\[redacted\]](#) default

Details

sg-[redacted] - default

Actions

Details

Security group name default	Security group ID sg-[redacted]	Description default VPC security group	VPC ID vpc-[redacted]
Owner [redacted]	Inbound rules count 1 Permission entry	Outbound rules count 1 Permission entry	


Inbound rules | Outbound rules | Sharing | VPC associations | Related resources - new | Tags

Inbound rules (1)

☐	Name	Security group rule ID	IP version	Type	Protocol	Port range	Source	Description
☐	-	[redacted]	-	All traffic	All	All	[redacted]	-


Fix 5 — S3 Public Access Blocked

Enabled all 4 Block Public Access settings. Deleted the public bucket policy. Bucket is now fully private.




Fix 6 — CloudTrail Enabled

Created audit-lab-trail as a multi-region trail logging to S3. Trail shows Logging status in green.




Fix 7 — VPC Flow Logs Enabled

Created VPC Flow Log capturing ALL traffic and sending to CloudWatch Logs group vpc-flow-logs.





Fix 8 — GuardDuty Enabled

Enabled GuardDuty in ap-south-1. Threat detection now active with SIX_HOURS finding frequency.



Fix 9 — IAM Password Policy Hardened

Updated from default 8-character policy to CIS-compliant policy with 14 chars, all complexity requirements, 90-day expiry, and 24 password history.



7. Post-Hardening Scan Results

A second Prowler scan was executed immediately after all hardening activities completed. Results confirm successful remediation.

7.1 Re-scan Summary

```
PS C:\Users\shaur> C:\Users\shaur\AppData\Local\Programs\Python\Python311\python.exe -m prowler aws --output-formats html json-ocsf --region ap-south-1

[PROWLER]
[PROWLER] CLI - v5.39.1

Date: 2026-08-20 14:18:03

You're getting a snapshot 📷. Prowler Cloud gives you the full picture:

✓ Send your findings - directly from the Prowler CLI to Prowler Cloud.
✓ Continuous Security Monitoring - custom scheduling and scan configuration with history, trends and alerts.
✓ Triage - review findings, flag false positives and track accepted risk with your team.
✓ Lighthouse AI + MCP - autonomous triage, custom dashboards, prioritization with prevention and remediation.
✓ Alerts - get notified when anything you want is happening.
✓ Live Compliance - dashboards for 50+ frameworks, always up to date.
✓ Remediation - complete guided remediation including Autonomous remediation with Lighthouse AI.
✓ Attack Path Visualization - see how attackers chain risks to reach your crown jewels.
✓ Bulk Provisioning - add your entire AWS Organization in seconds.
✓ Integrations - Anything with our MCP + Jira, Slack, AWS Security Hub, Amazon S3, SSO and RBAC.

Start free at 🌟 cloud.prowler.com

-> Using the AWS credentials below:
  · AWS-CLI Profile: default
  · AWS Regions: ap-south-1
  · AWS Account:
  · User Id:
  · Caller Identity ARN:

-> Using the following configuration:
  · Config File: C:\Users\shaur\AppData\Local\Programs\Python\Python311\Lib\site-packages\prowler\config\config.yaml
  · Mutelist File: C:\Users\shaur\AppData\Local\Programs\Python\Python311\Lib\site-packages\prowler\config\aws_mutelist.yaml
  · Scanning unused services and resources: False

Executing 632 checks, please wait...
-> Scanning acmpca service || | 9/632 [1%] in 3s
```

[illegible]

38.44% (113) Failed	59.18% (174) Passed	0.0% (0) Muted
---------------------	---------------------	----------------

Provider	Service	Status	Critical	High	Medium	Low	Muted
aws	accessanalyzer	FAIL (1)	0	0	0	1	0
aws	account	FAIL (1)	0	0	1	0	0
aws	backup	FAIL (1)	0	0	0	1	0
aws	bedrock	FAIL (3)	0	0	2	1	0
aws	cloudtrail	FAIL (8)	0	0	4	4	0
aws	cloudwatch	FAIL (16)	0	0	16	0	0
aws	config	FAIL (2)	0	1	1	0	0
aws	drs	FAIL (1)	0	0	1	0	0
aws	ec2	FAIL (24)	0	10	10	4	0
aws	emr	PASS (1)	0	0	0	0	0
aws	eventbridge	PASS (2)	0	0	0	0	0
aws	guardduty	FAIL (2)	0	0	2	0	0
aws	iam	FAIL (16)	3	6	2	5	0
aws	inspector2	FAIL (1)	0	0	1	0	0
aws	kms	PASS (0)	0	0	0	0	0
aws	macie	FAIL (1)	0	0	1	0	0
aws	networkfirewall	FAIL (1)	0	0	1	0	0
aws	organizations	FAIL (4)	0	1	2	1	0
aws	resourceexplorer2	PASS (1)	0	0	0	0	0

aws	resourceexplorer2	PASS (1)	0	0	0	0	0
aws	s3	FAIL (20)	0	1	11	8	0
aws	sagemaker	FAIL (3)	0	0	0	3	0
aws	securityhub	FAIL (2)	0	2	0	0	0
aws	ssmincidents	FAIL (1)	0	0	1	0	0
aws	trustedadvisor	FAIL (1)	0	0	0	1	0
aws	vpc	FAIL (4)	0	1	3	0	0

* You only see here those services that contains resources.

Detailed results are in:

- JSON-OCSF: C:\Users\shaur\output\prowler-output-
- HTML: C:\Users\shaur\output\prowler-output-

Compliance Status of ASD_ESSENTIAL_EIGHT_AWS Framework:

44.0% (22) FAIL	56.0% (28) PASS	0.0% (0) MUTED
-----------------	-----------------	----------------

Compliance Status of AWS_ACCOUNT_SECURITY_ONBOARDING_AWS Framework:

60.61% (20) FAIL	39.39% (13) PASS	0.0% (0) MUTED
------------------	------------------	----------------

Compliance Status of AWS_AUDIT_MANAGER_CONTROL_TOWER_GUARDRAILS_AWS Framework:

58.33% (14) FAIL	41.67% (10) PASS	0.0% (0) MUTED
------------------	------------------	----------------

Compliance Status of AWS_FOUNDATIONAL_SECURITY_BEST_PRACTICES_AWS Framework:

40.62% (39) FAIL	59.38% (57) PASS	0.0% (0) MUTED
------------------	------------------	----------------

Compliance Status of AWS_FOUNDATIONAL_TECHNICAL_REVIEW_AWS Framework:

27.66% (26) FAIL	72.34% (68) PASS	0.0% (0) MUTED
------------------	------------------	----------------

Compliance Status of AWS_WELL_ARCHITECTED_FRAMEWORK_SECURITY_PILLAR_AWS Framework:

39.74% (60) FAIL	60.26% (91) PASS	0.0% (0) MUTED
------------------	------------------	----------------

Compliance Status of C5_AWS Framework:

36.8% (85) FAIL

63.2% (146) PASS

0.0% (0) MUTED

Compliance Status of CCC_AWS Framework:

47.48% (66) FAIL

52.52% (73) PASS

0.0% (0) MUTED

Compliance Status of CIS_1.4_AWS Framework:

54.65% (47) FAIL

45.35% (39) PASS

0.0% (0) MUTED

Compliance Status of CIS_1.5_AWS Framework:

55.17% (48) FAIL

44.83% (39) PASS

0.0% (0) MUTED

Compliance Status of CIS_2.0_AWS Framework:

55.56% (50) FAIL

44.44% (40) PASS

0.0% (0) MUTED

Compliance Status of CIS_3.0_AWS Framework:

55.29% (47) FAIL

44.71% (38) PASS

0.0% (0) MUTED

Compliance Status of CIS_4.0_AWS Framework:

53.41% (47) FAIL

46.59% (41) PASS

0.0% (0) MUTED

Compliance Status of CIS_5.0_AWS Framework:

53.41% (47) FAIL

46.59% (41) PASS

0.0% (0) MUTED

Compliance Status of CIS_6.0_AWS Framework:

53.41% (47) FAIL

46.59% (41) PASS

0.0% (0) MUTED

Compliance Status of CIS_7.0_AWS Framework:

54.76% (46) FAIL

45.24% (38) PASS

0.0% (0) MUTED

Compliance Status of CIS_CONTROLS_8.1 Framework:

37.89% (86) FAIL	62.11% (141) PASS	0.0% (0) MUTED
------------------	-------------------	----------------

Compliance Status of CISA_AWS Framework:

40.85% (29) FAIL	59.15% (42) PASS	0.0% (0) MUTED
------------------	------------------	----------------

Compliance Status of CMMC_2.0 Framework:

45.0% (36) FAIL	55.0% (44) PASS	0.0% (0) MUTED
-----------------	-----------------	----------------

Compliance Status of CSA_CCM_4.0 Framework:

52.05% (76) FAIL	47.95% (70) PASS	0.0% (0) MUTED
------------------	------------------	----------------

Compliance Status of DORA_2022_2554 Framework:

50.66% (77) FAIL	49.34% (75) PASS	0.0% (0) MUTED
------------------	------------------	----------------

Estado de Cumplimiento de ENS_RD2022_AWS:

39.42% (41) NO CUMPLE	60.58% (63) CUMPLE	0.0% (0) MUTED
-----------------------	--------------------	----------------

Compliance Status of FEDRAMP_LOW_REVISION_4_AWS Framework:

44.44% (32) FAIL	55.56% (40) PASS	0.0% (0) MUTED
------------------	------------------	----------------

Compliance Status of FEDRAMP_MODERATE_REVISION_4_AWS Framework:

44.0% (33) FAIL	56.0% (42) PASS	0.0% (0) MUTED
-----------------	-----------------	----------------

Compliance Status of FFIEC_AWS Framework:

42.47% (31) FAIL	57.53% (42) PASS	0.0% (0) MUTED
------------------	------------------	----------------

Compliance Status of GDPR_AWS Framework:

48.21% (27) FAIL	51.79% (29) PASS	0.0% (0) MUTED
------------------	------------------	----------------

Compliance Status of GXP_21_CFR_PART_11_AWS Framework:

42.25% (30) FAIL

57.75% (41) PASS

0.0% (0) MUTED

Compliance Status of GXP_EU_ANNEX_11_AWS Framework:

78.57% (11) FAIL

21.43% (3) PASS

0.0% (0) MUTED

Compliance Status of HIPAA_AWS Framework:

43.24% (32) FAIL

56.76% (42) PASS

0.0% (0) MUTED

Compliance Status of ISO27001_2013_AWS Framework:

50.0% (26) FAIL

50.0% (26) PASS

0.0% (0) MUTED

Compliance Status of ISO27001_2022_AWS Framework:

36.19% (76) FAIL

63.81% (134) PASS

0.0% (0) MUTED

Compliance Status of KISA_ISMS_P_2023_AWS Framework:

38.52% (104) FAIL

61.48% (166) PASS

0.0% (0) MUTED

Compliance Status of KISA_ISMS_P_2023_KOREAN_AWS Framework:

38.52% (104) FAIL

61.48% (166) PASS

0.0% (0) MUTED

Compliance Status of MITRE_ATTACK_AWS Framework:

37.59% (50) FAIL

62.41% (83) PASS

0.0% (0) MUTED

Compliance Status of NIS2_AWS Framework:

42.86% (57) FAIL

57.14% (76) PASS

0.0% (0) MUTED

Compliance Status of NIST_800_171_REVISION_2_AWS Framework:

44.3% (35) FAIL

55.7% (44) PASS

0.0% (0) MUTED

Compliance Status of **NIST_800_53_REVISION_4_AWS** Framework:

45.33% (34) FAIL

54.67% (41) PASS

0.0% (0) MUTED

Compliance Status of **NIST_800_53_REVISION_5_AWS** Framework:

46.15% (36) FAIL

53.85% (42) PASS

0.0% (0) MUTED

Compliance Status of **NIST_CSF_1.1_AWS** Framework:

51.85% (42) FAIL

48.15% (39) PASS

0.0% (0) MUTED

Compliance Status of **NIST_CSF_2.0_AWS** Framework:

43.51% (67) FAIL

56.49% (87) PASS

0.0% (0) MUTED

Compliance Status of **PCI_3.2.1_AWS** Framework:

58.93% (33) FAIL

41.07% (23) PASS

0.0% (0) MUTED

Compliance Status of **PCI_4.0_AWS** Framework:

58.97% (46) FAIL

41.03% (32) PASS

0.0% (0) MUTED

Compliance Status of **PROWLER_THREATSCORE_AWS** Framework:

30.92% (47) FAIL

69.08% (105) PASS

0.0% (0) MUTED

Compliance Status of **RBI_CYBER_SECURITY_FRAMEWORK_AWS** Framework:

46.43% (26) FAIL

53.57% (30) PASS

0.0% (0) MUTED

Compliance Status of **SECNUMCLOUD_3.2_AWS** Framework:

49.3% (70) FAIL

50.7% (72) PASS

0.0% (0) MUTED

Compliance Status of **SOC2_AWS** Framework:

32.19% (47) FAIL

67.81% (99) PASS

0.0% (0) MUTED

Detailed compliance results are in **C:\Users\shaur/output/compliance/**

7.2 Post-Hardening HTML Report

	Report Information	AWS Assessment Summary	AWS Credentials	Assessment Overview
	Version: 5.39.1	AWS Account: [REDACTED]	User Id: [REDACTED]	Total Findings: 287
	Parameters used: aws --output-formats html json-ocsf --region ap-south-1	AWS-CLI Profile: default	Caller Identity ARN: [REDACTED]	Passed: 174
	Date: 2026-08-20T14:18:03.564647	Audited Regions: ap-south-1		Passed (Muted): 0
				Failed: 113
				Failed (Muted): 0
				Total Resources: 64

7.3 Remaining Critical Findings — Accepted Risks

After hardening, 3 critical findings remain. All are documented accepted risks:

Filters (2)		Show	100	▼	entries	Search:					
Status	Severity	Service Name	Region	Check ID	Check Title	Resource ID	Resource Tags	Status Extended	Risk	Recommendation	Compliance
FAIL	critical	iam	ap-south-1	iam_aws_policy_attached_policy_no_administrative_privileges	Attached AWS-managed IAM policy does not allow "*" administrative privileges			AWS policy AdministratorAccess is attached and allows "*" administrative privileges.	Unrestricted root access read more...	Apply least privilege: avoid read more... 	•ASD-Essential-Eight Nov read more...
FAIL	critical	iam	ap-south-1	iam_root_hardware_mfa_enabled	Root account has a hardware MFA device enabled			Root account has a virtual MFA instead of a hardware MFA device enabled.	Without hardware MFA on the root user: - No MFA: stolen password/keys enable full account takeover. - Virtual MFA: device compromise or backup restoration weakens second-factor assurance. An attacker could delete resources, change policies, and disable logging, harming confidentiality, integrity, and availability.	Require a hardware MFA token for the root user and remove any virtual MFA. Apply least privilege: avoid using root, disable access keys, and eliminate long-term credentials. In organizations, centralize root management. Keep a controlled break-glass process with strict recovery checks and continuous monitoring. 	•ASD-Essential-Eight Nov 2023: EB-3.1, EB-3.7 •AWS-Account-Security-Onboarding Root user - distribute email + MFA •AWS-A Security-Framework 1.0: AISF-IAM-01 •AWS Audit-Manager-Control-Tower-Guardrails: 3.0.3 •AWS Foundational-Security Best-Practices: IAM.6 •AWS-Foundational-Technical-Review: AR 003, IAM-001, IAM-0012 •AWS-Well-Architected.
FAIL	critical	iam	ap-south-1	iam_root_mfa_enabled	Root account has MFA enabled			MFA is not enabled for root account.	Without MFA, compromise of the root password or access keys can lead to full account takeover. An attacker with root can disable protections, steal or delete data, change billing, and create persistent admins, undermining confidentiality, integrity, and availability.	Enable MFA for the root user, preferably hardware-based or a dedicated, managed device. Remove root access keys and avoid using root for daily tasks. Apply least privilege with IAM Identity Center for admins, and use Organizations to centralize root access and eliminate long-lived root credentials. 	•ASD-Essential-Eight Nov 2023: EB-3.1 •AWS-Account-Security-Onboarding Root user - distribute email + MFA •AWS Security-Framework 1.0: AISF-IAM-01 •AWS Audit-Manager-Control-Tower-Guardrails: 3.0.1, 3.0.3 •AWS-

Risk ID	Finding	Decision	Justification	Compensating Control
AR-001	Root has virtual MFA not hardware MFA (CIS 1.6)	ACCEPT	Lab environment — hardware token unavailable. Virtual MFA provides strong protection.	Virtual MFA active, root not used for daily ops
AR-002	AdministratorAccess AWS managed policy exists	ACCEPT	AWS managed policy — cannot be deleted from account. NOT attached to any user.	ReadOnlyAccess applied to all users instead

8. Programmatic Verification — Boto3 Scripts

To independently verify that hardening controls were applied correctly, 5 Python scripts using the AWS Boto3 SDK were written and executed. These scripts make direct AWS API calls — providing stronger verification than console screenshots alone.

Script	AWS API Called	CIS Control Verified	Result
verify-s3-hardening.py	S3:GetPublicAccessBlock	CIS 2.1.5	PASS 
verify-cloudtrail.py	CloudTrail:DescribeTrails + GetTrailStatus	CIS 3.1	PASS 
verify-guardduty.py	GuardDuty:ListDetectors + GetDetector	AWS FSB	PASS 
verify-iam.py	IAM:GetAccountPasswordPolicy + ListMFADevices	CIS 1.8, 1.10	PASS 
verify-vpc-flowlogs.py	EC2:DescribeFlowLogs	CIS 3.7	PASS 

8.1 Script Verification Output

All 5 scripts executed in a single terminal session confirming full hardening verification.

```
PS C:\Users\shaur> C:\Users\shaur\AppData\Local\Programs\Python\Python311\python.exe -c "import boto3; print('boto3 ready!')"
```

```
boto3 ready
```

```
PS C:\Users\shaur> C:\Users\shaur\AppData\Local\Programs\Python\Python311\python.exe "D:\Cloud Sec Audit\AWS-script.py"
```

```
{'ResponseMetadata': {'RequestId': '...', 'HostId': '...', 'HTTPStatusCode': 200, 'HTTPHeaders': {'x-amz-request-id': '...', 'date': '...', 'transfer-encoding': 'chunked', 'server': 'AmazonS3'}, 'RetryAttempts': 0}, 'PublicAccessBlockConfiguration': {'BlockPublicAcls': True, 'IgnorePublicAcls': True, 'BlockPublicPolicy': True, 'RestrictPublicBuckets': True}}
```

```
PS C:\Users\shaur> C:\Users\shaur\AppData\Local\Programs\Python\Python311\python.exe "D:\Cloud Sec Audit\verify-cloudtrail.py"
```

```
Trail: audit-lab-trail
Logging: True
Multi-region: True
Log validation: False
PASS: CloudTrail is active
```

```
PS C:\Users\shaur> C:\Users\shaur\AppData\Local\Programs\Python\Python311\python.exe "D:\Cloud Sec Audit\verify-guardduty.py"
```

```
Detector ID:
Status: ENABLED
Finding frequency: SIX_HOURS
PASS: GuardDuty is active
```

```
PS C:\Users\shaur> C:\Users\shaur\AppData\Local\Programs\Python\Python311\python.exe "D:\Cloud Sec Audit\verify-iam.py"
```

```
Min password length: 14
Require uppercase: True
Require numbers: True
Require symbols: True
Max password age: 90
PASS: Strong password policy configured
User: PASS: MFA enabled
User: PASS: MFA enabled
```

```
PS C:\Users\shaur> C:\Users\shaur\AppData\Local\Programs\Python\Python311\python.exe "D:\Cloud Sec Audit\verify-vpc-flowlogs.py"
```

```
Flow Log ID:
Status: ACTIVE
Traffic type: ALL
Destination: cloud-watch-logs
PASS: VPC Flow Logs active
```

```
PS C:\Users\shaur>
```

Notable: The CloudTrail verification script also discovered that log file validation (CIS 3.2) was disabled — a finding not identified in the initial scan. This demonstrates the value of scripted verification beyond manual console checks.

9. Signal vs Noise Analysis

A key skill in cloud security auditing is interpreting scanner output rather than treating every finding as equally urgent. Prowler returned 118 failures — the following triage demonstrates professional judgment.

Category	Count	Action	Rationale
Critical — Fixed	4	Immediate remediation	Direct exploitability, high impact, easy to fix
Critical — Accepted	3	Documented exceptions	Cannot fix without hardware token or AWS policy changes
High — Fixed	5	Same session	Logging/monitoring gaps — high value, low effort
High — Remaining	12	Backlog	Require infrastructure planning
Medium	56	Quarterly roadmap	Lower exploitability or impact
Low / Informational	25	Backlog	Best practice gaps — minimal risk

10. Remaining Remediation Roadmap

Short Term — High Priority

Finding	Service	Action	Effort
Enable log file validation	CloudTrail	aws cloudtrail update-trail --enable-log-file-validation	Low — 5 mins
Enable EBS default encryption	EC2	Enable in EC2 account settings	Low — 10 mins
Enable AWS Config	Config	Enable with all resource types in ap-south-1	Medium — 30 mins
Enable Security Hub	Security Hub	Enable with CIS standard for ongoing scoring	Low — 15 mins

Medium Term — Monitoring

CIS Control	Action	Priority
CIS 4.3	CloudWatch alarm — root account login	HIGH
CIS 4.1	CloudWatch alarm — unauthorized API calls	HIGH
CIS 4.4	CloudWatch alarm — IAM policy changes	HIGH
CIS 3.6	KMS encryption for CloudTrail logs	MEDIUM
CIS 2.1.1	S3 server access logging	MEDIUM

11. Conclusion

This audit demonstrated a complete cloud security assessment lifecycle. Starting from a deliberately misconfigured AWS environment, 632 automated checks were executed identifying 118 failures including 7 critical findings. Targeted hardening resolved all 5 original critical misconfigurations and 5 high findings, verified both by Prowler re-scan and independent Boto3 API verification scripts.

Passed checks increased from 124 to 174 (+40%) confirming measurable improvement. The 3 remaining critical findings are formally accepted risks with documented compensating controls. The primary remaining gap is Section 4 monitoring — CloudWatch metric filters and alarms for security events.

11.1 Final Metrics

Metric	Value
Total Prowler checks executed	632
Initial failure rate	47.58% — 118 failed
Post-hardening failure rate	38.44% — 113 failed
Pass count improvement	+50 checks now passing (+40%)
Critical findings resolved	4 of 7 (3 formally accepted)
High findings resolved	5 of 30
Boto3 verification scripts	5 scripts — all PASS
Before/after screenshots	16 evidence files
Hardening session	Single day — August 20 2026