

Database table

```
CREATE TABLE [dbo].[CartTlb] (  
[CartId] INT IDENTITY (1, 1) NOT NULL,  
[ProductId] VARCHAR (50) NOT NULL,  
[ProductName] VARCHAR (50) NOT NULL,  
[Quantity] VARCHAR (50) NOT NULL,  
[ProductPrice] VARCHAR (50) NOT NULL,  
PRIMARY KEY CLUSTERED ([CartId] ASC)  
);
```

```
CREATE TABLE [dbo].[OrderTlb] (  
[OrderId] INT IDENTITY (1, 1) NOT NULL,  
[NoItems] VARCHAR (50) NOT NULL,  
[ProductNames] VARCHAR (MAX) NOT NULL,  
[DateofPurchase] DATETIME NOT NULL,  
[PayMethod] VARCHAR (50) NOT NULL,  
[TotalAmt] VARCHAR (50) NOT NULL,  
[StatusOfOrder] VARCHAR (50) NOT NULL,  
PRIMARY KEY CLUSTERED ([OrderId] ASC)  
);
```

About Page Front End

```
<%@ Page Title="" Language="C#" MasterPageFile="~/User/User.Master"  
AutoEventWireup="true" CodeBehind="About.aspx.cs"  
Inherits="NurseryWebApp1.User.About" %>  
  
<asp:Content ID="Content1" ContentPlaceHolderID="head" runat="server">  
  
</asp:Content>  
  
<asp:Content ID="Content2" ContentPlaceHolderID="ContentPlaceHolder1"  
runat="server">  
  
<!-- About Area Code Start Here -->  
  
<section class="about-us-area"> <!-- access the css class -->  
  
<div class="container"><!-- access the css class -->  
  
<div class="row justify-content-between"><!-- access the css class -->  
  
<div class="col-12 col-lg-5"><!-- access the css class -->  
  
<!-- Section Heading -->  
  
<div class="section-heading">  
  
<h2>ABOUT US</h2> <!-- Header -->  
  
<p>We are leading in the plants retail and service fields.</p> <!-- Statement -->  
  
</div>  
  
<p>Since 2014 we have been providing the communities and people with best  
products and services. In 2014 we started out with a small shop that sold basic  
range of gardening products. After period of time our business started to grow  
and we begun to offer other garden product.</p>
```

```
</div> <!-- Statement -->
```

```
<div class="col-12 col-lg-6"><!-- access the css class -->
```

```
<div class="alazea-benefits-area"><!-- access the css class -->
```

```
<div class="row"><!-- access the css class -->
```

```
<!-- Single Benefits Area -->
```

```
<div class="col-12 col-sm-6"><!-- access the css class -->
```

```
<div class="single-benefits-area"><!-- access the css class -->
```

```
<!-- Displays logo -->
```

```
<h5>Quality Products</h5>
```

```
<p>Nothing best for a gardener and garden than quality products. We have  
namebrand range of garden products that are used in the agriculture industries.  
Most importantlty all our products are organic.</p>
```

```
</div>
```

```
</div>
```

```
<!-- Single Benefits Area -->
```

```
<div class="col-12 col-sm-6"><!-- access the css class -->
```

```
<div class="single-benefits-area"><!-- access the css class -->
```

```
<!-- Display logo-->
```

```
<h5>Perfect Service</h5>
```

```
<p>Our sales teams are made up of expert gardeners. Ready to provide you with best  
garden ideas and Ideal plants for your type of garden.</p>
```

```
</div>
```

```
</div>
```

```
<!-- Single Benefits Area -->
```

```
<div class="col-12 col-sm-6"><!-- access the css class -->
```

```
<div class="single-benefits-area"><!-- access the css class -->
```

```
<!-- Display logo -->
```

```
<h5>100% Natural</h5>
```

```
<p>We sell only 100% Organic products that are safe and toxic free for you and  
our planet. One step at a time to a greener future.</p>
```

```
</div>
```

```
</div>
```

```
<!-- Single Benefits Area -->
```

```

<div class="col-12 col-sm-6"><!-- access the css class -->
<div class="single-benefits-area"><!-- access the css class -->
<!-- access the css class -->
<h5>Environmentally friendly</h5>
<p>All our garden products you purchase comes in biodegradable packaging.
Purchase a bag from us tear it up and trough it into your garden and get bed full
of flowers.</p>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
</div>

<div class="container"><!-- access the css class -->
<div class="row"><!-- access the css class -->
<div class="col-12"><!-- access the css class -->
<div class="border-line"></div><!-- access the css class -->
</div>
</div>
</div>
</section>
<!-- ##### About Area End ##### -->

<!-- ##### Service Area Start ##### -->
<section class="our-services-area bg-gray section-padding-100-0"> <!-- access the
css class -->
<div class="container"><!-- access the css class -->
<div class="row"><!-- access the css class -->
<div class="col-12"><!-- access the css class -->
<!-- Section Heading -->
<div class="section-heading text-center"> <!-- access the css class -->
<h2>WHAT WE BRING TO YOU</h2>

</div>

```

</div>

</div>

<div class="row justify-content-between"> <!-- access the css class -->

<div class="col-12 col-lg-5"> <!-- access the css class -->

<div class="alazea-service-area mb-100"> <!-- access the css class -->

<!-- Single Service Area -->

<div class="single-service-area d-flex align-items-center wow fadeInUp" data-wow-delay="100ms"><!-- access the css class -->

<!-- Icon -->

<div class="service-icon mr-30"><!-- access the css class -->

<!-- access the css class -->

</div>

<!-- Content -->

<div class="service-content"> <!-- access the css class -->

<h5>Seeds and Soil</h5>

<p>We offer you a range of seeds from fruit, vegetable and flowers. Soil we offer you the best mix of gardening soil, potting soil etc.</p>

</div>

</div>

<!-- Single Service Area -->

<div class="single-service-area d-flex align-items-center wow fadeInUp" data-wow-delay="300ms">

<!-- Icon -->

<div class="service-icon mr-30"><!-- access the css class -->

</div>

<!-- Content -->

<div class="service-content"> <!-- access the css class -->

<h5>Gardening Experts</h5>

<p>You can call us or visit us at our shope and get the best gaderning dvice, from our experts here at floristics.</p>

</div>

</div>

```
<!-- Single Service Area -->

<div class="single-service-area d-flex align-items-center wow fadeInUp" data-wow-
delay="500ms">

<!-- Icon -->

<div class="service-icon mr-30"> <!-- access the css class -->



</div>

<!-- Content -->

<div class="service-content"><!-- access the css class -->

<h5>Trees & Flowers</h5>

<p>Dont want to grow from seeds, we have trees of every type ready to be plant in
pots or straight into the ground. We also have range of flowers to choose
from.</p>

</div>

</div>


</div>

</div>

</section>


<!-- ##### Service rea end ##### -->



<!-- ##### Cool facts Area Start ##### -->

<section class="cool-facts-area bg-img section-padding-100-0" style="background-
image: url(img/bg-img/cool-facts.png);"><!-- access the css class -->

<div class="container"><!-- access the css class -->

<div class="row"><!-- access the css class -->


<!-- Single Cool Facts Area -->

<div class="col-12 col-sm-6 col-md-3"> <!-- access the css class -->
```

```
<div class="single-cool-fact d-flex align-items-center justify-content-center mb-100"> <!-- access the css class -->

<div class="cf-icon"><!-- access the css class -->

<!-- Display image-->

</div>

<div class="cf-content"> <!-- access the css class -->

<h2><span class="counter">20</span></h2> <!-- access the css class -->

<h6>AWARDS</h6>

</div>

</div>

</div>
```

```
<!-- Single Cool Facts Area -->

<div class="col-12 col-sm-6 col-md-3"> <!-- access the css class -->

<div class="single-cool-fact d-flex align-items-center justify-content-center mb-100"><!-- access the css class -->

<div class="cf-icon"> <!-- access the css class -->

<!-- Display image-->

</div>

<div class="cf-content"><!-- access the css class -->

<h2><span class="counter">70</span></h2><!-- access the css class -->

<h6>PROJECTS</h6>

</div>

</div>

</div>
```

```
<!-- Single Cool Facts Area -->

<div class="col-12 col-sm-6 col-md-3"><!-- access the css class -->

<div class="single-cool-fact d-flex align-items-center justify-content-center mb-100"><!-- access the css class -->

<div class="cf-icon"><!-- access the css class -->

<!-- Display logo -->

</div>

<div class="cf-content"> <!-- access the css class -->

<h2><span class="counter">30</span></h2> <!-- access the css class -->

<h6>HAPPY CLIENTS</h6>
```

```

</div>
</div>
</div>

<!-- Single Cool Facts Area -->
<div class="col-12 col-sm-6 col-md-3"><!-- access the css class -->
<div class="single-cool-fact d-flex align-items-center justify-content-center mb-100"><!-- access the css class -->
<div class="cf-icon"><!-- access the css class -->

</div>
<div class="cf-content"><!-- access the css class -->
<h2><span class="counter">80</span>K+</h2><!-- access the css class -->
<h6>REVENUE</h6>
</div>
</div>
</div>

</div>
</div>

<!-- Side Image -->
<div class="side-img wow fadeInUp" data-wow-delay="500ms"><!-- access the css class -->
<!-- Display Image -->
</div>
</section>

<!-- ##### Cool Facts Area End ##### -->

<!-- ##### Team Area Start ##### -->
<section class="team-area section-padding-100-0.> access the css class -->
<div class="container"><!-- access the css class -->
<div class="row"><!-- access the css class -->
<div class="col-12">
<!-- Section Heading -->
<div class="section-heading text-center">

```

```
<h2>OUR WED DEVELOPMET TEAM</h2>
<p>A team of dedicated experienced professionals.</p>
</div>
</div>
</div>
```

```
<div class="row">
```

```
<!-- Single Team Member Area -->
<div class="col-12 col-sm-6 col-lg-3">
<div class="single-team-member text-center mb-100">
<!-- Team Member Thumb -->
<div class="team-member-thumb">

<!-- Social Info -->
```

```
</div>
<!-- Team Member Info -->
<div class="team-member-info mt-30">
<h5>Shavana Manilall</h5>
<p>Project Leader</p>
</div>
</div>
</div>
```

```
<!-- Single Team Member Area -->
<div class="col-12 col-sm-6 col-lg-3">
<div class="single-team-member text-center mb-100">
<!-- Team Member Thumb -->
<div class="team-member-thumb">

<!-- Social Info -->
```

```
</div>
<!-- Team Member Info -->
```



```
<div class="team-member-info mt-30">
<h5>Sbusiso Hlongwa</h5>
<p>Designer and Developer</p>
</div>
</div>
</div>
```

```
<!-- Single Team Member Area -->
<div class="col-12 col-sm-6 col-lg-3">
<div class="single-team-member text-center mb-100">
<!-- Team Member Thumb -->
<div class="team-member-thumb">

<!-- Social Info -->
```

```
</div>
<!-- Team Member Info -->
<div class="team-member-info mt-30">
<h5>Afikile Ngqasa</h5>
<p>Designer and Developer</p>
</div>
</div>
</div>
```

```
<!-- Single Team Member Area -->
<div class="col-12 col-sm-6 col-lg-3">
<div class="single-team-member text-center mb-100">
<!-- Team Member Thumb -->
<div class="team-member-thumb">

<!-- Social Info -->
```

```
</div>
<!-- Team Member Info -->
<div class="team-member-info mt-30">
```

```
<h5>Lungisa </h5>
```

```
<p>Designer and Developer</p>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<!-- Single Team Member Area -->
```

```
<div class="col-12 col-sm-6 col-lg-3">
```

```
<div class="single-team-member text-center mb-100">
```

```
<!-- Team Member Thumb -->
```

```
<div class="team-member-thumb">
```

```

```

```
<!-- Social Info -->
```

```
</div>
```

```
<!-- Team Member Info -->
```

```
<div class="team-member-info mt-30">
```

```
<h5>Thamsanqa Zungu</h5>
```

```
<p>Desinger and Developer</p>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</section>
```

```
<!-- ##### Team Area End ##### -->
```

```
<footer class="footer-area bg-img" style="background-image: url(img/bg-  
img/3.jpg);">
```

```
<!-- Main Footer Area -->
```

```
<div class="main-footer-area">
```

```
<div class="container">
```

```
<div class="row">
```

```
<!-- Single Footer Widget -->
```

```

<div class="col-12 col-sm-6 col-lg-3">
<div class="single-footer-widget">
<div class="footer-logo mb-30">
<a href="#"></a>
</div>
<p>Floristic not just any plant retail, but one that cares about your little
corner of nature</p>
<div class="social-info">
<a href="#"><i class="fa fa-facebook" aria-hidden="true"></i></a>
<a href="#"><i class="fa fa-twitter" aria-hidden="true"></i></a>
<a href="#"><i class="fa fa-google-plus" aria-hidden="true"></i></a>
<a href="#"><i class="fa fa-instagram" aria-hidden="true"></i></a>
<a href="#"><i class="fa fa-linkedin" aria-hidden="true"></i></a>
</div>
</div>
</div>
</div>

```

```

<!-- Single Footer Widget -->
<div class="col-12 col-sm-6 col-lg-3">
<div class="single-footer-widget">
<div class="widget-title">
<h5>CONTACT</h5>
</div>

```

```

<div class="contact-information">
<p><span>Address:</span> 135 NewGate West Rd, Durban, KZN, South Africa</p>
<p><span>Phone:</span> 0315002548</p>
<p><span>Email:</span> floristics@gmail.com</p>
<p><span>Open hours:</span> Mon - Sun: 8 AM to 9 PM</p>
<p><span>Happy hours:</span> Sat: 2 PM to 4 PM</p>
</div>
</div>
</div>
</div>
</div>

```

</div>

<!-- Footer Bottom Area -->

<div class="footer-bottom-area">

<div class="container">

<div class="row">

<div class="col-12">

<div class="border-line"></div>

</div>

<!-- Copywrite Text -->

<div class="col-12 col-md-6">

</div>

<!-- Footer Nav -->

<div class="col-12 col-md-6">

<div class="footer-nav">

<nav>

Home

About

Service

Portfolio

Blog

Contact

</nav>

</div>

</div>

</div>

</div>

</div>

</footer>

<!-- ##### Footer Area End ##### -->

</asp:Content>

Cart Front End

```
<%@ Page Title="" Language="C#" MasterPageFile="~/User/User.Master"
AutoEventWireup="true" CodeBehind="Cart.aspx.cs"
Inherits="NurseryWebAppl.User.Cart" %>
<asp:Content ID="Content1" ContentPlaceHolderID="head" runat="server">
</asp:Content>
<asp:Content ID="Content2" ContentPlaceHolderID="ContentPlaceHolder1"
runat="server">

<br/>
<br/>

<br/>
<asp:Table ID="Table1" runat="server" Height="92px" Width="1072px">
</asp:Table>
<br/>

<br/>
<asp:GridView ID="GridView1" runat="server" DataSourceID="SqlDataSource1"
AllowPaging="True" AllowSorting="True" BackColor="#99FF66" BorderColor="White"
BorderStyle="Solid" BorderWidth="4px" CellPadding="3" CellSpacing="20" Font-
Bold="True" ForeColor="Black" Height="16px" HorizontalAlign="Center"
ShowFooter="True" Width="965px" FooterStyle-VerticalAlign="NotSet"
OnSelectedIndexChanged="GridView1_SelectedIndexChanged">
<Columns>
<asp:CommandField ShowSelectButton="True"></asp:CommandField>
</Columns>
<HeaderStyle BackColor="#009900" BorderColor="Black" BorderStyle="Solid"
BorderWidth="2px" HorizontalAlign="Center" Wrap="True" />
</asp:GridView>

<asp:SqlDataSource runat="server" ID="SqlDataSource1" ConnectionString='<%=
ConnectionString:dbCon %>' SelectCommand="SELECT * FROM
[CartTbl]"></asp:SqlDataSource>
<br/>
<br/>
<asp:Label ID="lblDelte" runat="server" Text="Are you sure you want to remove"
Font-Size="Large" ForeColor="Black"></asp:Label>
<br/>
<br/>
<br/>
<asp:Button ID="btnRemove" runat="server" Text="Remove from Cart" Font-
Bold="True" Font-Size="Large" ForeColor="#33CC33" Height="40" Width="200"
OnClick="btnRemove_Click" />
<br/>

<br>
<asp:Button ID="BtnProceed" runat="server" Text="Proceed to Payment" Font-
Bold="True" Font-Size="Large" ForeColor="#33CC33" Height="40" Width="200"
OnClick="BtnProceed_Click1" />
<br/>
<br/>
<br/>
```

```

<footer class="footer-area bg-img" style="background-image: url(img/bg-
img/3.jpg);">
<!-- Main Footer Area -->
<div class="main-footer-area">
<div class="container">
<div class="row">

<!-- Single Footer Widget -->
<div class="col-12 col-sm-6 col-lg-3">
<div class="single-footer-widget">
<div class="footer-logo mb-30">
<a href="#"></a>
</div>
<p>Floristic not just any plant retail, but one that cares about your little
corner of nature</p>
<div class="social-info">
<a href="#"><i class="fa fa-facebook" aria-hidden="true"></i></a>
<a href="#"><i class="fa fa-twitter" aria-hidden="true"></i></a>
<a href="#"><i class="fa fa-google-plus" aria-hidden="true"></i></a>
<a href="#"><i class="fa fa-instagram" aria-hidden="true"></i></a>
<a href="#"><i class="fa fa-linkedin" aria-hidden="true"></i></a>
</div>
</div>
</div>
</div>

<!-- Single Footer Widget -->
<div class="col-12 col-sm-6 col-lg-3">
<div class="single-footer-widget">
<div class="widget-title">
<h5>CONTACT</h5>
</div>

<div class="contact-information">
<p><span>Address:</span> 135 NewGate West Rd, Durban, KZN, South Africa</p>
<p><span>Phone:</span> 0315002548</p>
<p><span>Email:</span> floristics@gmail.com</p>
<p><span>Open hours:</span> Mon - Sun: 8 AM to 9 PM</p>
<p><span>Happy hours:</span> Sat: 2 PM to 4 PM</p>
</div>
</div>
</div>
</div>
</div>
</div>

<!-- Footer Bottom Area -->
<div class="footer-bottom-area">
<div class="container">
<div class="row">
<div class="col-12">
<div class="border-line"></div>
</div>
<!-- Copywrite Text -->
<div class="col-12 col-md-6">

</div>
<!-- Footer Nav -->
<div class="col-12 col-md-6">
<div class="footer-nav">
<nav>
<ul>
<li><a href="#">Home</a></li>
<li><a href="#">About</a></li>

```



```

}
protected void Page_Load(object sender, EventArgs e)
{

DataLoad();
}

protected void GridView1_SelectedIndexChanged(object sender, EventArgs e)
{

lblDelte.Text = " You are about to Remove : "+
GridView1.SelectedRow.Cells[3].Text; // Displays the slected Product
Globals.CartID =int.Parse(GridView1.SelectedRow.Cells[1].Text); // Selects the
Cart ID and stores in global variables

}

protected void btnRemove_Click(object sender, EventArgs e)
{
using (con = new SqlConnection(cs))
{

con.Open(); // Deletes the record
cmd = new SqlCommand("Delete From CartTbl Where CartId= @cartid", con);
cmd.Parameters.AddWithValue("@cartid",Globals.CartID);
cmd.ExecuteNonQuery();
con.Close();
DataLoad();
}

lblDelte.Text = " ";

}

protected void BtnProceed_Click1(object sender, EventArgs e)
{
Response.Redirect("Payment.aspx"); //page redirect
}
}

}

```

Contact Front End

```

<%@ Page Title="" Language="C#" MasterPageFile="~/User/User.Master"
AutoEventWireup="true" CodeBehind="Contact.aspx.cs"
Inherits="NurseryWebApp1.User.Contact" %>
<asp:Content ID="Content1" ContentPlaceHolderID="head" runat="server">
</asp:Content>
<asp:Content ID="Content2" ContentPlaceHolderID="ContentPlaceHolder1"
runat="server">

<!-- ##### Contact Area Info Start ##### -->
<div class="contact-area-info section-padding-0-100">
<div class="container">
<div class="row align-items-center justify-content-between">
<!-- Contact Thumbnail -->
<div class="col-12 col-md-6">

```



```

<div class="contact--thumbnail">

</div>
</div>

<div class="col-12 col-md-5">
<!-- Section Heading -->
<div class="section-heading">
<h2>CONTACT US</h2>
<p>We are improving our services to serve you better.</p>
</div>
<!-- Contact Information -->
<div class="contact-information">
<p><span>Address:</span> 505 Silk Rd, New York</p>
<p><span>Phone:</span> 0315002548</p>
<p><span>Email:</span> Floristics@gmail.com</p>
<p><span>Open hours:</span> Mon - Sun: 8 AM to 9 PM</p>
<p><span>Happy hours:</span> Sat: 2 PM to 4 PM</p>
</div>
</div>
</div>
</div>
</div>
<!-- ##### Contact Area Info End ##### -->

<!-- ##### Contact Area Start ##### -->
<section class="contact-area">
<div class="container">
<div class="row align-items-center justify-content-between">
<div class="col-12 col-lg-5">
<!-- Section Heading -->

<!-- Contact Form Area -->

<div class="col-12 col-lg-6">

</div>
</div>
</div>
</div>
</section>
<!-- ##### Contact Area End ##### -->

<footer class="footer-area bg-img" style="background-image: url(img/bg-
img/3.jpg);">
<!-- Main Footer Area -->
<div class="main-footer-area">
<div class="container">
<div class="row">

<!-- Single Footer Widget -->
<div class="col-12 col-sm-6 col-lg-3">
<div class="single-footer-widget">
<div class="footer-logo mb-30">
<a href="#"></a>
</div>
<p>Floristic not just any plant retail, but one that cares about your little
corner of nature</p>
<div class="social-info">
<a href="#"><i class="fa fa-facebook" aria-hidden="true"></i></a>
<a href="#"><i class="fa fa-twitter" aria-hidden="true"></i></a>
<a href="#"><i class="fa fa-google-plus" aria-hidden="true"></i></a>

```

[illegible]

```

<%@ Page Title="" Language="C#" MasterPageFile="~/User/User.Master"
AutoEventWireup="true" CodeBehind="Default.aspx.cs"
Inherits="NurseryWebApp1.User.Default" %>
<asp:Content ID="Content1" ContentPlaceHolderID="head" runat="server">
</asp:Content>
<asp:Content ID="Content2" ContentPlaceHolderID="ContentPlaceHolder1"
runat="server">
<section class="our-services-area bg-gray section-padding-100-0">
<div class="container">
<div class="row">
<div class="col-12">

</div>
</div>
</div>

</section>
<!-- ##### Service Area End ##### -->

<!-- ##### About Area Start ##### -->

<!-- ##### About Area End ##### -->

<!-- ##### Portfolio Area Start ##### -->
<div class="row alazea-portfolio">

<!-- Single Portfolio Area -->
<div class="col-12 col-sm-6 col-lg-3 single_portfolio_item design home-design wow
fadeInUp" data-wow-delay="100ms">
<!-- Portfolio Thumbnail -->
<div class="portfolio-thumbnail bg-img" style="background-image: url(img/bg-
img/16.jpg);"></div>
<!-- Portfolio Hover Text -->
<div class="portfolio-hover-overlay">
<a href="img/bg-img/16.jpg" class="portfolio-img d-flex align-items-center
justify-content-center" title="Portfolio 1">
<div class="port-hover-text">
<h3>Trees and Outdoor Plants</h3>
<h5>For your OutDoor Garden</h5>
</div>
</a>
</div>
</div>

<!-- Single Portfolio Area -->
<div class="col-12 col-sm-6 col-lg-3 single_portfolio_item garden wow fadeInUp"
data-wow-delay="200ms">
<!-- Portfolio Thumbnail -->
<div class="portfolio-thumbnail bg-img" style="background-image: url(img/bg-
img/17.jpg);"></div>
<!-- Portfolio Hover Text -->
<div class="portfolio-hover-overlay">
<a href="img/bg-img/17.jpg" class="portfolio-img d-flex align-items-center
justify-content-center" title="Portfolio 2">
<div class="port-hover-text">
<h3>Flowers</h3>
<h5>Every type you can think of!</h5>
</div>
</a>
</div>
</div>

```

```

<!-- Single Portfolio Area -->
<div class="col-12 col-sm-6 col-lg-3 single_portfolio_item garden design wow
fadeInUp" data-wow-delay="300ms">
<!-- Portfolio Thumbnail -->
<div class="portfolio-thumbnail bg-img" style="background-image: url(img/bg-
img/18.jpg);"></div>
<!-- Portfolio Hover Text -->
<div class="portfolio-hover-overlay">
<a href="img/bg-img/18.jpg" class="portfolio-img d-flex align-items-center
justify-content-center" title="Portfolio 3">
<div class="port-hover-text">
<h3>Exotic Flowers and Plants</h3>
<h5>Want something in your garden to brag about? We have it</h5>
</div>
</a>
</div>
</div>

```

```

<!-- Single Portfolio Area -->
<div class="col-12 col-sm-6 col-lg-3 single_portfolio_item garden office-design
wow fadeInUp" data-wow-delay="400ms">
<!-- Portfolio Thumbnail -->
<div class="portfolio-thumbnail bg-img" style="background-image: url(img/bg-
img/19.jpg);"></div>
<!-- Portfolio Hover Text -->
<div class="portfolio-hover-overlay">
<a href="img/bg-img/19.jpg" class="portfolio-img d-flex align-items-center
justify-content-center" title="Portfolio 4">
<div class="port-hover-text">
<h3>Indoor Pot Plants</h3>
<h5>Need a little green in the Office?</h5>
</div>
</a>
</div>
</div>

```

```

<!-- Single Portfolio Area -->
<div class="col-12 col-sm-6 col-lg-3 single_portfolio_item design office-design
wow fadeInUp" data-wow-delay="100ms">
<!-- Portfolio Thumbnail -->
<div class="portfolio-thumbnail bg-img" style="background-image: url(img/bg-
img/20.jpg);"></div>
<!-- Portfolio Hover Text -->
<div class="portfolio-hover-overlay">
<a href="img/bg-img/20.jpg" class="portfolio-img d-flex align-items-center
justify-content-center" title="Portfolio 5">
<div class="port-hover-text">
<h3>Just Some Greenery</h3>
<h5>We have it!</h5>
</div>
</a>
</div>
</div>

```

```

<!-- Single Portfolio Area -->
<div class="col-12 col-sm-6 col-lg-3 single_portfolio_item garden wow fadeInUp"
data-wow-delay="200ms">
<!-- Portfolio Thumbnail -->
<div class="portfolio-thumbnail bg-img" style="background-image: url(img/bg-
img/21.jpg);"></div>
<!-- Portfolio Hover Text -->
<div class="portfolio-hover-overlay">

```

```

<a href="img/bg-img/21.jpg" class="portfolio-img d-flex align-items-center
justify-content-center" title="Portfolio 6">
<div class="port-hover-text">
<h3>Roses of every possible color</h3>
<h5>We got you!</h5>
</div>
</a>
</div>
</div>

<!-- Single Portfolio Area -->
<div class="col-12 col-lg-6 single_portfolio_item home-design wow fadeInUp" data-
wow-delay="300ms">
<!-- Portfolio Thumbnail -->
<div class="portfolio-thumbnail bg-img" style="background-image: url(img/bg-
img/22.jpg);"></div>
<!-- Portfolio Hover Text -->
<div class="portfolio-hover-overlay">
<a href="img/bg-img/22.jpg" class="portfolio-img d-flex align-items-center
justify-content-center" title="Portfolio 7">
<div class="port-hover-text">
<h3>House Plants</h3>
<h5>Some Green for your Home.</h5>
</div>
</a>
</div>
</div>

</div>

<!-- ##### Portfolio Area End ##### -->

<!-- ##### Product Area Start ##### -->
<section class="new-arrivals-products-area bg-gray section-padding-100">
<div class="container">
<div class="row">
<div class="col-12">
<!-- Section Heading -->
<div class="section-heading text-center">
<h2>NEW ARRIVALS</h2>
<p>We have the latest products, it must be exciting for you</p>
</div>
</div>
</div>
</div>

<div class="row">

<!-- Single Product Area -->
<div class="col-12 col-sm-6 col-lg-3">
<div class="single-product-area mb-50 wow fadeInUp" data-wow-delay="100ms">
<!-- Product Image -->
<div class="product-img">
<a href="shop-details.html"></a>
<!-- Product Tag -->
<div class="product-tag">
<a href="#">Hot</a>
</div>
<div class="product-meta d-flex">
<a href="#" class="wishlist-btn"><i class="icon_heart_alt"></i></a>
<a href="cart.html" class="add-to-cart-btn">Add to cart</a>
<a href="#" class="compare-btn"><i class="arrow_left-right_alt"></i></a>
</div>
</div>

```

```

<!-- Product Info -->
<div class="product-info mt-15 text-center">
<a href="shop-details.html">
<p>Cactus Flower</p>
</a>
<h6>R200</h6>
</div>
</div>
</div>

<!-- Single Product Area -->
<div class="col-12 col-sm-6 col-lg-3">
<div class="single-product-area mb-50 wow fadeInUp" data-wow-delay="200ms">
<!-- Product Image -->
<div class="product-img">
<a href="shop-details.html"></a>
<div class="product-meta d-flex">
<a href="#" class="wishlist-btn"><i class="icon_heart_alt"></i></a>
<a href="cart.html" class="add-to-cart-btn">Add to cart</a>
<a href="#" class="compare-btn"><i class="arrow_left-right_alt"></i></a>
</div>
</div>
<!-- Product Info -->
<div class="product-info mt-15 text-center">
<a href="shop-details.html">
<p>Succulent Flower</p>
</a>
<h6>R150.00</h6>
</div>
</div>
</div>

<!-- Single Product Area -->
<div class="col-12 col-sm-6 col-lg-3">
<div class="single-product-area mb-50 wow fadeInUp" data-wow-delay="300ms">
<!-- Product Image -->
<div class="product-img">
<a href="shop-details.html"></a>
<div class="product-meta d-flex">
<a href="#" class="wishlist-btn"><i class="icon_heart_alt"></i></a>
<a href="cart.html" class="add-to-cart-btn">Add to cart</a>
<a href="#" class="compare-btn"><i class="arrow_left-right_alt"></i></a>
</div>
</div>
<!-- Product Info -->
<div class="product-info mt-15 text-center">
<a href="shop-details.html">
<p>Aloe Vera</p>
</a>
<h6>R50.00</h6>
</div>
</div>
</div>

<!-- Single Product Area -->
<div class="col-12 col-sm-6 col-lg-3">
<div class="single-product-area mb-50 wow fadeInUp" data-wow-delay="400ms">
<!-- Product Image -->
<div class="product-img">
<a href="shop-details.html"></a>
<!-- Product Tag -->
<div class="product-tag sale-tag">
<a href="#">Hot</a>

```

```

</div>
<div class="product-meta d-flex">
<a href="#" class="wishlist-btn"><i class="icon_heart_alt"></i></a>
<a href="cart.html" class="add-to-cart-btn">Add to cart</a>
<a href="#" class="compare-btn"><i class="arrow_left-right_alt"></i></a>
</div>
</div>
<!-- Product Info -->
<div class="product-info mt-15 text-center">
<a href="shop-details.html">
<p>Chinese Bonsai</p>
</a>
<h6>R500</h6>
</div>
</div>
</div>

<div class="col-12 text-center">
<a href="#" class="btn alazea-btn">View All</a>
</div>

</div>
</div>
</section>
<!-- ##### Product Area End ##### -->

<!-- ##### Blog Area Start ##### -->
<section class="alazea-blog-area section-padding-100-0">
<div class="container">
<div class="row">
<div class="col-12">
<!-- Section Heading -->
<div class="section-heading text-center">
<h2>LATEST NEWS</h2>
<p>The breaking news about Gardening & House plants</p>
</div>
</div>
</div>
</div>

<div class="row justify-content-center">

<!-- Single Blog Post Area -->
<div class="col-12 col-md-6 col-lg-4">
<div class="single-blog-post mb-100">
<div class="post-thumbnail mb-30">
<a href="single-post.html"></a>
</div>
<div class="post-content">
<a href="single-post.html" class="post-title">
<h5>Gardeners across the world are now becoming self sustaining</h5>
</a>
<div class="post-meta">
<a href="#"><i class="fa fa-clock-o" aria-hidden="true"></i> 20 Jun 2018</a>
<a href="#"><i class="fa fa-user" aria-hidden="true"></i> Alan Jackson</a>
</div>
<p class="post-excerpt">Have you not yet seen it? People all over the world are
now growing their own organic vegetables and fruits. </p>
</div>
</div>
</div>

<!-- Single Blog Post Area -->
<div class="col-12 col-md-6 col-lg-4">

```

```
<div class="single-blog-post mb-100">
<div class="post-thumbnail mb-30">
<a href="single-post.html"></a>
</div>
<div class="post-content">
<a href="single-post.html" class="post-title">
<h5>2018 Midwest Tree and Shrub Conference: Resilient Plants for a Lasting
Landscape</h5>
</a>
<div class="post-meta">
<a href="#"><i class="fa fa-clock-o" aria-hidden="true"></i> 20 Jun 2018</a>
<a href="#"><i class="fa fa-user" aria-hidden="true"></i> Christina Aguilera</a>
</div>
<p class="post-excerpt">Want a lanscape that will look beautiful in all
seasons,well resilient plants would be the perfect solution. </p>
</div>
</div>
```

```
<!-- Single Blog Post Area -->
<div class="col-12 col-md-6 col-lg-4">
<div class="single-blog-post mb-100">
<div class="post-thumbnail mb-30">
<a href="single-post.html"></a>
</div>
<div class="post-content">
<a href="single-post.html" class="post-title">
<h5>The summer coming up, it's time for both us and the flowers to soak up the
sunshine</h5>
</a>
<div class="post-meta">
<a href="#"><i class="fa fa-clock-o" aria-hidden="true"></i> 19 Jun 2018</a>
<a href="#"><i class="fa fa-user" aria-hidden="true"></i> Mason Jenkins</a>
</div>
<p class="post-excerpt">Today's is the first day of Summer, let's have some fun in
the garden. As it's time to enjoy the many beautiful flowers before the beauty
fades.</p>
</div>
</div>
</div>
```

```
</div>
</div>
</section>
```

```
<footer class="footer-area bg-img" style="background-image: url(img/bg-
img/3.jpg);">
<!-- Main Footer Area -->
<div class="main-footer-area">
<div class="container">
<div class="row">
```

```
<!-- Single Footer Widget -->
<div class="col-12 col-sm-6 col-lg-3">
<div class="single-footer-widget">
<div class="footer-logo mb-30">
<a href="#"></a>
</div>
<p>Floristic not just any plant retail, but one that cares about your little
corner of nature</p>
<div class="social-info">
<a href="#"><i class="fa fa-facebook" aria-hidden="true"></i></a>
<a href="#"><i class="fa fa-twitter" aria-hidden="true"></i></a>
```



```

<%@ Page Title="" Language="C#" MasterPageFile="~/User/User.Master"
AutoEventWireup="true" CodeBehind="Horticulture.aspx.cs"
Inherits="NurseryWebAppl.User.Horticulture" %>
<asp:Content ID="Content1" ContentPlaceHolderID="head" runat="server">
</asp:Content>
<asp:Content ID="Content2" ContentPlaceHolderID="ContentPlaceHolder1"
runat="server">
<link rel="stylesheet" type="text/css" href="style.css">
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<!--About Horticulture-->
<title>About Horticulture</title>
<div class="container">
<h2>Welcome to Our Horticulture Page</h2>
<p>Horticulture is the art and science of cultivating plants. Here are some
interesting facts about horticulture:</p>
<ul>
<li>Horticulture dates back thousands of years, with evidence of early gardening
found in ancient civilizations.</li>
<li>There are various branches of horticulture, including pomology (fruit
cultivation), olericulture (vegetable cultivation), and floriculture (flower
cultivation).</li>
<li>Horticulture plays a vital role in food production, landscaping, and
environmental conservation.</li>
<li>Many therapeutic benefits are associated with gardening, including stress
relief and improved mental well-being.</li>
</ul>

<!--Map of South African Horticulture-->
<h2>South African Horticulture Map</h2>
<p>Below is a map showcasing horticulture in South Africa:</p>
<div id="map-container">
<iframe src="https://pza.sanbi.org/sites/default/files/biomes2006.jpg"
width="100%" height="100%" style="border:0;" allowfullscreen=""
loading="lazy"></iframe>
</div>
</div>

<!--Footer thumbnail-->
<footer class="footer-area bg-img" style="background-image: url(img/bg-
img/3.jpg);">
<!-- Main Footer Area -->
<div class="main-footer-area">
<div class="container">
<div class="row">

<!-- Single Footer Widget -->
<div class="col-12 col-sm-6 col-lg-3">
<div class="single-footer-widget">
<div class="footer-logo mb-30">
<a href="#">
</a>
</div>
<p>Floristic not just any plant retail, but one that cares about your little
corner of nature</p>
<div class="social-info">
<a href="#"><i class="fa fa-facebook" aria-hidden="true"></i></a>
<a href="#"><i class="fa fa-twitter" aria-hidden="true"></i></a>
<a href="#"><i class="fa fa-google-plus" aria-hidden="true"></i></a>
<a href="#"><i class="fa fa-instagram" aria-hidden="true"></i></a>
<a href="#"><i class="fa fa-linkedin" aria-hidden="true"></i></a>

```

[illegible]

</asp:Content>

```

<%@ Page Title="" Language="C#" MasterPageFile="~/User/User.Master"
AutoEventWireup="true" CodeBehind="Login.aspx.cs"
Inherits="NurseryWebApp1.User.Login" %>
<asp:Content ID="Content1" ContentPlaceHolderID="head" runat="server">
</asp:Content>
<asp:Content ID="Content2" ContentPlaceHolderID="ContentPlaceHolder1"
runat="server">

<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">

<link rel="stylesheet" href="styles.css">
<div class="login-container">
<h2>Lets get a Plant!</h2>
<form action="login.php" method="post">
<div class="form-group">
<label for="username">Username or Email</label>
<input type="text" id="username" name="username" required>
</div>
<div class="form-group">
<label for="password">Password</label>
<input type="password" id="password" name="password" required>
</div>
<asp:Button ID="btnlogin2" runat="server" Text="Login " BorderColor="Lime"
BorderStyle="Solid" Font-Names="Arial Rounded MT Bold" Font-Size="Large"
Height="57px" OnClick="btnlogin2_Click" Width="313px" />
</form>
<div class="forgot-password">
<a href="#">Forgot Password?</a>
</div>
</div>

<footer class="footer-area bg-img" style="background-image: url(img/bg-
img/3.jpg);">
<!-- Main Footer Area -->
<div class="main-footer-area">
<div class="container">
<div class="row">

<!-- Single Footer Widget -->
<div class="col-12 col-sm-6 col-lg-3">
<div class="single-footer-widget">
<div class="footer-logo mb-30">
<a href="#"></a>
</div>
<p>Floristic not just any plant retail, but one that cares about your little
corner of nature</p>
<div class="social-info">
<a href="#"><i class="fa fa-facebook" aria-hidden="true"></i></a>
<a href="#"><i class="fa fa-twitter" aria-hidden="true"></i></a>
<a href="#"><i class="fa fa-google-plus" aria-hidden="true"></i></a>
<a href="#"><i class="fa fa-instagram" aria-hidden="true"></i></a>
<a href="#"><i class="fa fa-linkedin" aria-hidden="true"></i></a>
</div>
</div>
</div>

<!-- Single Footer Widget -->
<div class="col-12 col-sm-6 col-lg-3">
<div class="single-footer-widget">
<div class="widget-title">
<h5>CONTACT</h5>
</div>

```



```
.auto-style2 {
width: 324px;
}
.auto-style3 {
height: 23px;
}
.auto-style4 {
width: 324px;
height: 23px;
}
.auto-style5 {
width: 126%;
}
.auto-style6 {
width: 48px;
}
.auto-style7 {
width: 332px;
}
.auto-style8 {
width: 128%;
}
.auto-style9 {
width: 145px;
}
.auto-style10 {
width: 100px;
}
.auto-style11 {
height: 92px;
}
.auto-style12 {
width: 324px;
height: 92px;
}
</style>
</head>
<body>
<form id="form1" runat="server">
<div>
<table class="auto-style1">
<tr>
<td>&nbsp;</td>
<td>&nbsp;</td>
<td class="auto-style2">&nbsp;</td>
<td>&nbsp;</td>
<td>&nbsp;</td>
</tr>
<tr>
<td>&nbsp;</td>
<td>&nbsp;</td>
<td class="auto-style2">
<asp:Image ID="Image1" runat="server" Height="182px" ImageUrl="~/User/img/core-
img/logo.png" Width="411px" />
</td>
<td>&nbsp;</td>
<td>&nbsp;</td>
</tr>
<tr>
<td>&nbsp;</td>
<td>&nbsp;</td>
<td class="auto-style2">&nbsp;</td>
<td>&nbsp;</td>
</tr>

```

```

<td>&nbsp;</td>
</tr>
<tr>
<td>&nbsp;</td>
<td>&nbsp;</td>
<td class="auto-style2">&nbsp;</td>
<td>&nbsp;</td>
<td>&nbsp;</td>
</tr>
<tr>
<td class="auto-style3"></td>
<td class="auto-style3"></td>
<td class="auto-style4">&nbsp;</td>
<td class="auto-style3"></td>
<td class="auto-style3"></td>
</tr>
<tr>
<td>&nbsp;</td>
<td>&nbsp;</td>
<td class="auto-style2">
<table class="auto-style5">
<tr>
<td class="auto-style6">&nbsp;</td>
<td class="auto-style7">
<asp:Label ID="Label1" runat="server" Font-Bold="True" Font-Names="Arial Rounded
MT Bold" Font-Size="Large" Text="Welcome to Floristics website please Login or
Sign up to Continue."></asp:Label>
</td>
<td>&nbsp;</td>
</tr>
</table>
</td>
<td>&nbsp;</td>
<td>&nbsp;</td>
</tr>
<tr>
<td>&nbsp;</td>
<td>&nbsp;</td>
<td class="auto-style2">&nbsp;</td>
<td>&nbsp;</td>
<td>&nbsp;</td>
</tr>
<tr>
<td>&nbsp;</td>
<td>&nbsp;</td>
<td class="auto-style2">&nbsp;</td>
<td>&nbsp;</td>
<td>&nbsp;</td>
</tr>
<tr>
<td>&nbsp;</td>
<td>&nbsp;</td>
<td class="auto-style2">&nbsp;</td>
<td>&nbsp;</td>
<td>&nbsp;</td>
</tr>
<tr>
<td>&nbsp;</td>
<td>&nbsp;</td>
<td class="auto-style2">
<table class="auto-style8">
<tr>
<td class="auto-style9">

```

[illegible]


```

<td>&nbsp;</td>
</tr>
<tr>
<td>&nbsp;</td>
<td>&nbsp;</td>
<td class="auto-style2">&nbsp;</td>
<td>&nbsp;</td>
<td>&nbsp;</td>
</tr>
<tr>
<td>&nbsp;</td>
<td>&nbsp;</td>
<td class="auto-style2">&nbsp;</td>
<td>&nbsp;</td>
<td>&nbsp;</td>
</tr>
<tr>
<td class="auto-style11"></td>
<td class="auto-style11"></td>
<td class="auto-style12"></td>
<td class="auto-style11"></td>
<td class="auto-style11"></td>
</tr>
</table>
</div>
</form>

</body>
</html>

```

Order History Front End

```

<%@ Page Language="C#" AutoEventWireup="true" CodeBehind="OrderHistory.aspx.cs"
Inherits="NurseryWebApp1.User.OrderHistory" %>

```

```

<!DOCTYPE html>

```

```

<html xmlns="http://www.w3.org/1999/xhtml">
<head runat="server">
<title></title>
<style type="text/css">
.auto-style1 {
width: 100%;
}
.auto-style2 {
height: 23px;
}
.auto-style3 {
width: 145px;
}
.auto-style4 {
height: 23px;
width: 145px;
}
.auto-style5 {
width: 286px;
}
.auto-style6 {
height: 23px;
width: 286px;
}
.auto-style7 {

```

```

width: 152px;
}
.auto-style8 {
width: 69px;
}
</style>
</head>
<body>
<form id="form1" runat="server">
<table class="auto-style1">
<tr>
<td>&nbsp;</td>
<td class="auto-style5">&nbsp;</td>
<td class="auto-style3">&nbsp;</td>
<td>&nbsp;</td>
<td>&nbsp;</td>
</tr>
<tr>
<td>&nbsp;</td>
<td class="auto-style5">
<asp:Image ID="Image1" runat="server" Height="126px" ImageUrl="~/User/img/core-
img/logo.png" Width="293px" />
</td>
<td class="auto-style3">
<asp:Panel ID="Panel1" runat="server" BackColor="#1C5E55" Height="116px"
Width="169px">
</asp:Panel>
</td>
<td>&nbsp;</td>
<td>&nbsp;</td>
</tr>
<tr>
<td class="auto-style2"></td>
<td class="auto-style6"></td>
<td class="auto-style4"></td>
<td class="auto-style2"></td>
<td class="auto-style2"></td>
</tr>
<tr>
<td>&nbsp;</td>
<td class="auto-style5">&nbsp;</td>
<td class="auto-style3">&nbsp;</td>
<td>&nbsp;</td>
<td>&nbsp;</td>
</tr>
<tr>
<td>&nbsp;</td>
<td class="auto-style5">&nbsp;</td>
<td class="auto-style3">&nbsp;</td>
<td>&nbsp;</td>
<td>&nbsp;</td>
</tr>
<tr>
<td>&nbsp;</td>
<td class="auto-style5">&nbsp;</td>
<td class="auto-style3">&nbsp;</td>
<td>&nbsp;</td>
<td>&nbsp;</td>
</tr>
<tr>
<td>&nbsp;</td>
<td class="auto-style5">
<table class="auto-style1">

```

```

<tr>
<td class="auto-style8">&nbsp;</td>
<td class="auto-style7">&nbsp;</td>
<td>
<asp:GridView ID="GridView1" runat="server" AllowPaging="True"
AllowSorting="True" AutoGenerateColumns="False" CellPadding="4"
DataKeyNames="OrderId" DataSourceID="SqlDataSource1" ForeColor="#333333"
GridLines="None" Height="252px" Width="636px">
<AlternatingRowStyle BackColor="White" />
<Columns>
<asp:BoundField DataField="OrderId" HeaderText="OrderId" InsertVisible="False"
ReadOnly="True" SortExpression="OrderId" />
<asp:BoundField DataField="NoItems" HeaderText="NoItems" SortExpression="NoItems"
/>
<asp:BoundField DataField="ProductNames" HeaderText="ProductNames"
SortExpression="ProductNames" />
<asp:BoundField DataField="DateofPurchase" HeaderText="DateofPurchase"
SortExpression="DateofPurchase" />
<asp:BoundField DataField="PayMethod" HeaderText="PayMethod"
SortExpression="PayMethod" />
<asp:BoundField DataField="TotalAmt" HeaderText="TotalAmt"
SortExpression="TotalAmt" />
<asp:BoundField DataField="StatusOfOrder" HeaderText="StatusOfOrder"
SortExpression="StatusOfOrder" />
</Columns>
<EditRowStyle BackColor="#7C6F57" />
<FooterStyle BackColor="#1C5E55" Font-Bold="True" ForeColor="White" />
<HeaderStyle BackColor="#1C5E55" Font-Bold="True" ForeColor="White" />
<PagerStyle BackColor="#666666" ForeColor="White" HorizontalAlign="Center" />
<RowStyle BackColor="#E3EAE8" />
<SelectedRowStyle BackColor="#C5BBAF" Font-Bold="True" ForeColor="#333333" />
<SortedAscendingCellStyle BackColor="#F8FABA" />
<SortedAscendingHeaderStyle BackColor="#246B61" />
<SortedDescendingCellStyle BackColor="#D4DFE1" />
<SortedDescendingHeaderStyle BackColor="#15524A" />
</asp:GridView>
<asp:SqlDataSource ID="SqlDataSource1" runat="server" ConnectionString="<%"$
ConnectionStrings:dbCon %"> " SelectCommand="SELECT * FROM
[OrderTbl]"></asp:SqlDataSource>
</td>
</tr>
</table>
</td>
<td class="auto-style3">&nbsp;</td>
<td>&nbsp;</td>
<td>&nbsp;</td>
</tr>
<tr>
<td>&nbsp;</td>
<td class="auto-style5">&nbsp;</td>
<td class="auto-style3">&nbsp;</td>
<td>&nbsp;</td>
<td>&nbsp;</td>
</tr>
<tr>
<td>&nbsp;</td>
<td class="auto-style5">&nbsp;</td>
<td class="auto-style3">&nbsp;</td>
<td>&nbsp;</td>
<td>&nbsp;</td>
</tr>
<tr>
<td>&nbsp;</td>
<td class="auto-style5">&nbsp;</td>
<td class="auto-style3">&nbsp;</td>
<td>&nbsp;</td>
<td>&nbsp;</td>
</tr>
<tr>
<td>&nbsp;</td>

```

[illegible]

```

<td class="auto-style5">&nbsp;</td>
<td class="auto-style3">&nbsp;</td>
<td>&nbsp;</td>
<td>&nbsp;</td>
</tr>
<tr>
<td>&nbsp;</td>
<td class="auto-style5">&nbsp;</td>
<td class="auto-style3">&nbsp;</td>
<td>&nbsp;</td>
<td>&nbsp;</td>
</tr>
</table>
<div>
</div>
</form>
</body>
</html>

```

Order History Back End

```

using System;
using System.Collections.Generic;
using System.Configuration;
using System.Data.SqlClient;
using System.Data;
using System.Linq;
using System.Web;
using System.Web.UI;
using System.Web.UI.WebControls;
using System.Windows;

namespace NurseryWebApp1.User
{
    public partial class OrderHistory : System.Web.UI.Page
    {

        string cs = ConfigurationManager.ConnectionStrings["dbCon"].ConnectionString;

        SqlConnection con;
        SqlCommand cmd;
        SqlDataAdapter adapter;
        DataTable dt;
        public void DataLoad()
        {

            if (Page.IsPostBack)
            {
                GridView1.DataBind();
                // GridView2.DataBind();
            }

        }

        protected void Page_Load(object sender, EventArgs e)
        {
            DataLoad();
        }
    }
}

```

Payment Front End

```
<%@ Page Language="C#" AutoEventWireup="true" CodeBehind="Payment.aspx.cs"
Inherits="NurseryWebApp1.User.Payment" %>
```

```
<!DOCTYPE html>
```

```
<html xmlns="http://www.w3.org/1999/xhtml">
<head runat="server">
<title></title>
```

```
<style type="text/css">
```

```
.auto-style1 {
width: 100%;
}
.auto-style2 {
width: 183px;
}
.auto-style3 {
width: 120px;
}
.auto-style4 {
height: 23px;
}
.auto-style5 {
width: 120px;
height: 23px;
}
.auto-style6 {
width: 183px;
height: 23px;
}
.auto-style7 {
height: 54px;
}
.auto-style8 {
width: 120px;
height: 54px;
}
.auto-style9 {
width: 183px;
height: 54px;
}
.auto-style10 {
width: 150%;
}
.auto-style11 {
width: 116px;
}
.auto-style12 {
height: 38px;
}
.auto-style13 {
width: 120px;
height: 38px;
}
.auto-style14 {
width: 183px;
height: 38px;
}
.auto-style15 {
```

```

width: 134%;
}
.auto-style16 {
width: 76px;
}
.auto-style17 {
width: 115px;
}
.auto-style18 {
height: 47px;
}
.auto-style19 {
width: 120px;
height: 47px;
}
.auto-style20 {
width: 183px;
height: 47px;
}
.auto-style21 {
height: 30px;
}
.auto-style22 {
width: 120px;
height: 30px;
}
.auto-style23 {
width: 183px;
height: 30px;
}
.auto-style24 {
height: 33px;
}
.auto-style25 {
width: 120px;
height: 33px;
}
.auto-style26 {
width: 183px;
height: 33px;
}
.auto-style27 {
width: 51px;
}
</style>

</head>
<body>
<form id="form1" runat="server">
<div>

</div>
<table align="center" class="auto-style1">
<tr>
<td class="auto-style12"></td>
<td class="auto-style13"></td>
<td class="auto-style14">
<asp:Image ID="Image1" runat="server" Height="104px" ImageUrl="~/User/img/core-
img/logo.png" Width="277px" />
</td>
<td class="auto-style12"></td>
<td class="auto-style12"></td>

```

```

</tr>
<tr>
<td>&nbsp;&nbsp;&nbsp;</td>
<td class="auto-style3">&nbsp;&nbsp;&nbsp;</td>
<td class="auto-style2">&nbsp;&nbsp;&nbsp;</td>
<td>&nbsp;&nbsp;&nbsp;</td>
<td>&nbsp;&nbsp;&nbsp;</td>
</tr>
<tr>
<td>&nbsp;&nbsp;&nbsp;</td>
<td class="auto-style3">&nbsp;&nbsp;&nbsp;</td>
<td class="auto-style2">
<table class="auto-style10">
<tr>
<td class="auto-style27">&nbsp;&nbsp;&nbsp;</td>
<td class="auto-style11">
<asp:Label ID="lblPayments" runat="server" Font-Bold="True" Font-Names="Arial
Rounded MT Bold" Font-Size="X-Large" Text="Payment "></asp:Label>
</td>
<td>&nbsp;&nbsp;&nbsp;</td>
</tr>
</table>
</td>
<td>&nbsp;&nbsp;&nbsp;</td>
</tr>
<tr>
<td>&nbsp;&nbsp;&nbsp;</td>
<td class="auto-style3">&nbsp;&nbsp;&nbsp;</td>
<td class="auto-style2">&nbsp;&nbsp;&nbsp;</td>
<td>&nbsp;&nbsp;&nbsp;</td>
<td>&nbsp;&nbsp;&nbsp;</td>
</tr>
<tr>
<td class="auto-style4"></td>
<td class="auto-style5"></td>
<td class="auto-style6"></td>
<td class="auto-style4"></td>
<td class="auto-style4"></td>
</tr>
<tr>
<td>&nbsp;&nbsp;&nbsp;</td>
<td class="auto-style3">&nbsp;&nbsp;&nbsp;</td>
<td class="auto-style2">
<asp:Label ID="lbl1" runat="server" Font-Bold="True" Font-Names="Arial Rounded MT
Bold" Font-Size="Large" Text="Name on the Card"></asp:Label>
</td>
<td>&nbsp;&nbsp;&nbsp;</td>
<td>&nbsp;&nbsp;&nbsp;</td>
</tr>
<tr>
<td>&nbsp;&nbsp;&nbsp;</td>
<td class="auto-style3">&nbsp;&nbsp;&nbsp;</td>
<td class="auto-style2">
<asp:TextBox ID="TextBox1" runat="server" BorderColor="Lime" Font-Bold="False"
Font-Names="Arial" Font-Size="Large" Height="27px" Width="241px"></asp:TextBox>
</td>
<td>&nbsp;&nbsp;&nbsp;</td>
<td>&nbsp;&nbsp;&nbsp;</td>
</tr>
<tr>
<td>&nbsp;&nbsp;&nbsp;</td>
<td class="auto-style3">&nbsp;&nbsp;&nbsp;</td>
<td class="auto-style2">&nbsp;&nbsp;&nbsp;</td>

```



```

<td>&nbsp;</td>
<td>&nbsp;</td>
</tr>
<tr>
<td>&nbsp;</td>
<td class="auto-style3">&nbsp;</td>
<td class="auto-style2">
<asp:Label ID="Label1" runat="server" Font-Bold="True" Font-Names="Arial Rounded
MT Bold" Text="Card Number"></asp:Label>
</td>
<td>&nbsp;</td>
<td>&nbsp;</td>
</tr>
<tr>
<td>&nbsp;</td>
<td class="auto-style3">&nbsp;</td>
<td class="auto-style2">
<asp:TextBox ID="TextBox2" runat="server" BorderColor="Lime" Font-Names="Arial"
Font-Size="Large" Height="24px" Width="241px"></asp:TextBox>
</td>
<td>&nbsp;</td>
<td>&nbsp;</td>
</tr>
<tr>
<td class="auto-style4"></td>
<td class="auto-style5"></td>
<td class="auto-style6"></td>
<td class="auto-style4"></td>
<td class="auto-style4"></td>
</tr>
<tr>
<td>&nbsp;</td>
<td class="auto-style3">&nbsp;</td>
<td class="auto-style2">
<asp:Label ID="Label2" runat="server" Font-Bold="True" Font-Names="Arial Rounded
MT Bold" Text="Expiry Date"></asp:Label>
</td>
<td>&nbsp;</td>
<td>&nbsp;</td>
</tr>
<tr>
<td class="auto-style24"></td>
<td class="auto-style25"></td>
<td class="auto-style26">
<asp:TextBox ID="TextBox5" runat="server" BorderColor="Lime" Height="28px"
Width="230px"></asp:TextBox>
</td>
<td class="auto-style24"></td>
<td class="auto-style24"></td>
</tr>
<tr>
<td>&nbsp;</td>
<td class="auto-style3">&nbsp;</td>
<td class="auto-style2">&nbsp;</td>
<td>&nbsp;</td>
<td>&nbsp;</td>
</tr>
<tr>
<td class="auto-style21"></td>
<td class="auto-style22"></td>
<td class="auto-style23">
<asp:Label ID="Label3" runat="server" Font-Bold="True" Font-Names="Arial Rounded
MT Bold" Text="Cvv"></asp:Label>

```

```

</td>
<td class="auto-style21"></td>
<td class="auto-style21"></td>
</tr>
<tr>
<td class="auto-style18"></td>
<td class="auto-style19"></td>
<td class="auto-style20">
<asp:TextBox ID="TextBox4" runat="server" BorderColor="Lime" Font-Names="Arial"
Font-Size="Large" Height="29px" Width="231px"></asp:TextBox>
</td>
<td class="auto-style18"></td>
<td class="auto-style18"></td>
</tr>
<tr>
<td>&nbsp;</td>
<td class="auto-style3">&nbsp;</td>
<td class="auto-style2">
<table class="auto-style15">
<tr>
<td class="auto-style16">&nbsp;</td>
<td class="auto-style17">
<asp:Label ID="lblPaymentAMT" runat="server" Font-Bold="True" Font-Names="Arial
Rounded MT Bold" Font-Size="XX-Large" Text="0.00"></asp:Label>
</td>
<td>&nbsp;</td>
</tr>
</table>
</td>
<td>&nbsp;</td>
<td>&nbsp;</td>
</tr>
<tr>
<td class="auto-style7"></td>
<td class="auto-style8"></td>
<td class="auto-style9">&nbsp;</td>
<td class="auto-style7"></td>
<td class="auto-style7"></td>
</tr>
<tr>
<td>&nbsp;</td>
<td class="auto-style3">&nbsp;</td>
<td class="auto-style2">
<asp:Button ID="btnpaynow" runat="server" Text="Pay Now!" BorderColor="Lime"
Font-Size="Large" Font-Bold="True" Font-Names="Arial" Height="58px" Width="248px"
OnClick="btnpaynow_Click" />
</td>
<td>&nbsp;</td>
<td>&nbsp;</td>
</tr>
<tr>
<td>&nbsp;</td>
<td class="auto-style3">&nbsp;</td>
<td class="auto-style2">&nbsp;</td>
<td>&nbsp;</td>
<td>&nbsp;</td>
</tr>
</table>
</form>
</body>
</html>

```

Shop Front End

```
<%@ Page Title="" Language="C#" MasterPageFile="~/User/User.Master"
AutoEventWireup="true" CodeBehind="Shop.aspx.cs"
Inherits="NurseryWebApp1.User.Shop" %>
<asp:Content ID="Content1" ContentPlaceHolderID="head" runat="server">
</asp:Content>
<asp:Content ID="Content2" ContentPlaceHolderID="ContentPlaceHolder1"
runat="server">
<!-- ##### Shop Area Start ##### -->
<section class="shop-page section-padding-0-100">
<div class="container">
<div class="row">
<!-- Shop Sorting Data -->
<div class="col-12">
<div class="shop-sorting-data d-flex flex-wrap align-items-center justify-
content-between">
</div>
</div>
</div>
<div class="row">
</div>

<!-- All Products Area -->
<div class="col-12 col-md-8 col-lg-9">
<div class="shop-products-area">
<div class="row">

<!-- Single Product Area -->
<div class="col-12 col-sm-6 col-lg-4">
<div class="single-product-area mb-50">
<!-- Product Image -->
<div class="product-img">
<a href="#"></a>
<!-- Product Tag -->
<div class="product-tag">
<a href="#">Hot</a>
</div>
<div class="product-meta d-flex">

<asp:Button ID="Button1" runat="server" class="add-to-cart-btn" Text="Add to
Cart" OnClick="Button1_Click" />

</div>
</div>
<!-- Product Info -->
<div class="product-info mt-15 text-center">
<a href="shop-details.html">
<p>Cactus Flower</p>
</a>
<h6>R100.00</h6>
</div>
</div>
</div>

<!-- Single Product Area -->
<div class="col-12 col-sm-6 col-lg-4">
<div class="single-product-area mb-50">
<!-- Product Image -->
<div class="product-img">
<a href="shop-details.html"></a>
<div class="product-meta d-flex">
```

```

<asp:Button ID="Button2" runat="server" class="add-to-cart-btn" Text="Add to
Cart" OnClick="Button2_Click" />
</div>
</div>
<!-- Product Info -->
<div class="product-info mt-15 text-center">
<a href="shop-details.html">
<p>Red Tulips</p>
</a>
<h6>R115.00</h6>
</div>
</div>
</div>

<!-- Single Product Area -->
<div class="col-12 col-sm-6 col-lg-4">
<div class="single-product-area mb-50">
<!-- Product Image -->
<div class="product-img">
<a href="shop-details.html"></a>
<div class="product-meta d-flex">
<asp:Button ID="Button3" runat="server" class="add-to-cart-btn" Text="Add to
Cart" OnClick="Button3_Click" />
</div>
</div>
<!-- Product Info -->
<div class="product-info mt-15 text-center">
<a href="shop-details.html">
<p>Aloe-Vera</p>
</a>
<h6>R95.00</h6>
</div>
</div>
</div>

<!-- Single Product Area -->
<div class="col-12 col-sm-6 col-lg-4">
<div class="single-product-area mb-50">
<!-- Product Image -->
<div class="product-img">
<a href="shop-details.html"></a>
<div class="product-meta d-flex">
<asp:Button ID="Button4" runat="server" class="add-to-cart-btn" Text="Add to
Cart" OnClick="Button4_Click" />
</div>
</div>
<!-- Product Info -->
<div class="product-info mt-15 text-center">
<a href="shop-details.html">
<p>Bonsai</p>
</a>
<h6>R245.00</h6>
</div>
</div>
</div>

<!-- Single Product Area -->
<div class="col-12 col-sm-6 col-lg-4">
<div class="single-product-area mb-50">
<!-- Product Image -->
<div class="product-img">
<a href="shop-details.html"></a>
<div class="product-meta d-flex">

```

```

<asp:Button ID="Button5" runat="server" class="add-to-cart-btn" Text="Add to
Cart" OnClick="Button5_Click" />
</div>
</div>
<!-- Product Info -->
<div class="product-info mt-15 text-center">
<a href="shop-details.html">
<p>Myrtle Tree</p>
</a>
<h6>R450.00</h6>
</div>
</div>
</div>

<!-- Single Product Area -->
<div class="col-12 col-sm-6 col-lg-4">
<div class="single-product-area mb-50">
<!-- Product Image -->
<div class="product-img">
<a href="shop-details.html"></a>
<div class="product-meta d-flex">
<asp:Button ID="Button6" runat="server" class="add-to-cart-btn" Text="Add to
Cart" OnClick="Button6_Click" />
</div>
</div>
<!-- Product Info -->
<div class="product-info mt-15 text-center">
<a href="shop-details.html">
<p>Olive Tree</p>
</a>
<h6>R350.00</h6>
</div>
</div>
</div>

<!-- Single Product Area -->
<div class="col-12 col-sm-6 col-lg-4">
<div class="single-product-area mb-50">
<!-- Product Image -->
<div class="product-img">
<a href="shop-details.html"></a>
<div class="product-meta d-flex">
<asp:Button ID="Button7" runat="server" class="add-to-cart-btn" Text="Add to
Cart" OnClick="Button7_Click" />
</div>
</div>
<!-- Product Info -->
<div class="product-info mt-15 text-center">
<a href="shop-details.html">
<p>Velvet Petal Flower</p>
</a>
<h6>R110.00</h6>
</div>
</div>
</div>

<!-- Single Product Area -->
<div class="col-12 col-sm-6 col-lg-4">
<div class="single-product-area mb-50">
<!-- Product Image -->
<div class="product-img">
<a href="shop-details.html"></a>
<!-- Product Tag -->

```

```

<div class="product-tag sale-tag">
<a href="#">Sale</a>
</div>
<div class="product-meta d-flex">
<asp:Button ID="Button8" runat="server" class="add-to-cart-btn" Text="Add to
Cart" OnClick="Button8_Click" />
</div>
</div>
<!-- Product Info -->
<div class="product-info mt-15 text-center">
<a href="shop-details.html">
<p>Tropic Trees Cordyline</p>
</a>
<h6>R200.00</h6>
</div>
</div>
</div>

<!-- Single Product Area -->
<div class="col-12 col-sm-6 col-lg-4">
<div class="single-product-area mb-50">
<!-- Product Image -->
<div class="product-img">
<a href="shop-details.html"></a>
<div class="product-meta d-flex">
<asp:Button ID="Button9" runat="server" class="add-to-cart-btn" Text="Add to
Cart" OnClick="Button9_Click" />
</div>
</div>
<!-- Product Info -->
<div class="product-info mt-15 text-center">
<a href="shop-details.html">
<p>Yellow Tulip</p>
</a>
<h6>R150.00</h6>
</div>
</div>
</div>
</div>

<!-- Pagination -->
</div>
</div>
</div>

</section>
<!-- ##### Shop Area End ##### -->

<footer class="footer-area bg-img" style="background-image: url(img/bg-
img/3.jpg);">
<!-- Main Footer Area -->
<div class="main-footer-area">
<div class="container">
<div class="row">

<!-- Single Footer Widget -->
<div class="col-12 col-sm-6 col-lg-3">
<div class="single-footer-widget">
<div class="footer-logo mb-30">
<a href="#"></a>
</div>
<p>Floristic not just any plant retail, but one that cares about your little
corner of nature</p>

```

```
<div class="social-info">
<a href="#"><i class="fa fa-facebook" aria-hidden="true"></i></a>
<a href="#"><i class="fa fa-twitter" aria-hidden="true"></i></a>
<a href="#"><i class="fa fa-google-plus" aria-hidden="true"></i></a>
<a href="#"><i class="fa fa-instagram" aria-hidden="true"></i></a>
<a href="#"><i class="fa fa-linkedin" aria-hidden="true"></i></a>
</div>
</div>
</div>

<!-- Single Footer Widget -->
<div class="col-12 col-sm-6 col-lg-3">
<div class="single-footer-widget">
<div class="widget-title">
<h5>CONTACT</h5>
</div>

<div class="contact-information">
<p><span>Address:</span> 135 NewGate West Rd, Durban, KZN, South Africa</p>
<p><span>Phone:</span> 0315002548</p>
<p><span>Email:</span> floristics@gmail.com</p>
<p><span>Open hours:</span> Mon - Sun: 8 AM to 9 PM</p>
<p><span>Happy hours:</span> Sat: 2 PM to 4 PM</p>
</div>
</div>
</div>
</div>
</div>
</div>

<!-- Footer Bottom Area -->
<div class="footer-bottom-area">
<div class="container">
<div class="row">
<div class="col-12">
<div class="border-line"></div>
</div>
<!-- Copywrite Text -->
<div class="col-12 col-md-6">

</div>
<!-- Footer Nav -->
<div class="col-12 col-md-6">
<div class="footer-nav">
<nav>
<ul>
<li><a href="#">Home</a></li>
<li><a href="#">About</a></li>
<li><a href="#">Service</a></li>
<li><a href="#">Portfolio</a></li>
<li><a href="#">Blog</a></li>
<li><a href="#">Contact</a></li>
</ul>
</nav>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
<!-- ##### Footer Area End ##### -->
</asp:Content>
```

Payment Back End

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Web.UI;
using System.Web.UI.WebControls;
using System.Data;
using System.Data.SqlClient;
using System.Configuration;
using System.Windows;

namespace NurseryWebApp1.User
{
    public partial class Shop : System.Web.UI.Page
    {

        string cs = ConfigurationManager.ConnectionStrings["dbCon"].ConnectionString;

        SqlConnection con;
        SqlCommand cmd;
        SqlDataAdapter adapter;
        DataTable dt;

        /* public void DataLoad()
        {
            if (Page.IsPostBack)
            {
                GridView1.DataBind();
                GridView2.DataBind();
            }
        }

        */
        protected void Page_Load(object sender, EventArgs e)
        {

            /*using (con = new SqlConnection(cs))
            {
                con.Open();
                cmd = new SqlCommand("DELETE FROM CartTlb", con);
                cmd.ExecuteNonQuery();
                con.Close();
                DataLoad();
            }*/

        }

        protected void Button1_Click(object sender, EventArgs e)
        {

            using (con = new SqlConnection(cs))
            {
                con.Open();
```



```

cmd = new SqlCommand("Insert Into CartTbl (ProductId, ProductName, Quantity,
ProductPrice) Values (@productid,@productname,@quantity,@productprice)", con);
cmd.Parameters.AddWithValue("@productid", "FL0001");
cmd.Parameters.AddWithValue("@productname", "Cactus Flower");
cmd.Parameters.AddWithValue("@quantity", "1");
cmd.Parameters.AddWithValue("@productprice", "100");

cmd.ExecuteNonQuery();
con.Close();
// DataLoad();
}

}

protected void Button2_Click(object sender, EventArgs e)
{
using (con = new SqlConnection(cs))
{
con.Open();

cmd = new SqlCommand("Insert Into CartTbl (ProductId, ProductName, Quantity,
ProductPrice) Values (@productid,@productname,@quantity,@productprice)", con);
cmd.Parameters.AddWithValue("@productid", "FL0002");
cmd.Parameters.AddWithValue("@productname", "Red Tulip");
cmd.Parameters.AddWithValue("@quantity", "1");
cmd.Parameters.AddWithValue("@productprice", "115");

cmd.ExecuteNonQuery();
con.Close();
// DataLoad();
}
}

protected void Button3_Click(object sender, EventArgs e)
{

using (con = new SqlConnection(cs))
{
con.Open();

cmd = new SqlCommand("Insert Into CartTbl (ProductId, ProductName, Quantity,
ProductPrice) Values (@productid,@productname,@quantity,@productprice)", con);
cmd.Parameters.AddWithValue("@productid", "FL0003");
cmd.Parameters.AddWithValue("@productname", "Aloe-Vera");
cmd.Parameters.AddWithValue("@quantity", "1");
cmd.Parameters.AddWithValue("@productprice", "95");

cmd.ExecuteNonQuery();
con.Close();
// DataLoad();
}
}

protected void Button4_Click(object sender, EventArgs e)
{
using (con = new SqlConnection(cs))
{
con.Open();

cmd = new SqlCommand("Insert Into CartTbl (ProductId, ProductName, Quantity,
ProductPrice) Values (@productid,@productname,@quantity,@productprice)", con);
cmd.Parameters.AddWithValue("@productid", "FL0004");

```

```

cmd.Parameters.AddWithValue("@productname", "Bonsai");
cmd.Parameters.AddWithValue("@quantity", "1");
cmd.Parameters.AddWithValue("@productprice", "245");

cmd.ExecuteNonQuery();
con.Close();
// DataLoad();
}
}

protected void Button5_Click(object sender, EventArgs e)
{
using (con = new SqlConnection(cs))
{
con.Open();

cmd = new SqlCommand("Insert Into CartTlb (ProductId, ProductName, Quantity,
ProductPrice) Values (@productid,@productname,@quantity,@productprice)", con);
cmd.Parameters.AddWithValue("@productid", "FL0005");
cmd.Parameters.AddWithValue("@productname", "Myrtle Tree");
cmd.Parameters.AddWithValue("@quantity", "1");
cmd.Parameters.AddWithValue("@productprice", "450");

cmd.ExecuteNonQuery();
con.Close();
// DataLoad();
}
}

protected void Button6_Click(object sender, EventArgs e)
{
using (con = new SqlConnection(cs))
{
con.Open();

cmd = new SqlCommand("Insert Into CartTlb (ProductId, ProductName, Quantity,
ProductPrice) Values (@productid,@productname,@quantity,@productprice)", con);
cmd.Parameters.AddWithValue("@productid", "FL0006");
cmd.Parameters.AddWithValue("@productname", "Olive Tree");
cmd.Parameters.AddWithValue("@quantity", "1");
cmd.Parameters.AddWithValue("@productprice", "350");
cmd.ExecuteNonQuery();
con.Close();
// DataLoad();
}
}

protected void Button7_Click(object sender, EventArgs e)
{
using (con = new SqlConnection(cs))
{
con.Open();

cmd = new SqlCommand("Insert Into CartTlb (ProductId, ProductName, Quantity,
ProductPrice) Values (@productid,@productname,@quantity,@productprice)", con);
cmd.Parameters.AddWithValue("@productid", "FL0007");
cmd.Parameters.AddWithValue("@productname", "Velvet Petal Flower");
cmd.Parameters.AddWithValue("@quantity", "1");
cmd.Parameters.AddWithValue("@productprice", "110");
cmd.ExecuteNonQuery();
con.Close();
// DataLoad();
}
}

```

```

}

protected void Button8_Click(object sender, EventArgs e)
{
    using (con = new SqlConnection(cs))
    {
        con.Open();

        cmd = new SqlCommand("Insert Into CartTbl (ProductId, ProductName, Quantity,
        ProductPrice) Values (@productid,@productname,@quantity,@productprice)", con);
        cmd.Parameters.AddWithValue("@productid", "FL0008");
        cmd.Parameters.AddWithValue("@productname", "Tropic Trees Cordyline");
        cmd.Parameters.AddWithValue("@quantity", "1");
        cmd.Parameters.AddWithValue("@productprice", "200");
        cmd.ExecuteNonQuery();
        con.Close();
        // DataLoad();
    }
}

protected void Button9_Click(object sender, EventArgs e)
{
    using (con = new SqlConnection(cs))
    {
        con.Open();

        cmd = new SqlCommand("Insert Into CartTbl (ProductId, ProductName, Quantity,
        ProductPrice) Values (@productid,@productname,@quantity,@productprice)", con);
        cmd.Parameters.AddWithValue("@productid", "FL0009");
        cmd.Parameters.AddWithValue("@productname", "Yellow Tulip");
        cmd.Parameters.AddWithValue("@quantity", "1");
        cmd.Parameters.AddWithValue("@productprice", "150");
        cmd.ExecuteNonQuery();
        con.Close();
        // DataLoad();
    }
}
}
}
}
}

```

Sign Up Front End

```

<%@ Page Title="" Language="C#" MasterPageFile="~/User/User.Master"
AutoEventWireup="true" CodeBehind="SignUp.aspx.cs"
Inherits="NurseryWebApp1.User.SignUp" %>
<asp:Content ID="Content1" ContentPlaceHolderID="head" runat="server">
</asp:Content>
<asp:Content ID="Content2" ContentPlaceHolderID="ContentPlaceHolder1"
runat="server">

<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">

<link rel="stylesheet" href="styles1.css">

<div class="signup-container">
<h2>Sign Up</h2>
<form action="signup.php" method="post">
<div class="form-group">
<label for="username">Username</label>
<input type="text" id="username" name="username" required>

```

```

</div>
<div class="form-group">
<label for="email">Email</label>
<input type="email" id="email" name="email" required>
</div>
<div class="form-group">
<label for="password">Password</label>
<input type="password" id="password" name="password" required>
</div>
<div class="form-group">
<label for="confirm-password">Confirm Password</label>
<input type="password" id="confirm-password" name="confirm-password" required>
</div>
<asp:Button ID="Button1" runat="server" Text="Sign Up" BorderColor="Lime"
BorderStyle="Solid" Height="41px" OnClick="Button1_Click" Width="350px" />
</form>
<p>Already have an account? <a href="Login.aspx">Login here</a>.</p>
</div>

```

```

<footer class="footer-area bg-img" style="background-image: url(img/bg-
img/3.jpg);">
<!-- Main Footer Area -->
<div class="main-footer-area">
<div class="container">
<div class="row">

<!-- Single Footer Widget -->
<div class="col-12 col-sm-6 col-lg-3">
<div class="single-footer-widget">
<div class="footer-logo mb-30">
<a href="#"></a>
</div>
<p>Floristic not just any plant retail, but one that cares about your little
corner of nature</p>
<div class="social-info">
<a href="#"><i class="fa fa-facebook" aria-hidden="true"></i></a>
<a href="#"><i class="fa fa-twitter" aria-hidden="true"></i></a>
<a href="#"><i class="fa fa-google-plus" aria-hidden="true"></i></a>
<a href="#"><i class="fa fa-instagram" aria-hidden="true"></i></a>
<a href="#"><i class="fa fa-linkedin" aria-hidden="true"></i></a>
</div>
</div>
</div>

<!-- Single Footer Widget -->
<div class="col-12 col-sm-6 col-lg-3">
<div class="single-footer-widget">
<div class="widget-title">
<h5>CONTACT</h5>
</div>

```

```

<div class="contact-information">
<p><span>Address:</span> 135 NewGate West Rd, Durban, KZN, South Africa</p>
<p><span>Phone:</span> 0315002548</p>
<p><span>Email:</span> floristics@gmail.com</p>
<p><span>Open hours:</span> Mon - Sun: 8 AM to 9 PM</p>
<p><span>Happy hours:</span> Sat: 2 PM to 4 PM</p>
</div>
</div>
</div>
</div>
</div>

```



```

<link rel="stylesheet" href="style.css">

<asp:ContentPlaceholder ID="head" runat="server">
</asp:ContentPlaceholder>
</head>
<body>
<form id="form1" runat="server">

<!-- Preloader -->
<div class="preloader d-flex align-items-center justify-content-center">
<div class="preloader-circle"></div>
<div class="preloader-img">

</div>
</div>

<!-- ##### Header Area Start ##### -->
<header class="header-area">

<!-- ***** Top Header Area ***** -->
<div class="top-header-area">
<div class="container">
<div class="row">
<div class="col-12">
<div class="top-header-content d-flex align-items-center justify-content-between">
<!-- Top Header Content -->
<div class="top-header-meta">
<a href="#" data-toggle="tooltip" data-placement="bottom"
title="Floristic@gmail.com"><i class="fa fa-envelope-o" aria-hidden="true"></i>
<span>Email: Floristic@gmail.com</span></a>
<a href="#" data-toggle="tooltip" data-placement="bottom" title="0315002548"><i
class="fa fa-phone" aria-hidden="true"></i> <span>Call Us: 0315002548</span></a>
</div>

<!-- Top Header Content -->
<div class="top-header-meta d-flex">

<!-- Login -->
<div class="login">
<a href="Login.aspx"><i class="fa fa-user" aria-hidden="true"></i> <span>You are
login</span></a>
</div>

</div>

</div>
</div>
</div>
</div>
</div>

<!-- ***** Navbar Area ***** -->
<div class="alazea-main-menu">
<div class="classy-nav-container breakpoint-off">
<div class="container">
<!-- Menu -->
<nav class="classy-navbar justify-content-between" id="alazeaNav">

<!-- Navbar Toggler -->
<div class="classy-navbar-toggler">
<span class="navbarToggler"><span></span><span></span><span></span></span>

```

```

</div>

<!-- Menu -->
<div class="classy-menu">
</div>

<!-- Close Button -->
<div class="classycloseIcon">
<div class="cross-wrap"><span class="top"></span><span
class="bottom"></span></div>
</div>

<!-- Navbar Start -->
<div class="classynav">
<ul>
<li><a href="Default.aspx">Home</a></li>
<li><a href="About.aspx">About</a></li>
<li><a href="Horticulture.aspx">Horticulture</a></li>
<li><a href="#">Shop</a>
<ul class="dropdown">
<li><a href="Shop.aspx">Shop</a></li>
<li><a href="Cart.aspx">Shopping Cart</a></li>
<li><a href="OrderHistory.aspx"> Your Order history</a></li>
</ul>
</li>
<li><a href="Contact.aspx">Contact</a></li>
</ul>

<!-- Navbar End -->
</div>
</nav>

</div>

</div>
</div>

```

```

</header>
<!-- ##### Header Area End ##### -->

<!-- ##### Hero Area Start ##### -->
<section class="hero-area">
<div class="hero-post-slides owl-carousel">

<!-- Single Hero Post -->
<div class="single-hero-post bg-overlay">
<!-- Post Image -->
<div class="slide-img bg-img" style="background-image: url(img/bg-
img/1.jpg);"></div>
<div class="container h-100">
<div class="row h-100 align-items-center">
<div class="col-12">
<!-- Post Content -->
<div class="hero-slides-content text-center">
<h2>Floristics a feel of nature anywhere and anytime</h2>
<p> With 10 Years of experineece we bring you an array of plants to choose from.
The Best products for your plants. A little of nature in your home. </p>
<div class="welcome-btn-group">

```

```
</div>
</div>
</div>
</div>
</div>
</div>

<!-- Single Hero Post -->
<div class="single-hero-post bg-overlay">
<!-- Post Image -->
<div class="slide-img bg-img" style="background-image: url(img/bg-
img/2.jpg);"></div>
<div class="container h-100">
<div class="row h-100 align-items-center">
<div class="col-12">
<!-- Post Content -->
<div class="hero-slides-content text-center">
<h2>Floristics a feel of nature anywhere and anytime</h2>
<p>We offer more than any other plant retail in South Africa, you name it and we
surely will have it in our garden.</p>
<div class="welcome-btn-group">

</div>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
</section>
<!-- ##### Hero Area End ##### -->

<!-- ##### Type the index Code here ##### -->

<!-- ##### Blog Area End ##### -->

<!-- ##### Subscribe Area Start ##### -->

<!-- ##### Contact Area Start ##### -->

<!-- ##### Contact Area End ##### -->

<!-- ##### Footer Area Start ##### -->

<!-- ##### All Javascript Files ##### -->
<!-- jQuery-2.2.4 js -->
<script src="js/jquery/jquery-2.2.4.min.js"></script>
<!-- Popper js -->
<script src="js/bootstrap/popper.min.js"></script>
<!-- Bootstrap js -->
<script src="js/bootstrap/bootstrap.min.js"></script>
<!-- All Plugins js -->
<script src="js/plugins/plugins.js"></script>
<!-- Active js -->
<script src="js/active.js"></script>
<div>

<asp:ContentPlaceHolder ID="ContentPlaceHolder1" runat="server">
</asp:ContentPlaceHolder>
```



```
</div>  
</form>  
</body>  
</html>
```