G04 方案、文件与执行 · 9张表

患者决定—确认原件
decision_file_version

- decision_id : INTEGER [PK, FK, NN] → patient_decision.id
- document_version_id : INTEGER [PK, FK, NN] → document_version.id
- linked_at : TEXT [NN]
- linked_by : INTEGER [FK, NN] → staff.id (G01)

文件版本
document_version

- id : INTEGER [PK, NN]
- clinical_document_id : INTEGER [FK, NN] → clinical_document.id
- original_name : TEXT [NN]
- size_bytes : INTEGER [NN]
- sha256 : TEXT [NN]
- captured_at : TEXT [NULL]
- confirmed_at : TEXT [NULL]
- change_reason : TEXT [NN]
- version_no : INTEGER [NN]
- storage_key : TEXT [NN]
- media_type : TEXT [NN]
- verification_note : TEXT [NULL]
- uploaded_by : INTEGER [FK, NN] → staff.id (G01)
- confirmed_by : INTEGER [FK, NULL] → staff.id (G01)
- previous_version_id : INTEGER [FK, NULL] → document_version.id
- status : TEXT [NN]
- created_at : TEXT [NN]
- updated_at : TEXT [NN]
- revision : INTEGER [NN]

诊疗执行
treatment_execution

- id : INTEGER [PK, NN]
- visit_id : INTEGER [FK, NN] → visit.id (G02)
- plan_item_id : INTEGER [FK, NULL] → plan_item.id
- service_id : INTEGER [FK, NN] → service.id (G05)
- original_execution_id : INTEGER [FK, NULL] → treatment_execution.id
- tooth_code : TEXT [NULL]
- surface_code : TEXT [NULL]
- completed_quantity : INTEGER [NN]
- procedure_note : TEXT [NN]
- completed_at : TEXT [NN]
- correction_reason : TEXT [NULL]
- execution_kind : TEXT [NN]
- performed_by : INTEGER [FK, NN] → staff.id (G01)
- record_no : TEXT [UQ, NN]
- created_at : TEXT [NN]
- updated_at : TEXT [NN]
- revision : INTEGER [NN]

患者决定—方案项目
decision_plan_item

- decision_id : INTEGER [PK, FK, NN] → patient_decision.id
- plan_item_id : INTEGER [PK, FK, NN] → plan_item.id
- linked_at : TEXT [NN]
- linked_by : INTEGER [FK, NN] → staff.id (G01)

方案项目
plan_item

- id : INTEGER [PK, NN]
- plan_version_id : INTEGER [FK, NN] → plan_version.id
- item_description : TEXT [NN]
- tooth_code : TEXT [NULL]
- surface_code : TEXT [NULL]
- planned_quantity : INTEGER [NN]
- sequence_no : INTEGER [NN]
- estimated_cents : INTEGER [NULL]
- created_at : TEXT [NN]
- updated_at : TEXT [NN]
- revision : INTEGER [NN]

患者决定
patient_decision

- id : INTEGER [PK, NN]
- plan_version_id : INTEGER [FK, NN] → plan_version.id
- patient_proxy_id : INTEGER [FK, NULL] → patient_proxy.id (G01)
- decision : TEXT [NN]
- decided_at : TEXT [NN]
- explanation_basis : TEXT [NN]
- scope_note : TEXT [NN]
- explained_by : INTEGER [FK, NN] → staff.id (G01)
- recorded_by : INTEGER [FK, NN] → staff.id (G01)
- created_at : TEXT [NN]
- updated_at : TEXT [NN]
- revision : INTEGER [NN]

诊疗文件
clinical_document

- id : INTEGER [PK, NN]
- patient_id : INTEGER [FK, NN] → patient.id (G01)
- visit_id : INTEGER [FK, NULL] → visit.id (G02)
- plan_version_id : INTEGER [FK, NULL] → plan_version.id
- document_type : TEXT [NN]
- source : TEXT [NN]
- ownership_note : TEXT [NN]
- created_by : INTEGER [FK, NN] → staff.id (G01)
- record_no : TEXT [UQ, NN]
- created_at : TEXT [NN]
- updated_at : TEXT [NN]
- revision : INTEGER [NN]

方案版本
plan_version

- id : INTEGER [PK, NN]
- treatment_plan_id : INTEGER [FK, NN] → treatment_plan.id
- source_visit_id : INTEGER [FK, NULL] → visit.id (G02)
- diagnostic_basis : TEXT [NN]
- explained_at : TEXT [NULL]
- change_reason : TEXT [NN]
- planned_schedule : TEXT [NN]
- version_no : INTEGER [NN]
- stopped_at : TEXT [NULL]
- stop_reason : TEXT [NULL]
- created_by : INTEGER [FK, NN] → staff.id (G01)
- explained_by : INTEGER [FK, NULL] → staff.id (G01)
- previous_version_id : INTEGER [FK, NULL] → plan_version.id
- status : TEXT [NN]
- created_at : TEXT [NN]
- updated_at : TEXT [NN]
- revision : INTEGER [NN]

治疗方案
treatment_plan

- id : INTEGER [PK, NN]
- patient_id : INTEGER [FK, NN] → patient.id (G01)
- goal : TEXT [NN]
- established_at : TEXT [NN]
- termination_reason : TEXT [NULL]
- closed_at : TEXT [NULL]
- created_by : INTEGER [FK, NN] → staff.id (G01)
- closed_by : INTEGER [FK, NULL] → staff.id (G01)
- status : TEXT [NN]
- record_no : TEXT [UQ, NN]
- created_at : TEXT [NN]
- updated_at : TEXT [NN]
- revision : INTEGER [NN]