

---

# SHONNER PRESS


## *PyTravCalc*

PyTravCalc 3.6.1 (Beta)

Menu Settings Web Help

**Task**  
Task Difficulty: Difficult (10+) No. of Tasks: 1 Timeframe: 1D Minutes New Timeframe: 1D x 10 Min

**Characteristic**  
Mod: 0 Skill Level: 1 DM: 2 Chained DM: ☐ Total: 3

**Roll**  
2D Boon Bane D66 

**Roll Result**  
13

**Task Time**  
40 Minutes

**Effect**  
3: Average Success

**Damage**  
Clear Armor: 0 Cover: Choose One AP: 0 Dice: 1 D: DD DM: 0 Effect: 3 Result:

**Manual Input**  
Clear 4df  
advantage = 17  
badflux = -2  
4df = 3

**Outcome**  
Percentages: 100, 7.2, 91.7, 83.3, 72.2, 58.3, 41.7, 27.8, 16.7, 8.3, 2.8  
5 6 7 8 9 10 11 12 13 14 15

Clear All SHONNER

## PyTravCalc 3.6 Manual

*Release 3.6.1b*

Shawn Driscoll

07/04/2022



# CONTENTS

|          |                                    |           |
|----------|------------------------------------|-----------|
| <b>1</b> | <b>Overview</b>                    | <b>1</b>  |
| <b>2</b> | <b>Introduction</b>                | <b>3</b>  |
| 2.1      | Preface . . . . .                  | 3         |
| 2.2      | Requirements . . . . .             | 3         |
| 2.3      | Not Using Python? . . . . .        | 4         |
| <b>3</b> | <b>Installing</b>                  | <b>5</b>  |
| 3.1      | Downloading PyTravCalc . . . . .   | 5         |
| 3.2      | About Fonts . . . . .              | 5         |
| 3.3      | Running PyTravCalc . . . . .       | 5         |
| <b>4</b> | <b>What's New in PyTravCalc?</b>   | <b>7</b>  |
| 4.1      | New in PyTravCalc 3.6.0 . . . . .  | 7         |
| 4.2      | New in PyTravCalc 3.5.0 . . . . .  | 7         |
| 4.3      | New in PyTravCalc 3.4.1 . . . . .  | 7         |
| 4.4      | New in PyTravCalc 3.4.0 . . . . .  | 7         |
| 4.5      | New in PyTravCalc 3.3.0 . . . . .  | 7         |
| 4.6      | New in PyTravCalc 3.2.0 . . . . .  | 7         |
| 4.7      | New in PyTravCalc 3.1.5 . . . . .  | 8         |
| <b>5</b> | <b>PyTravCalc Tutorial</b>         | <b>9</b>  |
| 5.1      | The GUI . . . . .                  | 9         |
| 5.2      | Making a Task Roll . . . . .       | 10        |
| 5.3      | Making a Damage Roll . . . . .     | 10        |
| 5.4      | Manually Inputting Rolls . . . . . | 10        |
| 5.5      | Settings Menu . . . . .            | 11        |
| <b>6</b> | <b>Open Source</b>                 | <b>13</b> |
| 6.1      | MIT License . . . . .              | 13        |
| 6.2      | Contact . . . . .                  | 13        |
| <b>7</b> | <b>FFE Agreement</b>               | <b>15</b> |
| <b>8</b> | <b>About the Author</b>            | <b>17</b> |



## OVERVIEW

This documentation explains how to install and use **PyTravCalc** for die roll calculations.

**PyTravCalc** is a Windows program for calculating die rolls for Mongoose Traveller 2nd Edition. It's written in Python 3.9 and includes **PyDiceroll** for its die rolling. Source for **PyDiceroll** can be found at its [GitHub](#) repository.

**PyTravCalc** features minor logging and error tracking at this time.



## INTRODUCTION

### 2.1 Preface

I've written various die rolling programs for various computers over the decades. Every computer language had its own way of randomly generating numbers for dice results. These were pseudo random results, but still pseudo random enough to be useful for what I needed. I remember writing a Risk! game on the computer, and programming the die rolls needed for comparisons between players. That was back in 1989. I wish I still had listings from that program. And from others. That was back when computer programmers printed out their program listings and desk-checked them in 24-hour restaurants at 2am.

The reason I wrote a “calculator” for Mongoose Traveller 2nd Edition was because I had tried some from other programmers (most of them were web-based and for Classic Traveller, if I recall), but none of them did more than 2D rolls. I'm guessing by now they do, because more people are playing Mongoose Traveller 2nd Edition.

Anyway, at the time when I first made this program, I didn't know how to write programs that ran in the browser. So my other option was to write the program in Windows, and use whatever GUI for Python that looked best. At the time, it was `PyQt` that I liked. `wxPython` and `Tkinter` didn't have nearly the ease-of-use and production value that `PyQt` had.

Seven years ago, when I released very early versions that would eventually lead up to this program's design, I knew that very few people were still using computers. Most were using their phones to roll dice on. I see the reasons for it. I happen to have a computer while I play Traveller online with other players. So my program is right there on the screen if needed.

Now that I know how to program for the browser, I might one day try doing this for the web. We'll have to see.

-Shawn

### 2.2 Requirements

- **Microsoft Windows**

**PyTravCalc** is being tested on Windows 10. It has not been tested on MacOS or Linux.

- **Python 3.9**

**PyTravCalc** was written using the C implementation of Python version 3.9. Also known as CPython.

- **PyQt5 5.15.4**

PyQt5 is the framework used for displaying the Window GUI and buttons, etc.

- **numpy 1.20.2**

For building arrays.

- **matplotlib 3.4.2**

For graphics plotting.

|  |
|--|
| <b>Warning:</b> PyTravCalc will not work with Python 2.7-. |
|--|

## 2.3 Not Using Python?

You can always run the .EXE version for Windows 10 if you don't have the Python language installed.



## INSTALLING

### 3.1 Downloading PyTravCalc

Installing and using **PyTravCalc** seems simple enough. Just download the archive from [GitHub](#) and extract it to a folder you prefer.

### 3.2 About Fonts

TrueType fonts are included in the fonts folder. Add/install them to `C:\Windows\Fonts` if your system does not have them.

### 3.3 Running PyTravCalc

If you have Python 3.9 installed, you can start `pytravcalc.py` from a CMD prompt or double-click the Python script. Alternatively, if you do not have Python 3.9, you can start `pytravcalc.exe` from a CMD prompt or by double-clicking the executable program.



## WHAT'S NEW IN PYTRAVCALC?

### 4.1 New in PyTravCalc 3.6.0

**ADVANTAGE** and **DISADVANTAGE** roll types have been added. These rolls are done manually. They can also be rolled from the CMD prompt.

### 4.2 New in PyTravCalc 3.5.0

PyTravCalc no longer requires **colorama**.

### 4.3 New in PyTravCalc 3.4.1

The older integer division has been deprecated.

### 4.4 New in PyTravCalc 3.4.0

SHONNER dice have been added to the dice selection.

### 4.5 New in PyTravCalc 3.3.0

Ugly yellow dice have been added to the dice selection.

### 4.6 New in PyTravCalc 3.2.0

**PyTravCalc** can be used directly at a CMD prompt using:

The long form:

```
C:\>PyTravCalc.py roll('2d6-2')
```

```
Your '2D6-2' roll is 10.
```

Or the short form:

```
C:\>PyTravCalc.py 2d6-2
```

```
Your '2D6-2' roll is 7.
```

---

**Note:** Typing `PyTravCalc.py -h` will provide some help.

---


## 4.7 New in PyTravCalc 3.1.5

**PyTravCalc** now runs in Python 3.9 using PyQt5.

## PYTRAVCALC TUTORIAL

### 5.1 The GUI

After the program starts, there should be a screen that looks like:



The screen contains various outlined areas that are labeled as:

#### **Task**

Choose the difficulty and die-modifiers for a task.

#### **Manual Input**

Enter various die rolls using the keyboard. A history will be kept.

#### **Roll**

Choose the roll type to perform.

#### **Damage**

Calculate a damage roll.

#### **Outcome**

Displays a plotted graph of the roll chances, and of the roll result if a difficulty is chosen.

---

**Note:** Plotted graphs are generated only when difficulties are selected. **D66** and manually inputted rolls will never generate graphs.

---

## 5.2 Making a Task Roll

Typically, task rolls will have a difficulty chosen by the game's referee. The player simply clicks the **Task Difficulty** button and chooses a difficulty level. This will unlock the rest of the **Task** area that the player can fill in as well. It's pretty much self-explanatory how the rest is filled in. It is assumed that the player has a characteristic and a skill in mind when changing these values.

---

**Note:** The default **Characteristic** value is **7**. Be sure to input your character's own value in its place before rolling any dice. The same goes for the **Skill Level**, which has a default of **0**. Give it the value of your character's skill level for the task being done.

Don't worry about the characteristic **Mod** amount. Its value is calculated automatically, as well as the **DM Total**.

---

Once the **DM** is calculated, a roll is then made (determined by the referee). The dice will be shown. The roll **Result** and **Effect** will be calculated. And the **Task Time** will be calculated if a **Timeframe** was chosen.

A graph of the **Outcome** will then be displayed.

## 5.3 Making a Damage Roll

The normal damage **D** and destructive damage **DD** rolls calculate the "soaking" of damage against armor. **Armor** score is entered, along with hidden **Cover** amount and **AP** score. The number of dice is selected. And a **DM** can be added before clicking either the **D** or **DD** roll buttons. Any effect will be added to **D** rolls only.

The **Clear** button will reset the damage area. The **Clear All** button will reset all the areas.

## 5.4 Manually Inputting Rolls

Here you are not limited to just Traveller rolls. You can enter other rolls for other kinds of dice used in other games. **PyTravCalc** will keep a history of the rolls that you enter.

The **Clear** button will reset the roll history. The **Clear All** button will reset all the areas.

Check the included `PyDiceroll.pdf` manual to see what other kinds of rolls **PyTravCalc** can perform manually.

## 5.5 Settings Menu

Dice styles can be selected from the **Dice** menu. Voice styles (yes, voice styles) can be selected from the **Audio** menu.

---

**Note:** Only the **female voice** works with general die rolls (rolls made without a **Task Difficulty**). Any manually inputted rolls will not be voiced.

---





## OPEN SOURCE

### 6.1 MIT License

#### LICENSE AGREEMENT

Copyright (c) 2022, SHONNER CORPORATION

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the “Software”), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED “AS IS”, WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

### 6.2 Contact

Questions? Please contact [shawndriscoll@hotmail.com](mailto:shawndriscoll@hotmail.com)



## FFE AGREEMENT

The Traveller game in all forms is owned by Far Future Enterprises. Copyright 1977 - 2022 Far Future Enterprises. Traveller is a registered trademark of Far Future Enterprises.



## ABOUT THE AUTHOR



Shawn Driscoll is an American artist. Computers are his main creation tool. His many hobbies are in sync with his being a student of all sciences. Some of which are discussed in length on his [YouTube](#) channel.