



Default Layout

Table applicants			
* Pk	id	bigint	
*	name	varchar(64)	
	phone	varchar(64)	
	email	varchar(225)	
	sex	varchar(64)	
	race	varchar(64)	
	address_line_1	varchar(64)	
	address_line_2	varchar(64)	
	city	varchar(64)	
	state	varchar(64)	
	zip_code	varchar(64)	
	license_number	varchar(64)	
	license_issuing_state	varchar(64)	
	created_by	int	
	modified_by	int	
	purged_by	int	
	created_at	timestamp	
	updated_at	timestamp	
	previous_expungements	text	
	previous_felony_expungements	int	
	previous_misdemeanor_expungements	int	
	notes	varchar(255)	
	external_ref	varchar(42)	
	any_pending_cases	varchar(255)	
	deleted_at	timestamp	
	status_id	int	
	dob	date	
	license_expiration_date	date	
	cms_client_number	varchar(16)	
	cms_matter_number	varchar(16)	
	assignment_id	int	
	step_id	int	
Indexes			
Pk	pk_applicants	id	
Foreign Keys			
	fk_applicants_statuses (status_id) ref statuses (id)		

Table assignments			
* Pk	id	bigint	
	name	varchar(64)	
*	user_id	bigint	
	created_by	int	
	modified_by	int	
	purged_by	int	
	created_at	timestamp	
	updated_at	timestamp	
	deleted_at	timestamp	
Indexes			

Table assignments

Pk	pk_assignments	id	
----	----------------	----	--

Table charges

* Pk	id	bigint	
*	conviction_id	bigint	
Idx	statute_id	bigint	
	imported_statute	varchar(255)	
	imported_citation	varchar(64)	
	conviction_class_type	varchar(64)	
	conviction_charge_type	varchar(64)	
	sentence	varchar(64)	
	to_print	varchar(64)	
	notes	text	
	created_by	int	
	modified_by	int	
	purged_by	int	
	created_at	timestamp	
	updated_at	timestamp	
	convicted	boolean	
	eligible	boolean	
	please_expunge	boolean	
	deleted_at	timestamp	

Indexes

Pk	pk_charges	id	
	charges_statute_id_foreign	statute_id	

Foreign Keys

	charges_statute_id_foreign (statute_id) ref statutes (id)	
	fk_charges_convictions (conviction_id) ref convictions (id)	

Table client_accesses

* Pk	id	bigint	
* Idx	user_id	bigint	
	access_type	varchar(64)	
* Idx	client_id	bigint	
	created_by	int	
	modified_by	int	
	purged_by	int	
	created_at	timestamp	
	updated_at	timestamp	

Indexes

Pk	pk_client_accesses	id	
	client_accesses_client_id_foreign	client_id	
	client_accesses_user_id_foreign	user_id	

Foreign Keys

	client_accesses_client_id_foreign (client_id) ref applicants (id)	
	client_accesses_user_id_foreign (user_id) ref users (id)	

Table comments

* Pk	id	bigint	
Idx	user_id	bigint	
*	body	varchar(600)	
* Idx	commentable_type	varchar(191)	
* Idx	commentable_id	bigint	
	created_at	timestamp	
	updated_at	timestamp	
	deleted_at	timestamp	
Indexes			
Pk	pk_comments	id	
	comments_commentable_type_commentable_id_index	commentable_type, commentable_id	
	comments_user_id_foreign	user_id	
Foreign Keys			
	comments_user_id_foreign (user_id) ref users (id)		

Table conviction_service

* Pk	id	bigint	
*	name	varchar(191)	
Idx	service_id	bigint	
Idx	conviction_id	bigint	
	created_by	int	
	modified_by	int	
	purged_by	int	
	created_at	timestamp	
	updated_at	timestamp	
	deleted_at	timestamp	
Indexes			
Pk	pk_conviction_service	id	
	conviction_service_conviction_id_foreign	conviction_id	
	conviction_service_service_id_foreign	service_id	
Foreign Keys			
	conviction_service_conviction_id_foreign (conviction_id) ref convictions (id)		
	conviction_service_service_id_foreign (service_id) ref services (id)		

Table conviction_source

* Pk	id	bigint	
* Idx	conviction_id	bigint	
* Idx	data_source_id	bigint	
	created_at	timestamp	
	updated_at	timestamp	
Indexes			
Pk	pk_conviction_source	id	
	conviction_source_conviction_id_foreign	conviction_id	
	conviction_source_data_source_id_foreign	data_source_id	
Foreign Keys			

Table conviction_source

	conviction_source_conviction_id_foreign (conviction_id) ref convictions (id)	
	conviction_source_data_source_id_foreign (data_source_id) ref data_sources (id)	

Table convictions

* Pk	id	bigint	
*	applicant_id	bigint	
	name	varchar(64)	
	arrest_date	varchar(64)	
	case_number	varchar(64)	
	agency	varchar(64)	
	court_name	varchar(64)	
	court_city_county	varchar(64)	
	judge	varchar(64)	
	record_name	varchar(64)	
	date_of_disposition	varchar(64)	
	arresting_agency	varchar(64)	
	release_status	varchar(64)	
	release_date_text	varchar(64)	
	sis	boolean	
	source	varchar(64)	
	notes	text	
	created_by	int	
	modified_by	int	
	purged_by	int	
	created_at	timestamp	
	updated_at	timestamp	
	approximate_date_of_charge_text	text	
	release_date	date	
	deleted_at	timestamp	
	date_of_charge	date	

Indexes

Pk	pk_convictions	id	
----	----------------	----	--

Foreign Keys

	fk_convictions_applicants (applicant_id) ref applicants (id)	
--	--	--

Table data_sources

* Pk	id	bigint	
*	name	varchar(191)	
	description	text	
	url	varchar(191)	
	created_by	int	
	modified_by	int	
	purged_by	int	
	created_at	timestamp	
	updated_at	timestamp	
	deleted_at	timestamp	

Indexes

Pk	pk_data_sources	id	
----	-----------------	----	--

Table histories

* Pk	id	bigint	
* Idx	historyable_type	varchar(191)	
* Idx	historyable_id	bigint	
	reason_for_change	varchar(600)	
	old	json	
	new	json	
	user_id	bigint	
	created_at	timestamp	
	updated_at	timestamp	
	action	varchar(191)	

Indexes

Pk	pk_histories	id	
	histories_historyable_type_h istoryable_id_index	historyable_type, historyable_id	

Table invites

* Pk	id	int	
*	email	varchar(191)	
*	name	varchar(191)	
*	role	varchar(42)	
*	expires_at	datetime	
* Unq	token	varchar(16)	
	created_by	int	
	modified_by	int	
	purged_by	int	
	created_at	timestamp	
	updated_at	timestamp	
	deleted_at	timestamp	

Indexes

Pk	pk_invites	id	
Unq	invites_token_unique	token	

Table jurisdiction_types

* Pk	id	bigint	
*	name	varchar(191)	
	display_sequence	int	
	created_by	int	
	modified_by	int	
	purged_by	int	
	created_at	timestamp	
	updated_at	timestamp	
	deleted_at	timestamp	

Indexes

Pk	pk_jurisdiction_types	id	
----	-----------------------	----	--

Table jurisdictions

* Pk	id	bigint	
	jurisdiction_type_id	bigint	
*	name	varchar(191)	
	url	varchar(191)	

Table jurisdictions

	created_by	int	
	modified_by	int	
	purged_by	int	
	created_at	timestamp	
	updated_at	timestamp	
	deleted_at	timestamp	
Indexes			
Pk	pk_jurisdictions	id	
Foreign Keys			
	fk_jurisdictions_jurisdiction_types (jurisdiction_type_id) ref jurisdiction_types (id)		

Table migrations

* Pk	id	int	
*	migration	varchar(191)	
*	batch	int	
Indexes			
Pk	pk_migrations	id	

Table model_has_permissions

* Pk	permission_id	int	
* Pk	model_id	bigint	
* Pk	model_type	varchar(191)	
Indexes			
Pk	pk_model_has_permissions	permission_id, model_id, model_type	
	model_has_permissions_model_id_model_type_index	model_id, model_type	
Foreign Keys			
	model_has_permissions_permission_id_foreign (permission_id) ref permissions (id)		

Table model_has_roles

* Pk	role_id	int	
* Pk	model_id	bigint	
* Pk	model_type	varchar(191)	
Indexes			
Pk	pk_model_has_roles	role_id, model_id, model_type	
	model_has_roles_model_id_model_type_index	model_id, model_type	
Foreign Keys			
	model_has_roles_role_id_foreign (role_id) ref roles (id)		

Table oauth_access_tokens

* Pk	id	varchar(100)	
Idx	user_id	int	
*	client_id	int	
	name	varchar(191)	
	scopes	text	
*	revoked	boolean	

Table oauth_access_tokens

	created_at	timestamp	
	updated_at	timestamp	
	expires_at	datetime	

Indexes

Pk	pk_oauth_access_tokens	id	
	oauth_access_tokens_user_id_index	user_id	

Table oauth_auth_codes

* Pk	id	varchar(100)	
*	user_id	int	
*	client_id	int	
	scopes	text	
*	revoked	boolean	
	expires_at	datetime	

Indexes

Pk	pk_oauth_auth_codes	id	
----	---------------------	----	--

Table oauth_clients

* Pk	id	int	
Idx	user_id	int	
*	name	varchar(191)	
*	secret	varchar(100)	
*	redirect	text	
*	personal_access_client	boolean	
*	password_client	boolean	
*	revoked	boolean	
	created_at	timestamp	
	updated_at	timestamp	

Indexes

Pk	pk_oauth_clients	id	
	oauth_clients_user_id_index	user_id	

Table oauth_personal_access_clients

* Pk	id	int	
* Idx	client_id	int	
	created_at	timestamp	
	updated_at	timestamp	

Indexes

Pk	pk_oauth_personal_access_clients	id	
	oauth_personal_access_clients_client_id_index	client_id	

Table oauth_refresh_tokens

* Pk	id	varchar(100)	
* Idx	access_token_id	varchar(100)	
*	revoked	boolean	
	expires_at	datetime	

Indexes

Pk	pk_oauth_refresh_tokens	id	
----	-------------------------	----	--

Table oauth_refresh_tokens

	oauth_refresh_tokens_access_token_id_index	access_token_id	
--	--	-----------------	--

Table password_resets

* Idx	email	varchar(191)	
*	token	varchar(191)	
	created_at	timestamp	

Indexes

	password_resets_email_index	email	
--	-----------------------------	-------	--

Table permissions

* Pk	id	int	
*	name	varchar(191)	
*	guard_name	varchar(191)	
	created_at	timestamp	
	updated_at	timestamp	

Indexes

Pk	pk_permissions	id	
----	----------------	----	--

Table role_descriptions

* Pk	id	int	
*	role_id	int	
*	role_name	varchar(191)	
*	name	varchar(191)	
	description	text	
*	sequence	int	
	roles_that_can_assign	varchar(255)	
	created_by	int	
	modified_by	int	
	purged_by	int	
	created_at	timestamp	
	updated_at	timestamp	
	deleted_at	timestamp	

Indexes

Pk	pk_role_descriptions	id	
----	----------------------	----	--

Table role_has_permissions

* Pk	permission_id	int	
* Pk	role_id	int	

Indexes

Pk	pk_role_has_permissions	permission_id, role_id	
	role_has_permissions_role_id_foreign	role_id	

Foreign Keys

	role_has_permissions_permission_id_foreign (permission_id) ref permissions (id)	
	role_has_permissions_role_id_foreign (role_id) ref roles (id)	

Table roles

* Pk	id	int	
*	name	varchar(191)	
*	guard_name	varchar(191)	
	created_at	timestamp	
	created_by	int	
	modified_by	int	
	purged_by	int	
	updated_at	timestamp	
	deleted_at	timestamp	

Indexes

Pk	pk_roles	id	
----	----------	----	--

Table service_types

* Pk	id	bigint	
*	name	varchar(191)	
	created_by	int	
	modified_by	int	
	purged_by	int	
	created_at	timestamp	
	updated_at	timestamp	
	deleted_at	timestamp	

Indexes

Pk	pk_service_types	id	
----	------------------	----	--

Table services

* Pk	id	bigint	
*	name	varchar(191)	
	attn	varchar(191)	
	address	varchar(191)	
	address_line_2	varchar(64)	
	city	varchar(64)	
	state	varchar(64)	
	zip	varchar(64)	
	county	varchar(64)	
	phone	varchar(20)	
	email	varchar(191)	
	note	varchar(600)	
Idx	service_type_id	bigint	
	created_by	int	
	modified_by	int	
	purged_by	int	
	created_at	timestamp	
	updated_at	timestamp	
	deleted_at	timestamp	

Indexes

Pk	pk_services	id	
	services_service_type_id_foreign (service_type_id) ref service_types (id)		

Foreign Keys

	services_service_type_id_foreign (service_type_id) ref service_types (id)		
--	---	--	--

Table statuses

* Pk	id	bigint	
* Unq	name	varchar(60)	
	alias	varchar(12)	
	sequence	int	
	created_by	int	
	modified_by	int	
	purged_by	int	
	created_at	timestamp	
	updated_at	timestamp	
	deleted_at	timestamp	

Indexes

Pk	pk_statuses	id	
Unq	statuses_name_unique	name	

Table statutes

* Pk	id	bigint	
	number	varchar(191)	
*	name	varchar(500)	
	note	text	
Idx	statutes_eligibility_id	int	
Idx	superseded_id	bigint	
	superseded_on	varchar(191)	
	created_at	timestamp	
	updated_at	timestamp	
	created_by	int	
	modified_by	int	
	purged_by	int	
	deleted_at	timestamp	
Idx	jurisdiction_id	bigint	
Idx	same_as_id	bigint	

Indexes

Pk	pk_statutes	id	
	statutes_jurisdiction_id_foreign	jurisdiction_id	
	statutes_same_as_id_foreign	same_as_id	
	statutes_statutes_eligibility_id_index	statutes_eligibility_id	
	statutes_superseded_id_foreign	superseded_id	

Foreign Keys

	statutes_jurisdiction_id_foreign (jurisdiction_id) ref jurisdictions (id)	
	statutes_same_as_id_foreign (same_as_id) ref statutes (id)	
	statutes_superseded_id_foreign (superseded_id) ref statutes (id)	
	fk_statutes_statutes_eligibilities (statutes_eligibility_id) ref statutes_eligibilities (id)	

Table statutes_eligibilities

* Pk	id	bigint	
------	----	--------	--

Table statutes_eligibilities

* Unq	name	varchar(60)	
	sequence	int	
	created_at	timestamp	
	updated_at	timestamp	
	created_by	int	
	modified_by	int	
	deleted_at	timestamp	
Indexes			
Pk	pk_statutes_eligibilities	id	
Unq	statutes_eligibilities_name_unique	name	

Table steps

* Pk	id	bigint	
	name	varchar(64)	
*	status_id	bigint	
	created_by	int	
	modified_by	int	
	purged_by	int	
	created_at	timestamp	
	updated_at	timestamp	
	deleted_at	timestamp	
Indexes			
Pk	pk_steps	id	

Table users

* Pk	id	bigint	
*	name	varchar(191)	
* Unq	email	varchar(191)	
*	active	int	
	email_verified_at	timestamp	
*	password	varchar(191)	
	remember_token	varchar(100)	
	created_at	timestamp	
	updated_at	timestamp	
	created_by	int	
	modified_by	int	
	purged_by	int	
	deleted_at	timestamp	
Indexes			
Pk	pk_users	id	
Unq	users_email_unique	email	