Institute of Business Administeration, Karachi
School of Mathematics and Computer Science
Spring 2024, Lab Manual - 01

Course Code: CSE142	Course : Object Oriented Programming Lab
Instructor(s) :	Mr. Behraj Khan

Contents:

1. Introduction to C++
2. Arrays
3. Pointers
4. Structures
5. Lab Tasks

INTRODUCTION TO C++

C++ is very similar to the C Language.

- For the input/output stream we use **<iostream>** library (in C it was <stdio>).
- For taking input and out we **cout** and **cin** (in C it was printf and scanf).
  - cout uses **insertion (<<) operator**.
  - cin uses **extraction (>>) operator**.

Sample C++ Code:

```cpp
#include <iostream>
using namespace std;
int main()
{
        int var = 0;

        cout << "Enter an Integer value: ";
        cin >> var;
        cout << "Value of var is : " << var;
        return 0;
}
```

```
Sample Run: In this sample run, the user input is shaded.
Enter an Integer value: 12
Value of var is : 12
```

ARRAYS:

- An Array is a collection of fixed number of elements of same data type.

1-D ARRAY:

- 1-D Array is a form of array in which elements are arranged in a form of List.
- To declare a 1D array you need to specify the data type, name and array size.

```
dataType arrayName [ arraySize ] ;
```

- Following is the declaration of a 1D array.

```
int numArray[5];
```

  - Data Type: Integers
  - Name: numArray
  - Size: 5

- To access array element you use the array name along with the index in subscript operator "**[ ]**".

```
numArray[0], numArray[1], numArray[2], numArray[3], numArray[4].
```

  - Index of the array starts with **zero '0'**.
  - Index of the last element is always '**size - 1**' (in this case it is 4).

Example Code for 1-D Array:

```cpp
//Program to read five numbers, find their sum, and
//print the numbers in reverse order.

#include <iostream>
using namespace std;
int main()
{
        int item[5]; //Declare an array item of five components
        int sum = 0;
        int counter;

        cout << "Enter five numbers: ";

        for (counter = 0; counter < 5; counter++)
        {
        cin >> item[counter];
        sum = sum + item[counter];
        }
```

```
        cout << endl;

        cout << "The sum of the numbers is: " << sum << endl;
        cout << "The numbers in reverse order are: ";

        //Print the numbers in reverse order.
        for (counter = 4; counter >= 0; counter--)
            cout << item[counter] << " ";

        cout << endl;
        return 0;
}
```

```
Sample Run: In this sample run, the user input is shaded.
Enter five numbers: 12 76 34 52 89
The sum of the numbers is: 263
The numbers in reverse order are: 89 52 34 76 12
```

2-D ARRAY:

- 2-D Array is a collection of fixed collection of elements arranged in **rows and columns.**
- To declare a 2D array you need to specify the data type, name and no. of rows and columns.
  ```
  dataType arrayName [ rowSize ][ columnSize ] ;
  ```

- Following is the declaration of a 1D array.

  ```
  int numArray[5][5];
  ```

  - Data Type: Integers
  - Name: numArray
  - Rows: 5
  - Columns: 5

- To access array element you use the array name along with the rowIndex and columnIndex in subscript operator **"[ ][ ]".**

```
numArray[0][0], numArray[1][1], numArray[2][2], numArray[3][3],
numArray[4][4].
```

  - Index for the rows and columns of the array starts with **zero '0'**.
  - Index of the last element in rows and columns is always **'sizeofRow - 1'** and **'sizeofColumn -1'** respectively (in this case it is 4).

Example Code for 2-D Array:

```
//Program to read a 2D array of size 3x3 find the sum for each row,
//print the sum line by line.

#include <iostream>
using namespace std;
int main()
{
        int item[3][3]; //Declare an array of size 3x3
        int sum = 0;
        int row, col;

        cout << "Enter array elements: " << endl;


        for (row = 0; row < 3; row++)
        {
            for (col = 0; col < 3; col++)
            {
                cin >> item[row][col];
            sum = sum + item[row][col];
            }

            cout << "The sum of row " << i << " : " << sum <<
    endl;
        }

        cout << endl;
        return 0;
}

Sample Run: In this sample run, the user input is shaded.
Enter array elements:
12 76 34
The sum of row 0 : 122
52 89 48
The sum of row 1 : 189
22 63 99
The sum of row 2 : 184
```

POINTERS:

A Pointer is a variable whose content is a memory address.

Single Pointers:

- To declare a single pointer variable you need to specify the data type, an asterisk symbol (*) and the name of the pointer variable.

```
dataType *ptrName;
```

- Following is the declaration of a Pointer variable.

```
int *ptr;
```
  - DataType: Integer
  - Name: ptr
- Pointer variable holds the memory address of the variable which is of same data type (integer in this case).
- To assign the memory address of any variable to the pointer variable we use **Address of Operator (&).**

```
int intVar = 5;
ptr = &intVar;
```

  - In this statement **ptr** now holds the memory address of an integer variable **'intVar'**.

- To access the value at the memory address (currently stored) in the variable we use **Dereferencing Operator (*)**.
  - Do not confuse this with the symbol used for the declaration of a pointer.

```
int intVar2 = *ptr;
```

  - In this statement another integer variable **'intVar2'** is now initialized with the value at the memory address which is stored in **ptr** (that is the value of intVar).

Example Code for Single Pointers:

The following program illustrates how pointer variables work:

```cpp
#include <iostream>
using namespace std;
int main()
{
        int *p;
        int x = 37;
    cout << "Line 1: x = " << x << endl; //Line 1
    p = &x; //Line 2
    //Line 3
    cout << "Line 3: *p = " << *p << ", x = " << x << endl;
    *p = 58; //Line 4
    //Line 5
    cout << "Line 5: *p = " << *p << ", x = " << x << endl;
    cout << "Line 6: Address of p = " << &p << endl; //Line 6
    cout << "Line 7: Value of p = " << p << endl; //Line 7
    cout << "Line 8: Value of the memory location " << "pointed to
    by *p = " << *p << endl; //Line 8
    cout << "Line 9: Address of x = " << &x << endl; //Line 9
    cout << "Line 10: Value of x = " << x << endl; //Line 10
    return 0;
}
```

Sample Run:
```
Line 1: x = 37
Line 3: *p = 37, x = 37
Line 5: *p = 58, x = 58
Line 6: Address of p = 006BFDF4
Line 7: Value of p = 006BFDF0
Line 8: Value of the memory location pointed to by *p = 58
Line 9: Address of x = 006BFDF0
Line 10: Value of x = 58
```

DYNAMIC VARIABLES:

Variables created during the program execution are called **dynamic variables**.

- To create a dynamic variable we use **new** operator.

```
new dataType;              // to allocate a single variable
new dataType [ size];      // to allocate an array of variables.
```

- ○ The new operator allocates the memory of a designated type.
- ○ It returns a pointer to the allocated memory.

- Following is the declaration of a dynamic variable.

```
int p = new int;
char cArray = new char[5];
```

- ○ Line 01: creates a single variable of integer type.
- ○ Line 02: Creates an array of 5 characters.

- To delete the dynamically allocated memory we use **delete** operator.

```
delete ptrVar;        //to deallocate single dynamic variable
delete [] ptrArray; //to deallocate dynamically created array
```

- ○ delete operator is used to free the memory which is dynamically allocated using new operator.

Example Code for Dynamic Variables:

```cpp
#include<iostream>
using namespace std;

int main()
{
    int* intPtr;

    char* charArray;
    int arraySize;

    intPtr = new int; // allocating memory to single variable

    cout << "Enter an Integer Value: ";
    cin >> *intPtr;
    cout << "Enter the size of the Character Array : ";
    cin >> arraySize;
```

```
    charArray = new char[arraySize]; // allocating memory to array

        for (int i = 0; i < arraySize; i++)
            cin >> charArray[i];

        for (int i = 0; i < arraySize; i++)
            cout << charArray[i];

        return 0;

}
```

Sample Run: In this sample run, the user input is shaded.
Enter an Integer Value: 2
Enter the size of the Character Array : 2
a b
ab

STRUCTURES:

- A structure is a collection of fixed number of components in which the components are accessed by name. The components may be of different types.
- Components of a structure are called members of the structure.
- To declare a structure you need to use the "**struct**" keyword along with the structure name.
  - The **struct** block then contains all the members, which are variables of different/same type.

```
struct structName
{
     dataType1 varName1;
     dataType2 varName2;
          . . .
     dataTypen varNamen;
}
```

- To declare an object of the structure you need to use the **name of structure** and then the name of **structure object.**

```
struct studentStruct
{
     string firstName;
     string lastName;
     char courseGrade;
     int testScore;
     double GPA;
};

studentStruct Obj;
```

Example Code for Structure:

```cpp
#include<iostream>

using namespace std;

struct studentType
{
    string firstName;
    string lastName;
    char courseGrade;
    int courseScore;
    double GPA;
};


int main()
{
    studentType newStudent;

    cout << "Enter Details for the Student";

    cout << "Enter Student's First Name : ";
    cin >> newStudent.firstName;

    cout << "Enter Student's Last Name : ";
    cin >> newStudent.lastName;

    cout << "Enter Student's Course Grade : ";
    cin >> newStudent.courseGrade;

    cout << "Enter Student's Course Score : ";
    cin >> newStudent.courseScore;

    cout << "Enter Student's GPA : ";
    cin >> newStudent.GPA;

    cout << newStudent.firstName << endl;
    cout << newStudent.lastName << endl;
    cout << newStudent.courseGrade << endl;
    cout << newStudent.courseScore << endl;
    cout << newStudent.GPA << endl;

}
```
Sample Run: In this sample run, the user input is shaded.
Enter Details for the Student
Enter Student's First Name : First_Name
Enter Student's Last Name : Last_Name
Enter Student's Course Grade : A
Enter Student's Course Score : 84
Enter Student's GPA : 2.0

```
First_Name
Last_Name
A
84
2
```

```
First_Name
Last_Name
A
84
2
```

LAB TASKS:

Task - 01:

Write a program that prompts the user to enter the weight of a person in kilograms and outputs the equivalent weight in pounds. Output both the weights rounded to two decimal places. (Note that 1 kilogram = 2.2 pounds.) Format your output with two decimal places.

Task - 02:

A movie in a local theater is in great demand. To help a local charity, the theater owner has decided to donate to the charity a portion of the gross amount generated from the movie. This example designs and implements a program that prompts the user to input the **movie name, adult ticket price, child ticket price, number of adult tickets sold, number of child tickets sold, and percentage** of the gross amount to be donated to the charity. The output of the program is as follows.

```
_*-*-*-*-*-*-*-*-*-*-*-*-*-*-*-*-*-*-*-*-*-*-*
Movie Name: ………………………...    Journey to Mars
Number of Tickets Sold: ........................            2650
Gross Amount: .......................................    $    9150.00
Percentage of Gross Amount Donated:          10.00%
Amount Donated: .................................    $     915.00
Net Sale: ...............................................    $    8235.00
```

Note that the strings, such as **"Movie Name:"** , in the first column are left-justified, the numbers in the right column are right-justified, and the decimal numbers are output with two decimal places.

Input: The input to the program consists of the movie name, adult ticket price, child ticket price, number of adult tickets sold, number of child tickets sold, and percentage of the gross amount to be donated to the charity.
Output: The output is as shown above.

Task - 03:

Write a program that reads a student name followed by five test scores. The program should output the student name, the five test scores, and the average test score. Output the average test score with two decimal places.

Input:

Andrew Miller 87.50 89 65.75 37 98.50

Output:

Student name: Andrew Miller
Test scores: 87.50 89.00 65.75 37.00 98.50
Average test score: 75.55

Task - 04:

Define a struct, **menuItemType**, with two components: **menuItem** of type **string** and **menuPrice** of type **double**. Write a program to help a local restaurant automate its breakfast billing system. The program should do the following:

A. Show the customer the different breakfast items offered by the restaurant.
B. Allow the customer to select more than one item from the menu.
C. Calculate and print the bill.

Assume that the restaurant offers the following breakfast items (the price of each item is shown to the right of the item):

Plain Egg	$1.45
Bacon and Egg	$2.45
Muffin	$0.99
French Toast	$1.99
Fruit Basket	$2.49
Cereal	$0.69
Coffee	$0.50
Tea	$0.75

Use an array, **menuList**, of the **struct menuItemType**.

A sample output is:
(Note that the billing amount should include a 5% tax.)

Welcome to Johnny's Restaurant
Bacon and Egg $2.45
Muffin $0.99
Coffee $0.50
Tax $0.20
Amount Due $4.14

Format your output with two decimal places. The name of each item in the output must be left justified. You may assume that the user selects only one item of a particular type.

Task - 05:

Write a program that declares a struct to store the data of a baseball player (player's name, number of home runs, and number of hits). Declare an array of 10 components to store the data of 10 baseball players. Your program must be able to search the array to find the index of a specific player, and update the data of a player. Your program should be menu driven, giving the user various choices.