ביטן את ביטן — M5.1: Premium Motion + UI Polish Spec

Implementation-Ready Specification for Claude Code

Version: 1.0 | **Date:** February 2026 **Prerequisite:** M5 (Homepage scroll journey) complete **Library:** Framer Motion (`motion` package, formerly `framer-motion`) **Scope:** Motion system, scroll reveals, hover states, micro-interactions, polish

---

Research Summary

Shamalov.co.il Audit — What Creates the "Premium" Feel

The reference site (YSH accounting firm) uses Elementor on WordPress. Despite the commodity tooling, it achieves perceived quality through these specific patterns:

What works well:

1. **Numbered step cards (01-06)** — each step fades up with ~80ms stagger between cards. The large number creates visual weight before the text loads.
2. **Sticky CTA bar** — WhatsApp/phone strip at bottom, slides up on first scroll with a soft ease-out. Non-intrusive: small height (~48px), dimmed until hovered.
3. **Section rhythm** — alternating white/gray backgrounds create a visual beat. Each section has ~80-96px vertical padding — breathing room makes the page feel calm and expensive.
4. **FAQ accordion** — smooth height animation with subtle fade on the answer text. The chevron rotates cleanly. ~250ms duration.
5. **Client logos** — horizontal auto-scroll ticker at constant speed. No hover-pause (a miss). Gives social proof without taking vertical space.
6. **Form blocks** — repeated 3 times down the page (aggressive but effective for lead gen). Clean field styling with subtle focus ring.
7. **Hero** — the value prop is text-only on solid background. No stock photo. This simplicity is what makes it feel more professional than 90% of Israeli CPA sites.

What to skip / improve on:

- Elementor's default opacity-fade feels generic (linear easing, identical timing on everything)
- No scroll-linked motion — everything is basic IntersectionObserver triggers
- Logo ticker has no hover-pause or fade edges (looks like a marquee from 2003)
- Triple-repeated CTA forms feel aggressive — Bitan's tone is more conservative
- Mobile nav is standard hamburger with no transition polish
- No hover states on cards worth noting

Global Scan — Premium Professional Services Motion Patterns (8 Sites)

Site	Category	Key Motion Pattern	Takeaway for Bitan
McKinsey.com	Consulting	Minimal: fade-up on scroll, subtle card hover lift, zero parallax. Hero text appears instantly (no animation). Data viz animates on scroll.	Enterprise trust = minimal motion. Content speaks.
Deloitte.com	Big 4	Near-zero animation. Sticky nav with instant background change. Card hover: thin bottom border slides in from left.	Conservative firms barely animate. Hover borders > hover shadows.
PwC.com	Big 4	Staggered fade-up on card grids (50ms stagger). Hero image lazy-loads with a soft opacity transition.	Small stagger on card grids is universally "premium."
Wealthsimple.com	Fintech	Scroll-triggered text reveals (word-by-word fade). Buttery smooth parallax on hero. Counter animations for numbers.	Counter/number animations are perfect for financial firms.
Stripe.com	Payments	Masterclass in easing: custom cubic-bezier on everything. Cards have `scale(1.02)` hover with shadow deepening. Gradient shifts on scroll.	Best-in-class easing makes even simple animations feel expensive.
Clause (Framer template)	Law firm	Editorial reveal: content slides up 24px with opacity fade, staggered by element type (heading → body → CTA). Gold "redline" accent animates width on scroll.	Perfect precedent — same conservative + premium target.
The Line Studio	Design firm	Smooth page transitions. Image reveal with clip-path animation. Text split by line with stagger.	Clip-path reveals are elegant but complex — skip for V1.
Europace.de	Finance platform	Clean fade-ups. Process steps animate sequentially (not simultaneously). Accordion with spring physics.	Sequential process step animation is high-impact for "how we work" sections.

Synthesis — The "Bitan Premium" Motion Language

The intersection of our Brand Contract (conservative, navy/gold, no gimmicks) and what actually works:

1. **Restraint is premium.** McKinsey and Deloitte prove that less animation = more trust for professional services. We add motion only where it improves comprehension or feel.
2. **Fade-up is the universal "quality" reveal.** Every premium site uses opacity + translateY as the base pattern. The difference between cheap and expensive is the easing curve and the distance.
3. **Stagger creates rhythm.** Card grids, process steps, and list items should animate sequentially, not simultaneously. 60-80ms stagger between items.

4. **Easing is the secret.** Stripe's animations feel expensive because they use custom cubic-bezier curves, not default `ease`. We define 2-3 curves and use them everywhere.
5. **Hover is a trust signal.** Subtle card lift + shadow change says "this is interactive, this is polished." Sloppy hover states say "template site."
6. **Gold underline animation is our signature.** The Brand Contract's gold underline accent can animate its width on scroll — a small, on-brand motion that no competitor has.

A. Motion System (Global Defaults)

The 8 Rules of Bitan Motion

#	Rule	Rationale
1	**Content appears fast, not animated.** Above-the-fold content (hero) loads instantly — no fade-in on first paint. Motion is for scroll reveals only.	Users shouldn't wait for content they've already "paid for" by navigating.
2	**Every animation has a purpose.** If removing the animation doesn't reduce comprehension or feel, remove the animation.	Brand Contract: no decorative clutter.
3	**One pattern, applied consistently.** The base reveal is `opacity: 0→1` + `translateY: 20px→0`. Every section uses this.	Consistency = professionalism. Varied animations = "template site."
4	**Stagger, don't swarm.** When multiple items enter view, they appear sequentially (60ms apart), never all at once.	Creates rhythm and guides the eye.
5	**Custom easing, never linear or default `ease`.** All motion uses `easeOutCubic` or `easeOutQuart`.	The curve is what makes motion feel "expensive."
6	**RTL-aware direction.** Slide-in animations come from the RIGHT (reading-entry side in RTL), not the left.	An LTR slide-in feels wrong in Hebrew.
7	**Short distances, never dramatic.** Maximum translate distance: 24px. Maximum scale change: 1.03. No element "flies in" from offscreen.	Conservative brand = understated motion.
8	**Reduced motion = instant, not removed.** Users with `prefers-reduced-motion` see content appear immediately (opacity 0→1, zero transform, zero delay).	Accessibility is non-negotiable.

Duration Scale

Token	Value	Usage
`duration.fast`	`150ms`	Hover states, button presses, focus rings, tooltips

Token	Value	Usage
duration.normal	300ms	Section reveals, card entrances, accordion open/close
duration.slow	500ms	Hero text reveal (only), gold underline width animation, page-level transitions
duration.stagger	60ms	Delay between sequential items in a group

Easing Curves

Name	CSS cubic-bezier	Framer Motion ease	Feel	Use For
easeOutCubic	cubic-bezier(0.33, 1, 0.68, 1)	[0.33, 1, 0.68, 1]	Smooth deceleration — the "expensive" default	Section reveals, card entrances, all scroll-triggered motion
easeOutQuart	cubic-bezier(0.25, 1, 0.5, 1)	[0.25, 1, 0.5, 1]	Slightly snappier deceleration	Hover states, accordion, interactive elements
easeInOutCubic	cubic-bezier(0.65, 0, 0.35, 1)	[0.65, 0, 0.35, 1]	Symmetric — in and out	Gold underline width animation, nav menu slide

Never use: linear, default ease, ease-in (feels like it's accelerating into a wall), or spring physics (too playful for CPA brand).

Distance & Scale Limits

Property	Min	Max	Default	Notes
translateY	8px	24px	20px	Standard reveal offset
translateX	0px	16px	0px	Only for staggered list items entering from right (RTL)
scale	0.97	1.03	1.0	Button press: 0.98. Card hover: 1.02. Never more.
opacity	0	1	—	Always animate opacity alongside transform
rotate	-3deg	3deg	0	Chevron rotation only (FAQ accordion: 0→180deg is the exception)

Stagger Rules

Scenario	Stagger Delay	Max Items Before Cutoff	Notes
Card grid (services, articles)	`60ms` per card	6	After 6 items, remaining appear at the 6th item's timing
Process steps	`80ms` per step	4	Sequential — each step waits for previous to begin
Pain/value cards	`60ms` per card	4	
FAQ items	`0ms` (no stagger)	—	Each accordion item is independent, triggered individually
Nav links (mobile menu)	`40ms` per link	6	Stagger from top to bottom
Trust micro-signals	`0ms`	—	Single line of text, no stagger needed

Reduced Motion Policy

```typescript
// Implementation: single source of truth
const prefersReducedMotion =
  typeof window !== 'undefined'
    ? window.matchMedia('(prefers-reduced-motion: reduce)').matches
    : false;

// When reduced motion is preferred:
// - All transforms (translateY, scale, rotate) → removed (no movement)
// - Opacity transitions → instant (duration: 0)
// - Stagger delays → 0ms
// - Gold underline → appears at full width immediately
// - Accordion → instant height change (no animation)
// - Hover states → still work (they are user-initiated, not automatic)
```

Framer Motion implementation: Use the `motion` component's built-in `prefers-reduced-motion` support:

```tsx
```

```
// In a shared config, NOT per-component
<MotionConfig reducedMotion="user">
  {children}
</MotionConfig>
```

This tells Framer Motion to respect the OS-level setting globally.

B. Component Motion Map

Motion Primitives (Reusable)

Before the component table — define these 3 reusable animation variants in a shared file (`src/lib/motion.ts`):

```typescript
```

```
// These are the ONLY animation variants needed for the entire site.

export const fadeUp = {
  hidden: { opacity: 0, y: 20 },
  visible: {
    opacity: 1,
    y: 0,
    transition: { duration: 0.3, ease: [0.33, 1, 0.68, 1] }
  }
};

export const fadeUpSlow = {
  hidden: { opacity: 0, y: 24 },
  visible: {
    opacity: 1,
    y: 0,
    transition: { duration: 0.5, ease: [0.33, 1, 0.68, 1] }
  }
};

export const staggerContainer = {
  hidden: {},
  visible: {
    transition: { staggerChildren: 0.06 } // 60ms
  }
};

export const staggerContainerSlow = {
  hidden: {},
  visible: {
    transition: { staggerChildren: 0.08 } // 80ms
  }
};
```

Component Motion Table

Component	Trigger	Animation	Duration / Easing	Notes
Header (sticky)	Page scroll ≥ 72px	Shadow fades in: `box-shadow` transitions from `none` to `--shadow-nav`. No size change, no shrink.	`150ms` / `easeOutQuart`	CSS-only, no Framer Motion needed. Use `classList` toggle on scroll. NO header shrink — it's a gimmick.

Component	Trigger	Animation	Duration / Easing	Notes
Hero section	Page load (instant)	**No scroll reveal.** Content renders immediately at full opacity. Gold underline animates width from `0` → `120px` after a 200ms delay.	Underline: `500ms` / `easeInOutCubic`	This is the ONE signature animation. Hero text must be instant for LCP score.
Hero trust line	Page load	Fade in from `opacity: 0` → `1`, no transform. 400ms delay after page load.	`300ms` / `easeOutCubic`	Very subtle — just fades in below the CTA buttons.
CTA buttons (all)	Hover	`scale(1.02)` + shadow deepens to `--shadow-md`.	`150ms` / `easeOutQuart`	`active: scale(0.98)` for tap feedback. Gold CTA: slight background darken on hover.
CTA buttons (all)	Focus (keyboard)	Gold focus ring appears (`outline: 2px solid --color-focus`). No scale.	`0ms` (instant)	Accessibility: focus ring must be instant, never animated.
Service cards	Scroll into view	`fadeUp` variant. Stagger: `60ms` across grid.	`300ms` / `easeOutCubic`	Use `whileInView` with `viewport={{ once: true, amount: 0.2 }}`. Cards should be ~20% visible before animating.
Service cards	Hover	`translateY(-2px)` + shadow transitions from `--shadow-sm` → `--shadow-md`.	`150ms` / `easeOutQuart`	CSS transition, not Framer Motion. Keep hover on CSS for performance.
Process steps	Scroll into view	`fadeUp` with stagger: `80ms` between steps. Steps animate LEFT to RIGHT in RTL (visual order: right step first, then next).	`300ms` / `easeOutCubic`	Steps appear one at a time, creating a "building" effect. The step numbers should be visible before the text.
About teaser (partner cards)	Scroll into view	`fadeUp` variant. Two cards stagger: first card, then 80ms later, second card.	`300ms` / `easeOutCubic`	Partner photos (or placeholders) are included in the fade-up — no separate image reveal.

Component	Trigger	Animation	Duration / Easing	Notes
Knowledge teaser (article cards)	Scroll into view	`fadeUp` + stagger `60ms`. Identical to service cards.	`300ms` / `easeOutCubic`	Consistency: every card grid uses the same pattern.
Article cards	Hover	Same as service cards: `translateY(-2px)` + shadow deepen.	`150ms` / `easeOutQuart`	CSS transition.
Category chips (filter bar)	Click/toggle	Active chip: background color transition (surface → navy), text color transition (muted → white).	`150ms` / `easeOutQuart`	CSS transition on `background-color` and `color`. No transform.
FAQ accordion	Click to expand	Height animates from `0` → auto using Framer Motion `AnimatePresence` + `motion.div` with `initial/animate/exit`. Chevron rotates `0deg` → `180deg`.	`250ms` / `easeOutQuart`	Use `layout` prop for smooth height. Answer text fades in (`opacity 0→1`, 100ms delay after height starts).
FAQ accordion	Click to collapse	Reverse: opacity fades first, then height collapses.	`200ms` / `easeOutQuart`	Slightly faster on close than open — feels snappier.
CTA block (navy)	Scroll into view	`fadeUp` variant on the text group only. Buttons fade in 100ms after text.	`300ms` / `easeOutCubic`	The navy background itself does NOT animate — it's a full-width block that's simply there.
Footer	None	**No animation.** Footer is always fully visible when scrolled to.	—	Animating footers is a red flag for "template site."
Section headers (H2 + gold underline)	Scroll into view	H2 text: `fadeUp`. Gold underline: width animates from `0` → `80px`, starting 150ms after the H2 appears.	H2: `300ms`. Underline: `400ms` / `easeInOutCubic`	This is the brand signature — the gold line "drawing" itself. Use `scaleX(0→1)` with `transform-origin: right` (RTL).
Mobile nav menu	Hamburger click	Menu slides in from RIGHT (RTL). Background overlay fades in. Nav links stagger in from top: `40ms` delay each.	Menu slide: `300ms` / `easeOutCubic`. Links: `200ms` each.	Slide from right because RTL. Menu should cover full viewport height.

Component	Trigger	Animation	Duration / Easing	Notes
Mobile sticky CTA bar	First scroll (appears)	Slides up from bottom: `translateY(100%) → translateY(0)`.	`300ms` / `easeOutCubic`	Only appears after user scrolls past hero. Subtle: 48px height, semi-transparent until hovered.
Gold underline (generic)	Scroll into view	`scaleX(0) → scaleX(1)`, origin: right (RTL).	`400ms` / `easeInOutCubic`	Used on all SectionHeaders. The "drawing" effect is subtle but distinctive.
Pain/value cards	Scroll into view	`fadeUp` + stagger `60ms`.	`300ms` / `easeOutCubic`	Same grid pattern as service cards.

What NOT to Animate

Element	Why No Animation
Hero H1 text	LCP — must render instantly for Core Web Vitals
Footer	Animating footer = cheap template feel
Logo	Static. Premium logos don't bounce or fade.
Nav links (desktop)	Already visible in sticky header. Hover underline is sufficient.
Page-to-page transitions	Not in scope for V1. Adds complexity, minimal trust ROI for CPA site.
Background colors	Section backgrounds are full-width blocks — they don't animate or parallax.
Scroll progress indicator	Not appropriate for a CPA site. This is a blog/editorial pattern.
Numbers / counter animations	Tempting for financial firm, but our homepage has no standalone statistics section. Revisit if added later.

C. Premium Polish Checklist (Non-Motion)

Hover / Focus States System

Element	Hover	Focus (keyboard)	Active (press)
Primary button	bg darkens (`--color-btn-primary-hover`), `scale(1.02)`	2px gold outline, 2px offset. No scale.	`scale(0.98)`, bg `#001030`

Element	Hover	Focus (keyboard)	Active (press)
Secondary button	bg → `--color-surface`	2px gold outline, 2px offset	bg → navy, text → white (inverts)
Ghost button	text → gold, underline appears	2px gold outline	text → `--color-primary-dark`
Gold CTA button	bg darkens to `#B0A060`	2px navy outline (not gold — needs contrast)	`scale(0.98)`
Card (any)	`translateY(-2px)`, shadow `--shadow-sm` → `--shadow-md`	2px gold outline on card border	`translateY(0)`, shadow returns to `--shadow-sm`
Inline link	color → gold, underline thickens	2px gold outline, 2px offset	color → `--color-primary-dark`
Tag/pill	border color darkens slightly	2px gold outline	bg → navy (same as active state)
FAQ question row	bg → `--color-surface` (subtle highlight)	2px gold outline	—
Nav link (desktop)	gold underline slides in from right (2px height)	2px gold outline, 2px offset	—
Mobile menu item	bg → `--color-surface`	2px gold outline	—

System-level rules:

- Focus rings are ALWAYS visible on keyboard navigation (`:focus-visible`), NEVER on mouse click (`:focus:not(:focus-visible)`)
- All interactive elements must have `cursor: pointer`
- Disabled elements: `cursor: not-allowed`, `opacity: 0.5`, no hover/focus effects
- Tab order follows visual RTL order (right to left, top to bottom)

Loading States

Scenario	Pattern	Implementation
Article card grid loading	Skeleton cards: gray rectangles matching card layout (title bar, 2 text lines, tag pill, date). Subtle shimmer animation (gradient slide from right to left in RTL).	3-4 skeleton cards visible while data fetches. Use `animate-pulse` from Tailwind or custom shimmer CSS.

Scenario	Pattern	Implementation
Individual article page	Skeleton for title (wide bar), date (short bar), body (5-6 lines of varying width).	Matches article layout exactly. Transition: skeleton fades out, real content fades in (`opacity`, `150ms`).
Service page	No skeleton needed — static generation (ISR/SSG). Content is pre-rendered.	—
Homepage sections	No skeleton — homepage is SSG. CMS data baked at build time.	—
Image loading	Placeholder: solid `--color-surface` background at correct aspect ratio. Image fades in on load (`opacity 0→1`, `300ms`).	Use `next/image` with `placeholder="blur"` where possible.
Form submission	Button text changes to "שולח..." with a subtle spinner (small, navy, inline). Button disabled during submission.	Spinner: 16px, `border-top: 2px solid navy`, CSS `rotate` animation.

Typography / Spacing Micro-Tweaks

Tweak	What	Why
Heading letter-spacing tightening	H1: `-0.02em`, H2: `-0.01em` (already in tokens)	Tighter headings feel editorial and premium. Already spec'd — ensure it's implemented.
Body text max-width	Limit body text lines to `65ch` (~650px)	Optimal reading line length. Prevents text walls on wide screens.
Paragraph spacing	Margin between paragraphs: `1em` (not `1.5em` or `2em`)	Too much paragraph spacing feels like a school report. `1em` is editorial.
List item spacing	`0.5em` between `<li>` items	Tighter than default browser spacing. Feels intentional.
Caption text tracking	Add `letter-spacing: 0.01em` to caption/meta text	Slightly wider tracking on small text improves legibility.
Button text	`font-weight: 500` (medium), not 600 or 700	Medium weight in buttons feels premium. Bold buttons feel aggressive.
Table cell padding consistency	All cells: `12px 16px` exactly. No variance.	Inconsistent padding is the #1 tell of amateur tables.

Tweak	What	Why
Section vertical padding	Every full-width section: minimum `--space-8` (64px) top and bottom. Hero: `--space-9` (96px).	Generous vertical rhythm is the highest-ROI polish tweak. It makes everything else look better.
Divider lines	`1px solid --color-border`. Never `2px`. Never colored.	Thin, gray, quiet. Thick or colored dividers scream "template."

Small UI Details (Perceived Quality)

Detail	Implementation	Impact
Smooth font rendering	`-webkit-font-smoothing: antialiased; -moz-osx-font-smoothing: grayscale;`	Already in tokens. Verify it's applied. Makes Heebo look crisp.
Selection color	`::selection { background: #C0B07040; color: --color-text; }` — gold tint on text selection	Tiny brand touch. 4 lines of CSS. Every designer notices.
Scrollbar styling (WebKit)	Thin, navy thumb on `--color-surface` track. `8px` width. `border-radius: 4px`.	Removes the default ugly gray scrollbar. Small but meaningful.
Image border-radius consistency	All images: `--radius-lg` (8px). No exceptions.	Mixed radii on images = amateur.
Form input styling	Height: `48px`. Border: `1px solid --color-border`. Focus: border transitions to navy + gold shadow ring.	Generous input height feels professional. Tight inputs feel cheap.
Placeholder text color	`--color-text-muted` at `0.6` opacity	Lighter than muted text — clearly "placeholder," not content.
WhatsApp icon	Use the actual WhatsApp SVG logo (green circle version) sized at 20px inline with button text.	The recognizable green icon paired with navy button = trust + clarity.
Phone icon	Lucide `Phone` icon, 20px, same inline treatment as WhatsApp.	Consistency with WhatsApp CTA pattern.
Smooth scroll for anchor links	`html { scroll-behavior: smooth; }` — but with a JS override that adds offset for sticky header height (72px).	Anchor links (`/#services`) should scroll to the section with header clearance.
"Back to top" on long pages	Small, circular navy button (40px) with Lucide `ChevronUp` icon. Appears after 3 full viewport scrolls. Bottom-left (flow-end in RTL). Fades in.	Only on Knowledge Center article pages (long content). Not on homepage.

D. Implementation Plan (PR-Sized)

Dependency

```bash
npm install motion
# Note: "motion" is the current package name (formerly "framer-motion")
# Version 11+ recommended
```

PR Sequence

PR 5.1.1 — Motion Foundation + Config

Scope: Shared motion config file, `MotionConfig` provider, reduced-motion support. **Files:**

- `src/lib/motion.ts` — all reusable variants (`fadeUp`, `fadeUpSlow`, `staggerContainer`, `staggerContainerSlow`), duration constants, easing constants
- `src/app/layout.tsx` — wrap children in `<MotionConfig reducedMotion="user">`
- `src/styles/globals.css` — add `scroll-behavior: smooth`, `::selection` color, scrollbar styling

Acceptance criteria:

- [ ] `motion` package installed, builds without error
- [ ] `MotionConfig` wrapping root layout
- [ ] All 4 animation variants exported from `src/lib/motion.ts`
- [ ] `prefers-reduced-motion` users see instant content (verify with browser DevTools > Rendering > Emulate prefers-reduced-motion)
- [ ] `::selection` shows gold tint
- [ ] Scrollbar is styled (WebKit browsers)

PR 5.1.2 — Section Reveal System

Scope: Create a reusable `<RevealSection>` wrapper and `<RevealGroup>` (staggered children). **Files:**

- `src/components/motion/RevealSection.tsx` — wraps any section content, applies `fadeUp` on scroll into view
- `src/components/motion/RevealGroup.tsx` — wraps a group of children, applies stagger container
- `src/components/motion/RevealItem.tsx` — individual stagger child item

Framer Motion primitives used:

```tsx
```

```
// RevealSection.tsx
<motion.div
  variants={fadeUp}
  initial="hidden"
  whileInView="visible"
  viewport={{ once: true, amount: 0.15 }}
>
  {children}
</motion.div>

// RevealGroup.tsx
<motion.div
  variants={staggerContainer}
  initial="hidden"
  whileInView="visible"
  viewport={{ once: true, amount: 0.1 }}
>
  {children}
</motion.div>

// RevealItem.tsx
<motion.div variants={fadeUp}>
  {children}
</motion.div>
```

Acceptance criteria:

- [ ] `RevealSection` fades up content when 15% visible
- [ ] `RevealGroup` + `RevealItem` staggers children at 60ms intervals
- [ ] Animations trigger only once (`once: true`)
- [ ] Reduced motion: content appears instantly
- [ ] RTL: no horizontal slide (pure vertical `translateY`)

PR 5.1.3 — Gold Underline Animation

Scope: Animate the brand signature gold underline on `SectionHeader` and Hero. **Files:**

- Update `src/components/ui/SectionHeader.tsx` — gold underline animates `scaleX(0→1)` from right (RTL origin)
- Update Hero section — gold underline under H1 animates after 200ms delay

Implementation:

```tsx
```

```
// Gold underline: scaleX animation, origin right (RTL)
<motion.div
  className="h-[3px] w-[80px] bg-accent origin-right"
  initial={{ scaleX: 0 }}
  whileInView={{ scaleX: 1 }}
  viewport={{ once: true }}
  transition={{ duration: 0.4, ease: [0.65, 0, 0.35, 1], delay: 0.15 }}
/>
```

Acceptance criteria:

- [ ] Every `SectionHeader` gold underline animates from right to left (RTL)
- [ ] Hero gold underline animates on page load (200ms delay)
- [ ] Duration: 400ms with `easeInOutCubic`
- [ ] Reduced motion: underline appears at full width instantly

---

PR 5.1.4 — Homepage Section Reveals

Scope: Apply `RevealSection` and `RevealGroup` to all homepage sections from M5. **Files:** Update all homepage section components:

- Pain/Value cards → `RevealGroup` + `RevealItem`
- Services grid → `RevealGroup` + `RevealItem`
- Process steps → `RevealGroup` (with `staggerContainerSlow` for 80ms) + `RevealItem`
- About teaser → `RevealSection` on container, `RevealGroup` on partner cards
- Knowledge teaser → `RevealGroup` + `RevealItem` on article cards
- FAQ accordion → `RevealSection` on container only (individual items don't stagger)
- CTA block → `RevealSection`
- Hero → NO reveal (already visible). Only gold underline and trust line have motion.

Acceptance criteria:

- [ ] Scrolling through homepage, each section reveals with fadeUp as it enters viewport
- [ ] Card grids (services, articles, pain cards) stagger at 60ms
- [ ] Process steps stagger at 80ms
- [ ] Hero content is instant — no fade on initial load
- [ ] Footer has NO animation
- [ ] Smooth, consistent rhythm when scrolling at normal speed

---

PR 5.1.5 — Hover & Interactive States Polish

Scope: Refine all hover, focus, active, and disabled states per the spec. **Files:** Update component CSS across:

- `Button.tsx` — add `scale(1.02)` hover, `scale(0.98)` active, gold focus ring on `:focus-visible`
- `Card.tsx` — ensure `translateY(-2px)` + shadow transition on hover
- `Tag.tsx` — border color darken on hover, gold focus ring
- `Accordion.tsx` — question row bg change on hover, chevron rotation
- Nav links — gold underline slide-in on hover (CSS `::after` pseudo-element, `scaleX(0→1)` from right)
- Inline links — color transition to gold on hover

Implementation note: ALL hover/focus states should be pure CSS transitions (not Framer Motion). Framer Motion is for scroll reveals only. CSS is more performant for hover states.

Acceptance criteria:

- [ ] Every interactive element has visible hover state
- [ ] Every interactive element has `:focus-visible` gold ring
- [ ] Button scale transitions feel smooth (150ms, easeOutQuart)
- [ ] Card hover lift is subtle (2px, not dramatic)
- [ ] Nav link hover underline animates from right (RTL)
- [ ] No focus ring appears on mouse click
- [ ] Tab through entire homepage — all interactive elements reachable and visually focused

---

PR 5.1.6 — Accordion Motion Polish

Scope: Smooth FAQ accordion expand/collapse with Framer Motion. **Files:** Update `Accordion.tsx`

Implementation:

```tsx
```

```
// Use AnimatePresence for mount/unmount of answer content
<AnimatePresence initial={false}>
  {isOpen && (
    <motion.div
      key="answer"
      initial={{ height: 0, opacity: 0 }}
      animate={{ height: "auto", opacity: 1 }}
      exit={{ height: 0, opacity: 0 }}
      transition={{
        height: { duration: 0.25, ease: [0.25, 1, 0.5, 1] },
        opacity: { duration: 0.15, delay: isOpen ? 0.1 : 0 }
      }}
      style={{ overflow: "hidden" }}
    >
      <div className="pb-4">{answer}</div>
    </motion.div>
  )}
</AnimatePresence>

// Chevron rotation
<motion.div
  animate={{ rotate: isOpen ? 180 : 0 }}
  transition={{ duration: 0.25, ease: [0.25, 1, 0.5, 1] }}
>
  <ChevronDown size={20} />
</motion.div>
```

Acceptance criteria:

- [ ] Accordion opens smoothly (height 0→auto, 250ms)
- [ ] Accordion closes slightly faster (200ms)
- [ ] Answer text fades in 100ms after height starts expanding
- [ ] Chevron rotates 180° smoothly
- [ ] No content jump or layout shift during open/close
- [ ] Reduced motion: instant open/close (no height animation)

PR 5.1.7 — Mobile Menu + Sticky CTA Bar Motion

Scope: Mobile navigation slide-in and bottom sticky CTA bar appearance. **Files:**

- Update mobile menu component — slide from right, backdrop fade, link stagger
- Create/update mobile sticky CTA bar — slide up from bottom on first scroll past hero

Mobile menu:

```tsx
<AnimatePresence>
  {isOpen && (
    <>
      {/* Backdrop */}
      <motion.div
        initial={{ opacity: 0 }}
        animate={{ opacity: 1 }}
        exit={{ opacity: 0 }}
        transition={{ duration: 0.2 }}
        className="fixed inset-0 bg-black/30 z-40"
        onClick={close}
      />
      {/* Menu panel */}
      <motion.nav
        initial={{ x: "100%" }}  // Slides from RIGHT (RTL)
        animate={{ x: 0 }}
        exit={{ x: "100%" }}
        transition={{ duration: 0.3, ease: [0.33, 1, 0.68, 1] }}
        className="fixed top-0 right-0 h-full w-[280px] bg-white z-50"
      >
        {/* Links with stagger */}
      </motion.nav>
    </>
  )}
</AnimatePresence>
```

Acceptance criteria:

- [ ] Mobile menu slides in from RIGHT side (RTL)
- [ ] Backdrop fades in simultaneously
- [ ] Nav links stagger in from top (40ms between each)
- [ ] Closing: menu slides out to right, backdrop fades out
- [ ] Sticky CTA bar appears after scrolling past hero section
- [ ] Sticky CTA bar slides up from bottom (300ms)
- [ ] Sticky CTA bar has WhatsApp + Phone buttons

PR 5.1.8 — Loading States + Final Polish

Scope: Skeleton loaders, image load transitions, form states, final micro-details. **Files:**

- Create `src/components/ui/Skeleton.tsx` — reusable skeleton component (bar, circle, card variants)
- Update image components — fade-in on load

- Update contact form — loading state on submit button
- Add smooth scroll offset for anchor links (accounting for 72px sticky header)
- Add `back-to-top` button for article pages

Acceptance criteria:

- [ ] Skeleton components exist and match content layout dimensions
- [ ] Images fade in when loaded (300ms opacity transition)
- [ ] Form submit button shows spinner + "שולח..." during submission
- [ ] Anchor links (`/#services`) scroll smoothly with header offset
- [ ] Article pages have back-to-top button (appears after 3 viewports scrolled)
- [ ] All micro-details from Section C applied: selection color, scrollbar, input heights, placeholder opacity

---

Guardrails — What to Avoid

❌ Never Do	Why
Parallax scrolling (background moves at different speed)	Causes motion sickness, degrades mobile performance, feels "startup-y"
Page transitions (route change animations)	Not in V1. Adds complexity, breaks back button expectations.
Animated backgrounds (gradients, particles, patterns)	Brand Contract: no decorative clutter
Spring/bounce physics	Too playful for CPA firm. Use easeOut curves only.
Text split-by-character animation	Slow, gimmicky, hurts readability for Hebrew (right-to-left character reveal feels backwards)
Counter/number roll-up animations	No standalone statistics section in V1 to justify it
Infinite logo ticker	Shamalov does this — it feels cheap without proper fade edges and hover-pause. Skip for V1.
Hover effects that change layout	No elements that grow/expand on hover and push siblings around
Animation on scroll UP (reverse)	Animations trigger once and stay. No reverse on scroll-up.
Any animation longer than 500ms	Longer = sluggish. If it needs more time, the effect is too complex.

M5.1 Acceptance Criteria (One-Page QA Checklist)

Motion Quality

- [ ] Hero content appears instantly on page load (no fade-in delay)
- [ ] Hero gold underline animates width after 200ms (the brand signature)
- [ ] Every homepage section reveals on scroll with consistent `fadeUp` pattern
- [ ] Card grids (services, articles, pain cards) stagger at 60ms intervals
- [ ] Process steps stagger at 80ms intervals
- [ ] Footer has zero animation
- [ ] All animations use `easeOutCubic` or `easeOutQuart` (no linear, no default ease)
- [ ] No animation exceeds 500ms duration
- [ ] No transform exceeds 24px translate or 1.03 scale

Interaction Quality

- [ ] Every button has hover (scale 1.02) + active (scale 0.98) + focus (gold ring) states
- [ ] Every card has hover lift (-2px) + shadow deepen
- [ ] Nav links have gold underline hover from right (RTL)
- [ ] FAQ accordion opens/closes smoothly (height + opacity)
- [ ] Chevron rotates 180° on accordion toggle
- [ ] Mobile menu slides from RIGHT (not left)
- [ ] Mobile nav links stagger from top
- [ ] Sticky CTA bar appears on scroll past hero

Accessibility

- [ ] `prefers-reduced-motion: reduce` → all motion disabled, content appears instantly
- [ ] Focus rings visible on ALL interactive elements via keyboard tab
- [ ] Focus rings do NOT appear on mouse click
- [ ] Tab order is correct in RTL (right to left, top to bottom)
- [ ] Accordion is keyboard-accessible (Enter/Space to toggle)

Polish

- [ ] Text `::selection` has gold tint
- [ ] Scrollbar is styled (thin, navy thumb)
- [ ] Body text max-width capped at `65ch` in reading contexts
- [ ] Section vertical padding is minimum 64px
- [ ] Form inputs are 48px height with smooth focus transition
- [ ] Images fade in on load
- [ ] Anchor link scroll accounts for sticky header height (72px offset)

Performance

- [ ] Lighthouse Performance score remains ≥ 90
- [ ] No layout shift from animations (CLS = 0)
- [ ] All Framer Motion animations are `transform` + `opacity` only (GPU-composited)
- [ ] No animation blocks main thread (verify with Chrome DevTools Performance tab)
- [ ] Hero LCP is unaffected (hero content renders without waiting for motion library)

This spec is the single source of truth for M5.1. No deviation without explicit approval. Hand directly to Claude Code.