

Creating Alerts Inside Splunk

lot Secure http://shea134:8000/en-US/manager/search/authentication/changepassword

! 🔍 ⚙️ 🔔 4 ?

i User settings saved.


Personal

Full name	Administrator
Email address	sab229s@missouristate.edu
Old password	Old password
Set password	New password
Confirm password	Confirm new password

Password must contain at least [?]
8 characters

Save

Configuring an email for the alerts to notify



We will go into the **Search & Reporting** tab.

New Search Save As Create Table View Close

index=main sourcetype=access_combined status=404 Time range: Last 24 hours Search Star

✓ 1 event (7/20/26 3:00:00.000 PM to 7/21/26 3:04:00.000 PM) No Event Sampling Job Pause Refresh Download Smart Mode

Events (1) Patterns Statistics Visualization

Timeline format Zoom Out Zoom to Selection Deselect 1 hour per column

Format Show: 20 Per Page View: List


	Time	Event
>	7/21/26 2:56:31.000 PM	127.0.0.1 - - [21/Jul/2026:14:56:31 +0000] "GET /google HTTP/1.1" 404 488 "-" "Mozilla/5.0 (X11; Ubuntu; Linux x86_64; rv:152.0) Gecko/20100101 Firefox/152.0" host = shea134 source = /var/log/apache2/access.log sourcetype = access_combined

SELECTED FIELDS
a host 1
a source 1
a sourcetype 1

INTERESTING FIELDS

Once in that tab, create a search for **index=main sourcetype=access_combined status=404**.

This will pull the 404 errors from the Apache server that are created in the main.



Save as an alert

Save As Alert ×

Settings

Title

Description

Permissions ☒ Private ☐ Shared in App

Alert type ☒ Scheduled ☐ Real-time

☒ Run every hour ▼

At minutes past the hour

Expires hour(s) ▼

Trigger Conditions

Trigger alert when

Naming the alert and telling it to run every hour on the hour

Save As Alert



Trigger Conditions

Trigger alert when

Number of Results ▼

Is greater than ▼

3

Trigger

Once

For each result

Throttle ?

☐

Trigger Actions

+ Add Actions ▼

When triggered



Send email

Remove

To

sab229s@missouristate.edu

Comma separated list of email addresses.
Email addresses represented by tokens are
validated only at the time of the search.

Cancel

Save

Alert will trigger once there are more than three 404 errors and will send an email to my MSU email

Save As Alert



can include tokens that insert text based on the results of the search. [Learn More](#)

Message

The alert condition for '\$name\$' was triggered.

Include

- | | |
|--|---|
| ☒ Link to Alert | ☒ Link to Results |
| ☐ Search String | ☐ Inline Table ▼ |
| ☐ Trigger Condition | ☐ Attach CSV |
| ☒ Trigger Time | ☒ Attach PDF |
| ☒ Allow Empty Attachment | |

Type

HTML & Plain Text

Plain Text

Cancel

Save

The end of the alerts configuration page