MACHINE LEARNING

In Q1 to Q11, only one option is correct, choose the correct option:

1. Which of the following methods do we use to find the best fit line for data in Linear Regression?
   A) Least Square Error
   B) Maximum Likelihood
   C) Logarithmic Loss
   D) Both A and B

2. Which of the following statement is true about outliers in linear regression?
   A) Linear regression is sensitive to outliers
   B) linear regression is not sensitive to outliers
   C) Can't say
   D) none of these

3. A line falls from left to right if a slope is _____?
   A) Positive
   B) Negative
   C) Zero
   D) Undefined

4. Which of the following will have symmetric relation between dependent variable and independent variable?
   A) Regression
   B) Correlation
   C) Both of them
   D) None of these

5. Which of the following is the reason for over fitting condition?
   A) High bias and high variance
   B) Low bias and low variance
   C) Low bias and high variance
   D) none of these

6. If output involves label then that model is called as:
   A) Descriptive model
   B) Predictive modal
   C) Reinforcement learning
   D) All of the above

7. Lasso and Ridge regression techniques belong to _____?
   A) Cross validation
   B) Removing outliers
   C) SMOTE
   D) Regularization

8. To overcome with imbalance dataset which technique can be used?
   A) Cross validation
   B) Regularization
   C) Kernel
   D) SMOTE

9. The AUC Receiver Operator Characteristic (AUCROC) curve is an evaluation metric for binary classification problems. It uses _____ to make graph?

   A) TPR and FPR B) Sensitivity and precision C) Sensitivity and Specificity D) Recall and precision

10. In AUC Receiver Operator Characteristic (AUCROC) curve for the better model area under the curve should be less.
    A) True
    B) False

11. Pick the feature extraction from below:
    A) Construction bag of words from a email
    B) Apply PCA to project high dimensional data
    C) Removing stop words
    D) Forward selection

In Q12, more than one options are correct, choose all the correct options:

12. Which of the following is true about Normal Equation used to compute the coefficient of the Linear Regression?
    A) We don't have to choose the learning rate.
    B) It becomes slow when number of features is very large.
    C) We need to iterate.
    D) It does not make use of dependent variable.

MACHINE LEARNING

Q13 and Q15 are subjective answer type questions, Answer them briefly.

13. Explain the term regularization?

Regularisation in machine learning prevents overfitting by adding a penalty to the loss function, encouraging simpler models. It includes L1 (Lasso), L2 (Ridge), and Elastic Net methods. The goal is to introduce some bias to reduce variance, resulting in more robust models.

14. Which particular algorithms are used for regularization?

Regularisation techniques are used in various machine learning algorithms to prevent overfitting. These include Linear Regression (Lasso and Ridge), Logistic Regression, Support Vector Machines (SVM), Neural Networks, and Elastic Net.

15. Explain the term error present in linear regression equation?

In linear regression, 'error' is the gap between the actual and predicted value. It's represented by 'e' in the equation $y = mx + c + e$. The aim is to minimise these errors for accurate predictions.