# Procedural Generation

Will Jeynes
Sheffield Game Dev Soc

# DISCUSS:
# Example of a game with infinite worlds

To store every single minecraft world, would millions of times the storage space that exists in the entire world

# Why procedural generation?

- Infinitley large worlds
- Replayability
- Time-Saving
- Dynamic Worlds
- Space Saving



# Section 1: Preliminaries

# Seeded Random

- Computers suck at randomness
- Use complex mathematics and tricks for it to seem random
- We can use this to our advantage
  - By using a seed we can generate numbers that from the outside seem random BUT
  - Re-running the program with the same random requests will net the same results



# Perlin Noise

- Using completley random numbers for things like terrain height can look unnattural
- Perlin noise is a gradient of values 0-1, that move slowly over coordinate space
- Can make it random by offsetting any coorinates sampled



1D



2D



3D

# Perlin Noise - Octaves

- Perlin noise on its own can be a bit too smooth and unnatural
- Layer different noises together to add variation
- Multiply sample position to increase frequency of peaks and troughs
- Use lesser magnitudes to ensure not overpowered



# Spline Points

- Having an even distribution of values might not be what we want
- We might want to favour the top and bottom, or the middle, or something more complicated
- One way to fix this problem:



# Demo Details:

# https://bit.ly/GenDemos

WASD to move around
Q to zoom out, R to zoom in
Random and Perlin generation should make sense

# Section 2: Minecraft

# How does minecraft do it?

- All generation is seed based
- Uses 2D perlin noise for terrain height, 3D for caves
- Uses spline points to ensure cave and overworld generation look good
- Once world shape is in, surface vegetation and buildings are placed ontop

https://youtu.be/CSa5O6knuwI

# Section 3: Other Generation Types

# Random Walks

- Imagine a robot going around and placing items of the world
- He can be as smart or as dumb as needed
- Good for dungeons and connected rooms



# Wave Function Collapse

- Most implementations rely on the concept of “Wang Tiles”
  - Grid based building blocks
  - Rules as to what can be connected to each other (inside connected to inside e.t.c)
- Relies on the concept of Entropy
  - As tiles are placed, it is restricted what can and cannot be placed in a tile
  - Take advangate of tiles that need certain properties
- Running until failure givesa cohesive map
- Demo is a VERY VERY simple example, can be scaled up with more rules for some very cool stuff



# Demo Details:

https://bit.ly/GenDemos

WASD to move around
Q to zoom out, R to zoom in
Radom Walk and WFC should make sense now

# Thanks for listening