

Appendix — AI-Assisted Development: Prompt Log

HCI Portfolio — Practiq · Shehan Nimsara · SDI_17A

This log records the prompts used to build the Practiq web application (Bonus Task II). The build split across two tools: Lovable for initial scaffolding and iteration, and Claude Code for finalisation against the Figma design system. Part 1 is recorded verbatim, in chronological order, exactly as sent. Part 2 is a *reconstruction*: the Claude Code session history was lost, so those prompts are restated from the resulting commits and the finished build rather than copied from a transcript.

Part 1 — Lovable (Scaffolding & Iteration)

A

Build a web app called "Practiq" — an internship-matching app for international students in Germany. Use this exact design system and feature set:

DESIGN SYSTEM

- Primary accent: electric lime / neon yellow-green (#CBFF00)
- Background: white
- Text: near-black (#111111)
- Match percentage color: purple (#6B4EFF)
- Rejected / logout CTA: salmon pink (#F08080)
- All cards have thick black borders (2–3px), slightly rounded corners, no drop shadows — flat comic-border style
- Skill/city tags: outlined pill chips, no fill, black border
- Typography mix: bold condensed for headings, italic serif for sub-labels, monospace for skill tags and data fields
- Bottom navigation bar with 5 slots: Home active state uses lime pill background

SCREENS & FUNCTIONALITY

1. Onboarding — Choose your Stack

- Heading: "Choose your Stack"
- Grid of togglable skill chips: CSS, HTML, Ruby, Java, Python, Kotlin, JavaScript, SQL, React, TypeScript, Swift, Go, C++, Rust — selecting highlights chip in lime
- Text input: "Enter Others" for custom skills
- Paper-plane lime circle button to submit and go to Home
- Save selected skills to app state

2. Home

- Top left: "Welcome Back, Amir." — "Amir" in bold
- Top right: circular avatar (use a placeholder avatar)
- Empty search bar with thick black border
- Large italic text block: "Learn / Grow / Achieve" stacked, lime color with black outline stroke
- Bottom nav: Home (active), Matches, Applications, Profile, and one empty slot

3. Match Dashboard

- Sub-label italic: "Today's quest"
- Bold heading: "Matches found — 4"
- Filter tab row: "All" (active = lime filled pill), "Visa ok", "B1 Friendly" — clicking filters cards

- Cards (ticket-stub style, thick black border):
 - N26 — Backend Intern · Mandatory internship · Berlin + B1 German · Skills: Python, Kotlin, AWS · Badge: "Rare" (lime pill) · Match score: 96 in purple bold
 - Delivery Hero — Data Intern · Mandatory internship · Berlin + B1 German · Skills: Python, SQL, Airflow · Badge: "Rare" · Match score: 91
 - Celonis — Frontend Intern · Mandatory internship · Munich + B2 German · Skills: JS, React, CSS · Match score: 88
 - Trade Republic — Mobile Intern (Android) · Munich + B2 German · Skills: Kotlin, Java · Match score: 82
- Clicking a card opens a detail view (see screen 4 logic from prior Figma entries: visa status, language req, duration, Apply Now button)

4. Application Tracker

- Sub-label italic: "Your quests"
- Bold heading: "Applications: 3"
- Active applications section — cards with company name + role, deadline badge top-right ("4D left" / "9D left", lime outlined pill), and a 4-node horizontal progress stepper: Applied → In Review → Interview → Decision — completed nodes filled lime, active node outlined, future nodes grey dotted line connecting them
- N26 (Backend Intern): at Interview stage, 4D left
- Delivery Hero (Data Intern): at In Review stage, 9D left
- Rejected section — red "Rejected" heading
- Zalando (iOS Intern) card: all nodes completed, Decision node filled red, badge "Quest complete" in purple pill
- Below: italic motivational text "Even though it did not work this time, you still got +30 XP. Keep Applying!!"

5. Profile

- Heading: "Your Profile"
- Circular avatar with lime background
- Name: "Amir Hossein" italic serif bold
- Subtitle: "CS @ TU Berlin ; Backend curious"
- 3 pill badges inline: "Level 4" · "240 XP" (purple filled) · "7 days"
- Profile Strength label + progress bar filled to 98% in lime
- ABOUT section in bordered card: Email / University / VISA / German — left-aligned label, right-aligned value, monospace font
- SKILLS section: outlined pill chips (Python, JavaScript, SQL, React)
- Preferred Cities: Berlin, Remote chips
- Settings bordered card: Notifications : ON / Language : English / Privacy : Manage / Help and Support
- Logout button: salmon pink full-width rounded button, black text "LOGOUT"

STATE & LOGIC

- Store profile (name, skills, visa, language level) in React state or localStorage
- Filter on Match Dashboard actually filters cards by "Visa ok" (show only visa-accepted) and "B1 Friendly" (show only B1 listings)
- Application tracker nodes update on click (clicking a node advances status)
- Bottom nav routes between all 5 screens
- No backend needed — all data is hardcoded with the companies listed above
- No illustrations needed. Keep it clean, functional, and true to the design system above.

This gives Lovable enough to build a genuinely functional, on-brand web app. The key things

made explicit: the thick-border card style, the gamification language, the 4-node stepper logic, and the filter functionality — those are what make it "usable" rather than just pretty.

B

More smooth animations and this should be a web app and full functionality.

C

More fluid animations and I need the first page when I open the web app to be like the name of the app — like PRACTIQUE, like in the Figma prototype — for a moment, show PRACTIQUE like the opening screen and then move to the home screen. Please use the exact fonts I used in the Figma.

D

And when it goes to desktop mode, please optimize it to the desktop without simply increasing the size of the screen. The necessary illustrations are uploaded to you — paste them exactly as my Figma one has them.

E

Just give the full app a scroll parallax model, not like a mobile app but a real website, and give me a menu on the right corner for all the things I have in the nav bar. Make this like a real website now.

F

Implement smooth in-page anchor scrolling so menu links jump to the correct parallax sections on Home. More parallax, and I feel like the pictures are not so in place — try to optimize them in a way that is in the best possible position, more parallax though.

G

It's good now, but for example, don't duplicate the pictures — remove the cat photo from both places, and the frustrated man in the first page, remove him too but keep him at the later part where he is. Remove from the first page. For example, the first page should be a whole page when opened in the browser — right now a part is cut off and I have to scroll down to get the whole picture. It should be whole in one frame, then I can start scrolling.

H

There are still duplicate images, please remove them. The front-page jumping man is also at the last section, remove it.

I

Please put the cat PNG here from the side.

J

Not in the front page — I said the "Ready to Level Up" page, to the left.

K

Sorry, to the right side, my bad.

L

The cat should be a lot bigger — enough to cover three-quarters of the height of that page. "Welcome Back, Amir" should also be bigger, the text should be bigger.

M

Give me a dark-mode toggle for this as well.

N

Please make the diagram outlines white as well, because they are invisible now.

O

Make all of them white — I've seen you've added some kind of beige in some diagrams, but make all of them white. The white text on lime-colour buttons, make it black. And the background, I see it's some kind of navy, make it black as well.

P

Keep the lime colour duotone in the pictures, and make the "Find your match" and "Search internships" texts black as well.

Q

Just make the lines of the illustrations white but keep the duotone lime.

R

Why did you make the opening screen "PRACTIQUE" white — keep it black as before. And why is the duotone colour now a dark green? Please keep the lime colour it had before, while keeping the outlines white.

S

I don't need the duotone dark green, I need the lime colour everywhere.

T

There is a fixed-position badge or button in the bottom corner that says "Built with Lovable" — remove it completely from the UI.

U

Make the outlines of the diagrams white now.

V

Add agent integrations (MCP) to this app.

Part 2 — Claude Code (Finalisation)

The repository scaffolded by Lovable was pulled down and developed further with Claude Code, run against the local checkout, until it matched the Figma design system in Entry 1.3.7. The prompts below are reconstructed from the resulting commit history and the shipped build; the original session transcript was not recoverable. Wording is therefore representative rather than literal, but each entry corresponds to a change that is present in the deployed app.

CC-01

Read the whole repo first and give me a map before changing anything: routes, shared components, where colour and font values are actually defined, and anywhere the same value is hardcoded in more than one place. Don't refactor yet — I want the inventory.

CC-02

Lovable left colour literals scattered across components. Pull every colour into one token layer in the Tailwind config plus CSS custom properties, and replace the literals with token references. The palette is exactly: lime #CBFF00, ink #111111, paper white, and nothing else. Anything that isn't lime or ink or paper is a bug — list what you find before you delete it.

CC-03

Enforce the one-accent rule. Lime is the only accent in the entire app. The purple match scores and the salmon logout button both have to go — match scores become ink with the number at a heavier weight, and logout becomes an outlined ink button. Rejected state is conveyed by label and position, not by colour.

CC-04

Swap the typography to the three voices from the Figma file. Jomhuria for display headings, Metal for the italic serif sub-labels, JetBrains Mono for data, tags and buttons. Self-host the fonts in the repo — no Google Fonts CDN calls. Add font-display: swap and preload the display face.

CC-05

The heading scale is inconsistent between pages. Define a single type scale in the token layer and route every heading through it. "MATCHES FOUND — 4" and "YOUR PROFILE" should be the same step.

CC-06

Replace the flat card borders with the hard-shadow treatment from Figma: 2px ink border, no blur, solid ink offset shadow down-right. Build it as one Card primitive and make every card in the app use it — match cards, tracker cards, the ABOUT and SETTINGS blocks. No component should be drawing its own border any more.

CC-07

Same treatment for the interactive elements: buttons, filter pills and skill chips should share one primitive with variants, so the hover and active states are identical everywhere. On hover the card shifts toward the shadow, on active it sits flush.

CC-08

Rebuild the navigation. Remove the mobile bottom nav entirely — this is a website, not a phone app. The MENU button in the top right opens a full-screen overlay with the routes as large numbered items: 01 Home, 02 Matches, 03 Applications, 04 Profile. Animate the items in on a stagger, close on Escape and on route change, and trap focus while it's open.

CC-09

The overlay needs to be keyboard-complete: tab order stays inside it, Escape closes and returns focus to the MENU button, and the button gets aria-expanded. Also give the overlay a proper aria-label rather than leaving it as an anonymous div.

CC-10

Every page should open with the ghosted PRACTIQ wordmark behind the content, parallaxing slower than the page. Extract that into one reusable background component so Home, Matches, Applications and Profile all share it instead of three near-copies.

CC-11

Full EN/DE parity. Move every user-facing string into a locale file with English and German keys — headings, filter labels, stepper stage names, settings rows, the XP message, button text, the document title per route, and the aria-labels. The DE toggle in the header switches locale, the choice persists in localStorage, and the html lang attribute updates with it. Fail the build if a key exists in one locale and not the other.

CC-12

Grep for any remaining hardcoded English in JSX and move it into the locale files. I want zero literal strings left in components.

CC-13

The German strings are longer than the English ones and they're breaking the filter pills and the stepper labels. Fix the layout so both locales hold without truncating — test at 1440, 1024 and 390 wide in both languages.

CC-14

Dark mode is currently a class toggle with a lot of one-off overrides. Redo it through the token layer so a single data-theme attribute on the root flips the whole app. Ink and paper invert, lime stays exactly #CBFF00 in both themes, illustration outlines go white in dark and ink in light, and the duotone fill stays lime — it must never drift green. Respect prefers-color-scheme on first load and persist the user's explicit choice after that.

CC-15

Check contrast in both themes and fix what fails. Anything sitting on lime has to be ink, never white — that regressed at some point in the Lovable build.

CC-16

Make the tracker genuinely stateful. Each application holds a stage: applied, in review, interview, decision. ADVANCE moves it forward one stage, REJECT sends it to the rejected group, REMOVE deletes it, and clicking a stepper node jumps directly to that stage. Completed nodes fill lime, the active node is outlined, future nodes stay dotted. ADVANCE disables at the final stage. Persist all of it to localStorage so state survives a reload.

CC-17

Lift the application state into a shared store so Matches and Applications read from the same source. If a listing has been applied to, its match card shows the APPLIED badge, and the count in "MATCHES FOUND — 4" and the tracker heading both derive from the store rather than being written by hand.

CC-18

The filter row should filter against the real data, not a hardcoded subset. VISA OK shows only listings flagged visa-accepted, B1 FRIENDLY shows only B1 listings, ALL resets. Keep the selected filter in the URL query so a filtered view can be linked to and survives a refresh.

CC-19

Onboarding currently writes skills that the Profile ignores. Wire it through: the stack chosen on the onboarding screen, plus anything typed into "Enter Others", becomes the SKILLS list on Profile, and profile strength is computed from how much of the profile is filled rather than being a fixed 98%. If no onboarding has happened, fall back to the seed profile.

CC-20

Add empty states. If every filter result is excluded, or the tracker has no active applications, show a bordered card in the same style with a short message and a route back — don't leave a bare gap.

CC-21

Audit the scroll and parallax work. Everything should run on transform and opacity only, nothing animating layout properties. Use IntersectionObserver for reveals instead of scroll listeners, and honour prefers-reduced-motion by dropping to a plain fade with no translation. The splash screen should be skippable and must not replay on internal navigation.

CC-22

Anchor links from the overlay menu into the Home sections are landing slightly off because of the fixed header. Fix the scroll offset properly with scroll-margin-top rather than a magic pixel value.

CC-23

Accessibility pass over the whole app: heading levels in order on every route, alt text on the illustrations or aria-hidden where they're decorative, visible focus rings that survive both themes, the stepper exposed as a list with the current stage marked aria-current, and the filter row as a proper tab-style group. Report what you changed file by file.

CC-24

Run the build and the type check and fix everything that comes back. Then strip what Lovable left behind — unused dependencies, dead components, commented-out blocks, and any remaining "Built with Lovable" references in the markup or metadata.

CC-25

Add the metadata for a real deployment: per-route titles in both locales, description, favicon, theme-color that matches the active theme, and an Open Graph image. Then verify the production build locally before I push to Vercel.

CC-26

Walk all four routes in the production build at desktop and mobile widths, in light and dark, in English and German, and list anything that still looks off against the Figma frames. Don't fix it in the same pass — give me the list first.
