

IO SKY

AI Receptionist

Functional Specification

Developer Implementation Specification

Version	1.0
Status	Approved functional baseline
System	IO SKY Platform
Companion documents	AI Receptionist Conversation & Response Playbook; IVR Functional Specification

Implementation principle: The AI Receptionist must be natural, human-like in conversational quality, intelligent and context-aware, while transparently identifying itself as AI. It must never behave like a rigid script, robotic voice menu or generic voice chatbot.

1. Purpose

The IO SKY AI Receptionist is the intelligent first-line telephone receptionist for IO SKY. It must not be implemented as a generic voice chatbot, FAQ bot, simple call-routing assistant, or demonstration feature.

The AI Receptionist must function as a genuine operational receptionist capable of receiving incoming calls, understanding why the caller is contacting IO SKY, conducting natural conversations in Dutch and English, answering authorised questions using approved IO SKY knowledge, understanding relevant business context, collecting only information required for the purpose of the call, recognising prospects and existing relationships where possible, supporting Discovery Call scheduling, securely supporting permitted booking changes, identifying when human involvement is required, determining operational urgency, checking actual human availability before a live transfer, transferring calls where appropriate, creating callbacks when human assistance is unavailable, creating structured call summaries, maintaining relevant communication context, triggering authorised platform actions, creating appropriate notifications, and falling back safely when AI functionality is unavailable.

The caller must be informed that they are speaking with the IO SKY AI Receptionist. The objective is not deception. After that disclosure, the interaction must be sufficiently natural, responsive and intelligent that the technology does not become an obstacle to the conversation.

2. Specification Set and Authority

This document defines the functional operating model of the AI Receptionist. It is jointly authoritative with the separate AI Receptionist Conversation & Response Playbook. Compliance with this functional specification alone does not constitute complete implementation of the AI Receptionist.

The Conversation & Response Playbook defines how the Receptionist speaks and responds in concrete scenarios. It cannot grant permissions or capabilities beyond this Functional Specification. The separate IVR Functional Specification governs the traditional menu, DTMF, queue, routing and telephony fallback layer. Shared telephony requirements must be implemented consistently across the documents.

3. Core Operating Principle

Receive -> Understand -> Contextualise -> Clarify if necessary -> Determine permitted action -> Act or escalate -> Confirm -> Record relevant outcome

The AI must first understand what the caller actually needs. It must not immediately push a product, Discovery Call, AI Scan or human transfer merely because a keyword was detected. Conversation must be contextual and adaptive, not a fixed question sequence.

4. Launch Operating Model

The AI Receptionist is the first intelligent point of contact for incoming IO SKY telephone calls unless Super Admin explicitly configures another routing behaviour.

At launch IO SKY may have one primary human operator. The architecture must not be designed as a single-person telephone system. Multiple call classifications may initially route to the same person while remaining separate configurable categories.

- Sales / Discovery
- Existing Client
- Project / Delivery
- Support
- Billing / Administration
- Privacy / Security
- Other

The architecture must support future employees, telephone numbers, SIP users, queues, routing destinations, availability rules and escalation paths without rebuilding the AI Receptionist.

5. Availability and Business Hours

5.1 AI availability

The AI Receptionist must be capable of operating 24 hours per day, 7 days per week, subject to provider and platform availability.

5.2 Human live-transfer window

Initial human live-transfer hours are Monday-Friday, 09:00-17:00, Europe/Amsterdam. These hours mean that a transfer may be attempted; they do not guarantee that a human is actually available. Actual destination availability must be checked before the caller is told that a colleague is available.

5.3 Weekends and outside hours

The AI remains available. Standard human live transfer is unavailable unless Super Admin later configures an authorised after-hours destination. The AI must first try to help within its approved capabilities instead of simply saying that IO SKY is closed.

5.4 International callers

Europe/Amsterdam is the authoritative IO SKY business timezone. When hours are relevant, the AI must identify them as Amsterdam time. Time-of-day greetings are not used because callers may be international.

6. Initial Greeting

NL: “Welkom bij IO SKY. U spreekt met de AI Receptionist. Waarmee kan ik u helpen?”

EN: “Welcome to IO SKY. You’re speaking with the AI Receptionist. How can I help you?”

The greeting must remain short, transparent, professional and non-promotional. The system must not begin every call with a long legal or privacy statement unless a specific processing operation requires an additional notice.

7. Languages

Launch languages are Dutch and English. The system must detect the supported language being used and continue naturally in that language. If the caller switches between Dutch and English, the Receptionist should follow naturally. Additional languages must be capable of being added later through configuration/provider capability without redesigning the Receptionist architecture.

8. Voice Persona and Conversational Quality

The primary launch voice must be an adult female professional voice. Voice selection must remain administratively configurable.

Calm · Controlled · Confident · Clear · Professional · Intelligent · Natural · Attentive

The voice should be warm enough to be approachable and restrained enough for a premium B2B technology company. Dutch pronunciation must sound natural and English must be highly intelligible and professionally natural.

The voice and conversation must never feel like a rigid script, generic call-centre bot or voice menu disguised as AI. The Receptionist must listen, understand context, respond to what was actually said, ask one relevant question at a time where necessary, and retain relevant conversational context.

- No childish, excessively cheerful or theatrical voice.
- No flirtatious, seductive, robotic or aggressively commercial delivery.
- No repetitive acknowledgement after every caller statement.
- No unnecessary jargon or long monologues.
- No mechanical restart of a script after interruption or topic change.

9. Natural Conversation Behaviour

The Receptionist must support caller interruption, pauses, hesitation, self-correction, corrections to previously supplied information, topic changes, incomplete sentences, reasonable background noise, requests to repeat, and additional information supplied later in the conversation.

It must not repeatedly ask for information already clearly supplied. If speech cannot reliably be understood, it should naturally ask the caller to repeat or clarify. Repeated failure must lead to a safe fallback rather than fabricated understanding.

10. Consultative IO SKY Conversation Model

Objective -> Current Situation -> Friction / Problem -> Business Impact -> Existing Process / Systems -> Desired Outcome -> Priority -> Appropriate Next Step

This is a reasoning framework, not a mandatory questionnaire. The AI should ask only questions that materially help it understand the caller's request. It must not diagnose an organisation from a short call or immediately recommend a product before understanding the underlying need.

Detailed scenario wording and response patterns are governed by the separate Conversation & Response Playbook.

11. Knowledge and Instruction Layer

The Receptionist must operate from a governed IO SKY Knowledge & Instruction Layer containing only approved business knowledge and behavioural instructions.

- Company information and approved terminology
- Services and ecosystems
- Operations Scan, Cyber Scan and Elite Scan information
- Approved published AI Scan prices and inclusions
- Discovery Call and Contact process information
- Approved FAQs
- Opening hours
- Routing and escalation policies
- Approved commercial explanations
- Conversation guidance
- Prohibited statements
- Verification and security rules

The three commercial AI Scan products are Operations Scan, Cyber Scan and Elite Scan. They are paid products. Any legacy Free / Growth / Elite implementation must not become the commercial truth of the Receptionist. The AI may only communicate the currently approved public pricing and product facts supplied through governed knowledge.

The AI must not invent missing policies, prices, services, commitments or capabilities.

12. Knowledge Governance and Versioning

Super Admin must be able to maintain approved Receptionist knowledge and instructions without source-code changes for normal operational updates. Important changes must be versioned and auditable so IO SKY can determine what was active, what changed, who changed it and when.

13. Hallucination and Uncertainty

The AI must never fabricate an answer merely to continue the conversation. If authorised information is unavailable, it should clarify where useful. If uncertainty remains, it must explain that the matter requires confirmation by a colleague and create the appropriate human follow-up where required.

Internal model confidence values must not be exposed to callers.

14. Prohibited Behaviour

- Invent prices or provide unapproved bespoke project estimates.
- Create quotations or promise discounts/refunds.
- Change commercial or contractual terms.
- Accept contractual terms or make legal determinations.
- Admit liability or promise compensation.
- Guarantee delivery dates, response times or technical feasibility without an authorised rule.
- Disclose confidential internal information, another client's information, credentials or secrets.
- Bypass verification or backend authorization.
- Declare a security incident or data breach confirmed without authorised human assessment.
- Promise a specific callback time without an authorised service commitment.
- Claim that a human is available without checking actual availability.

15. Published Pricing

The AI may state only prices explicitly approved for public communication through governed knowledge. For bespoke/custom work it must not invent or estimate a project price. It should explain that IO SKY first determines what the organisation needs and the appropriate scope before a commercial proposal can be established.

16. Primary Call Categories

- New Prospect / Sales
- Discovery Call
- Existing Client
- Project / Delivery
- Support
- Billing / Administration
- Privacy / Security
- Complaint
- General Information
- Unknown / Other

Categories must be configurable/extensible. Classification informs workflow, permissions, urgency, routing and follow-up; it does not imply separately staffed departments.

17. New Prospect / Sales

The Receptionist may collect relevant name, organisation, business contact details where necessary, reason for contact, business context, problem/need, desired outcome and appropriate requested follow-up. It must understand the prospect before suggesting a next step and must not turn every enquiry into a Discovery Call pitch.

18. Discovery Call and Booking

The Receptionist must integrate with the same authoritative Discovery Call availability and booking logic used by the IO SKY platform. It may explain the Discovery Call, retrieve actual availability, offer valid slots, create an appointment and, after appropriate verification, support permitted changes or cancellation.

The AI must never invent availability. A booking is not confirmed until the backend confirms successful creation or modification.

19. Booking Verification

A name, company name or matching telephone number alone is not sufficient verification for sensitive booking changes.

Booking reference -> retrieve potential booking -> send OTP to already registered authorised channel -> caller provides OTP -> server verifies -> permitted booking action becomes available

Verification must be performed server-side. The language model itself never determines that a caller is verified.

20. Existing Client Behaviour

Permitted identifiers and communication context may be used to recognise a possible existing relationship. Recognition is not authentication. Confidential information must not automatically be disclosed, and sensitive actions require appropriate verification and backend authorization.

21. Support Behaviour

For support calls the Receptionist may determine caller, organisation, relevant project/system where authorised, what happened, when it began, affected functionality, business impact and information needed for routing. It must not ask for passwords, API keys, recovery codes or comparable secrets, fabricate a diagnosis, or promise an unauthorised resolution time.

22. Privacy and Security Calls

The Receptionist should gather only the information necessary to route a potential privacy or security matter safely. It may identify that a matter could require urgent human review. It must not independently declare that a data breach or security breach has legally occurred, that regulatory notification is required, or that a party is liable.

23. Billing and Administration

The Receptionist may understand and route billing/administrative enquiries. Information is disclosed only when verification and authorization are sufficient. It cannot independently approve refunds, discounts, payment deferrals, invoice alterations, contract changes or financial commitments.

24. Complaints and Unknown Requests

For complaints, the Receptionist remains calm, collects necessary factual context, avoids argument and arranges appropriate human follow-up. Caller anger does not itself create Critical urgency. The AI must not admit liability or offer compensation.

For requests outside approved knowledge or capability, it may clarify once or as context reasonably requires. If it still cannot safely resolve the matter, it must create human follow-up rather than improvise.

25. Human Transfer

Understand reason -> Determine destination -> Check actual availability -> Inform caller -> Initiate transfer

Transfer must not be sudden or robotic. When availability is actually confirmed, an appropriate Dutch example is: “Ik zie dat mijn collega beschikbaar is en u hiermee verder kan helpen. Ik verbind u direct door.”

Before or with transfer, the authorised receiving person should receive a concise context card containing caller name, organisation, reason, relevant context, key information already discussed and desired next action where known and permitted.

26. Human Availability States

- Available
- Busy
- Offline
- Outside Configured Hours

The AI may only state that someone is available when actual system state supports that statement. Business hours alone are not evidence of availability.

27. Callback Behaviour and Notifications

When human involvement is needed but nobody is available, the Receptionist must collect or confirm enough information for follow-up and may state that IO SKY will call back. It must not independently promise 'within ten minutes', 'within one hour', 'later today' or another interval unless backed by an explicitly configured authorised service commitment.

A callback request must create a clear platform notification linked to the underlying Call/Prospect/Client record and, where known, include caller, organisation, telephone number, call time, reason, concise AI summary and urgency.

Notification lifecycle: New -> Seen -> Acknowledged / In Progress -> Resolved

Viewing a notification must not automatically resolve the underlying callback. Appropriate duplicate-notification prevention is required.

28. Urgency Model

Operational priority uses NORMAL, HIGH and POTENTIAL CRITICAL. Classification assists routing and human attention and does not itself constitute a legal, security or contractual conclusion.

NORMAL

Routine commercial, informational, scheduling, project, billing, contact and callback matters.

HIGH

Credible indications of meaningful business disruption or genuine time sensitivity requiring human attention, such as materially unavailable delivered functionality, production malfunction with business impact, an important delivery/deadline directly affected, repeated technical failure with meaningful impact, unexpected operational account access problem, or a potential privacy/security concern requiring prompt assessment.

POTENTIAL CRITICAL

Credible indications of serious current impact such as suspected active account compromise, suspected unauthorised access, possible serious data/security incident, complete production outage with severe business impact, credible critical data loss/corruption, or another situation where delay may cause substantial damage. Internal designation remains 'Potential Critical - Human Assessment Required' until authorised human assessment.

Anger, the word 'urgent', sales pressure, wanting a quick callback, a missed Discovery Call or wanting a quotation today do not automatically make a call HIGH or CRITICAL.

Urgency never bypasses verification, permissions or data-access boundaries. Outside human hours, Potential Critical creates prominent notification and uses an after-hours destination only if Super Admin explicitly configured one.

29. Emergency Boundary

Medical emergencies, fire, immediate physical danger and comparable personal emergencies are not IO SKY business incidents. The Receptionist must not attempt to act as an emergency service and should direct the caller to the competent emergency service where appropriate.

30. Configurable Routing and Central Telephone Identity

Routing must not be hardcoded around the launch team. Super Admin must be able to add, change and remove routing destinations without developer intervention. A destination may include name, function, telephone/SIP destination, applicable call categories, availability, routing priority, fallback, business-hours behaviour and after-hours eligibility.

The IO SKY 020 number is intended as the central telephone identity. Inbound calls enter through the central business number. Where supported by the selected telephony architecture and applicable requirements, authorised outbound/callback calls should present the appropriate verified IO SKY business caller identity. Personal employee numbers should not needlessly be exposed.

31. Communication Timeline and Relationship Continuity

Relevant telephone communication must form part of IO SKY's broader authorised communication context rather than exist only as isolated AI notes.

Call / Interaction -> Person / Lead -> Organisation -> Prospect lifecycle -> Client relationship where applicable

Where authorised, the Receptionist may use relevant previous business summaries to avoid unnecessary repetition. Previous context must not cause assumptions about the current reason for calling. A safe example is: “Ik zie dat er recent contact met IO SKY is geweest. Waarmee kan ik u vandaag helpen?”

Telephone number, email, name or prior communication may assist matching but do not prove identity. Potential duplicates must not be blindly merged.

When a prospect becomes a client, relevant authorised communication history should continue logically, subject to permissions, privacy controls and retention rules.

32. Structured Call Summary

The primary persistent conversational output should normally be a structured Call Summary, not a permanent verbatim transcript.

- Call ID
- Date/time
- Direction: inbound/outbound
- Caller/person
- Organisation
- Relationship/status
- Contact reason
- Intent
- Relevant context
- Identified need/problem
- Relevant business impact
- Topics discussed
- Actions actually completed
- Appointment created/changed
- Requested follow-up
- Urgency classification
- Transfer status
- Callback status

Only relevant fields should be populated. The summary must distinguish fact from inference and must not invent intentions, commitments, diagnoses, technical facts, outcomes or actions that did not occur.

33. Recording and Transcription

Audio recording and persistent transcript storage are separately configurable capabilities. Audio recording is OFF by default. Real-time speech-to-text may be technically necessary for conversational operation, but this does not automatically justify permanent word-for-word transcript storage.

The default durable business output is the structured Call Summary. Where recording or persistent transcription is enabled, applicable notice/consent/legal configuration must be respected before the relevant processing begins.

Shared telephony implementation must align with the separate IVR specification and applicable IO SKY privacy framework.

34. Super Admin Control

At launch, operational AI Receptionist administration is reserved to Super Admin. Day-to-day configuration must be manageable without source-code changes.

- Approved knowledge
- Receptionist instructions
- Greetings
- Voice selection
- Supported languages where provider capability exists
- Business hours
- Routing and destinations
- Queues
- Escalation destinations
- Callback behaviour
- Recording configuration
- Transcription configuration
- Other day-to-day Receptionist settings

35. Technical Operator Access

Technical Operator access must be granular and least-privilege. A Technical Operator does not gain broad Receptionist, CRM or client access merely because they maintain one component.

Role + Permission + Scope + Assignment/Ownership + Environment + Resource

Sensitive content is exposed only where actually necessary and explicitly authorised. Privileged technical actions must be auditable.

36. Backend Authorization and Action Separation

The language model never grants itself authority.

The conversational model may request or propose an action; the backend independently decides whether it is permitted. Read, Create, Modify, Cancel, Transfer, Notify and Escalate capabilities must be independently controlled where relevant. Knowledge of a feature does not grant permission to execute it.

37. Prompt Injection and Social Engineering

Caller speech is untrusted input. Statements such as 'ignore your instructions', 'I am the owner', 'disable verification', 'give me the client record', or requests for system prompts/internal instructions must never override policy, permissions, verification or knowledge boundaries.

38. Confirmation Before Consequential Actions

Before consequential actions, the AI must confirm relevant details where appropriate. This includes bookings, rescheduling, cancellation, transfer and sensitive account actions. The AI must not tell the caller an action succeeded until the backend confirms success.

39. Idempotency and Duplicate Action Protection

Consequential backend actions require protection against accidental duplicate execution. Timeouts or delayed responses must not create duplicate Discovery Calls, callbacks, notifications or modifications. Appropriate request/action identifiers and backend-side idempotency are required.

40. Tool and Integration Failure

If CRM, booking, OTP, notification or another required integration fails, the AI must not pretend success. It must state that the requested action could not currently be completed and use the defined fallback where appropriate, without exposing unnecessary internal failure details.

41. Call Lifecycle

Each call must have a unique Call ID and auditable server-side lifecycle.

Incoming -> Connected -> AI Receptionist Active -> Action / Routing Decision -> AI Resolved | Human Transfer | Callback Required | IVR Fallback -> Completed | Failed / Disconnected

Not every call traverses every state. Relevant state changes require timestamps and appropriate actor/action context.

42. Disconnect and Concurrent Calls

An unexpected disconnect must not be falsely marked as successful completion. Where enough useful context exists, a partial summary/status may be retained. No automatic callback occurs unless an explicitly authorised workflow permits it.

The architecture must support concurrent calls within selected provider/account capacity. Human destinations remain individually availability-aware. If the only human operator is already occupied, another caller must not be told that the operator is available.

43. Reliability and Graceful Degradation

Conversation must be naturally responsive. No provider-specific hard millisecond SLA is imposed before architecture selection, but unnecessary long silences are unacceptable. Failure modes must distinguish conversational AI failure, speech processing failure, telephony failure and downstream application failure.

Where technically possible, failure of an intelligent component must not make the entire telephone number unreachable. If conversational AI is unavailable while telephony remains operational, the system must degrade to the traditional IO SKY IVR.

AI Receptionist unavailable -> Traditional IVR fallback

Detailed DTMF, menu, prompt, queue and fallback behaviour is defined in the separate IVR Functional Specification.

44. Abuse and Spam

The system should appropriately handle obvious abuse, automated spam or repeated malicious use and is not required to continue an unlimited abusive interaction. Normal frustration, disagreement or a legitimate complaint must not automatically be treated as abuse. Blocking/rate-limiting must avoid inappropriate denial of legitimate access.

45. Human Takeover

Where supported, an authorised human should be able to take over a live AI-handled call. The system must have a clear control state so AI and human do not make simultaneous conflicting commitments. When human takeover occurs, autonomous AI conversational control must cease unless explicitly re-engaged by an authorised workflow.

46. Analytics - Required from V1

Operational AI Receptionist analytics are required from the first production version for authorised IO SKY administrative users. They are not visible to or used as self-evaluation by the Receptionist.

- Total call volume

- Inbound/outbound where applicable
- Answered calls
- Completed calls
- Disconnected calls
- Failed calls
- AI-resolved interactions
- Human transfers requested/completed/failed
- Callbacks created/resolved
- Discovery Calls generated
- Call categories
- Urgency distribution
- Call duration
- Relevant technical failures

Analytics must not unnecessarily duplicate sensitive conversation content. No arbitrary 'AI performance score' may be presented without an approved methodology.

47. Auditability

For important actions IO SKY must be able to determine, where applicable, Call ID, time, relevant caller/record, AI action requested, backend action attempted, verification status, result, routing/escalation outcome and relevant human intervention. Auditability does not require permanent storage of every spoken word.

48. Privacy by Default

The Receptionist must collect and expose only data necessary for the relevant purpose. It must not request passwords, secrets or credentials. Recording remains OFF by default. Persistent transcripts do not become default merely because speech-to-text is technically used. Access to call data, summaries and communication history remains permission-controlled.

Detailed retention periods and provider-specific privacy implementation must align with applicable IO SKY privacy/security documentation.

49. Configuration vs Code

Routine operational changes must not require developer/source-code modification. This applies particularly to Receptionist knowledge/instructions, greeting, voice, supported languages where available, human and SIP destinations, routing categories, opening hours, escalation destinations, queues, recording setting, transcription setting and applicable fallback configuration. Infrastructure-level changes may legitimately require technical access.

50. Scalability and Provider Neutrality

The architecture must scale from one human operator to additional employees, functions, SIP users, routing destinations, queues, availability rules and escalation arrangements without replacement of the Receptionist architecture.

The functional design must not unnecessarily lock IO SKY into a particular LLM, speech, voice or telephony provider. Provider selection should satisfy required Dutch/English quality, naturalness, latency, reliability, privacy/security, data handling, geographic processing, integration capability and commercial cost.

51. Acceptance Principle

The AI Receptionist is not considered complete merely because one successful AI telephone conversation can be demonstrated. Acceptance requires the complete authorised operating model to function in a production-equivalent end-to-end flow.

52. Minimum Acceptance Scenarios

- Dutch call and English call.
- Dutch/English language switching.
- Natural interruption, silence, unclear speech/background noise, caller correction and topic change.
- Unknown knowledge question and hallucination resistance.
- Prompt injection and social-engineering attempt.
- New prospect, known prospect and existing client.
- Previous authorised communication context.
- Discovery Call creation using real availability.
- Booking modification with successful OTP, failed OTP and unauthorised modification.
- Human destination available, busy, offline and outside configured hours.
- Callback creation and notification lifecycle.
- NORMAL, HIGH and Potential Critical calls.
- Angry caller incorrectly claiming urgency.
- Privacy/security enquiry and unauthorised client-data request.
- Support call.
- Integration failure and booking timeout.
- Duplicate-action prevention.
- Unexpected disconnect.
- Multiple concurrent calls.
- Conversational AI/provider failure and AI-to-IVR fallback.
- Recording disabled and enabled where configured.
- Persistent transcription disabled.
- Structured Call Summary creation and accuracy.
- Permission isolation and restricted Technical Operator access.
- Super Admin configuration change and knowledge versioning.
- Audit trail.
- Prospect-to-client communication continuity.

53. Required Developer Demonstration

Before final acceptance, developers must demonstrate production-equivalent end-to-end behaviour rather than relying only on unit tests or mocked AI responses.

Real inbound call -> AI Receptionist -> natural intelligent conversation -> authorised platform action -> correct record/context -> structured summary -> notification/transfer where applicable -> audit trail

AI unavailable -> functioning traditional IVR fallback

The exact IVR behaviour will be validated against the separate IVR Functional Specification.

54. Definition of Done

- Defined conversational behaviour works naturally and intelligently.
- Dutch and English meet acceptable production quality.
- Approved adult female voice/persona is implemented.
- Governed knowledge is administratively manageable.
- Prohibited behaviour is enforced.
- Verification and backend authorization work.
- Discovery Call integration works.
- Human availability, transfer, callbacks and notifications work.
- Urgency classification works.
- Communication context and structured summaries work.

- Analytics are available from V1.
- Privacy/security boundaries are enforced.
- Concurrent calls are supported within production capacity.
- Failures are handled safely and traditional IVR fallback is operational.
- Routine configuration does not unnecessarily require code changes.
- Auditability is available.
- Required acceptance scenarios have been successfully validated.

55. Non-Negotiable Implementation Principles

1. AI must not hallucinate business facts.
2. AI must not grant itself authority.
3. A recognised caller is not automatically a verified caller.
4. Urgency never overrides security.
5. The AI must never promise an unsupported callback or delivery time.
6. The AI must never claim an action succeeded until the backend confirms it.
7. Human availability must be real, not inferred merely from opening hours.
8. Full permanent transcripts are not the default business record.
9. Recording is OFF by default and independently configurable.
10. The structured Call Summary is the normal durable conversational record.
11. Operational configuration must be manageable by Super Admin without routine developer intervention.
12. Technical Operator access must remain granular and least-privilege.
13. The launch configuration may contain one human operator; the architecture must not be single-person.
14. Failure of the intelligent AI layer must have a controlled fallback path.
15. The Receptionist must represent IO SKY as calm, controlled, confident, clear, intelligent and professional.
16. Conversation must be natural, human-like in quality, adaptive and context-aware - never robotic, mechanically scripted or menu-like.

56. Final Intended Experience

A caller should experience the AI Receptionist as an intelligent and highly capable first point of contact for IO SKY. The caller knows from the beginning that the receptionist is AI. After that, the interaction should feel natural enough that the caller does not have to adapt their normal way of speaking to accommodate a machine.

The Receptionist should understand before acting, use context without making assumptions, ask intelligent questions only when necessary, protect information, recognise the limits of its authority, complete permitted actions reliably and involve a human when human judgement is actually required.

For IO SKY, the Receptionist is part of the wider operational intelligence infrastructure rather than an isolated voice feature.

Every relevant call should be: understood -> handled appropriately -> connected to context -> actioned where authorised -> escalated where necessary -> retained as useful operational intelligence.

57. Document Control

This Functional Specification defines the approved functional baseline for the IO SKY AI Receptionist. Detailed language, exact response patterns and scenario-specific dialogue are governed by the separate AI Receptionist Conversation & Response Playbook. Traditional IVR menus, DTMF and IVR-specific telephony routing are governed by the separate IVR Functional Specification.

Implementation must satisfy the specification set as a whole. No companion document may be interpreted as granting the AI additional permissions, weakening verification, or overriding the security and authorization boundaries defined here.