IO SKY PLATFORM

Consolidated Functional Clarifications, Implementation Requirements & Delivery Acceptance

VERSION 1.3 | 29 OCTOBER 2026

Issued by IO SKY — Product Owner
Confidential — Developer Implementation & Acceptance

This document consolidates requirements and clarifications previously communicated through the Master SRS, specifications, milestones, email, WhatsApp and approved Product Owner feedback. IO SKY remains actively involved throughout implementation, staging review, testing and acceptance, and will continue to provide functional clarification and feedback as required.

Version 1.3 — Integrated Developer Clarifications | 29 October 2026

Editorial consolidation: The explicit requirements previously located in Appendix I have been incorporated into their corresponding functional chapters. Existing clauses, supporting appendices, source-verification caveats, and acceptance registers remain in force. This is a functional consolidation, not an independent contractual determination of scope.

Document control and interpretation

Field	Value
Document	IO SKY Platform — Consolidated Functional Clarifications
Version	1.0
Issue date	28 October 2026
Owner	IO SKY — Product Owner
Status	Consolidated implementation and acceptance clarification
Confidentiality	Developer Implementation & Acceptance
Hierarchy	Existing signed agreements and approved specifications remain governing; conflicts require written reconciliation.

IMPORTANT: Version 1.3 identifies this consolidated clarification document only. It does not replace the Master SRS, milestone documents, approved specifications, emails, WhatsApp instructions or subsequent Product Owner feedback. All requirements herein are presented by IO SKY as clarification, elaboration and implementation detail of previously communicated requirements. Source mapping remains necessary for traceability, not for automatic reclassification as new work.

Contents

01 Purpose, scope and governing references

02 One integrated operational infrastructure

03 Roles, permissions and governance

04 Authentication, MFA, passkeys and security

05 AI agent ecosystem and controlled improvement

06 AI Receptionist, IVR, identity and handover

07 AI Scheduling and Discovery Calls

08 CRM, profiles and search

09 AI Sales Outbound and campaigns

10 Communications, mailboxes and email domains

11 Notification Center

12 Projects, teams and assignments

13 AI Scans, review, reports and briefings

14 International intake, VAT, Stripe and billing

15 Transactional email design and delivery

16 Website, ten-language portals and design

17 Legal and operational documents

18 AI Analytics, AI Advisor and revenue access

19 Manual controls, automation and approvals

20 Staging, production, backup and recovery

21 Functional, security and usability acceptance

22 Product Owner collaboration and scope alignment

23 Developer documentation and traceability

24 Incremental staging delivery and final acceptance

25 Final implementation instruction

Appendix A — Reference register | Appendix B — Desktop and mobile live handover examples | Appendix C — Acceptance demonstration matrix | Appendix D — Items requiring source confirmation

1. Purpose, scope and governing references

This document clarifies the intended behaviour of the IO SKY platform based on the Master SRS, milestone agreements, approved functional and design specifications, WhatsApp exchanges, email instructions and subsequent Product Owner feedback. It is not permission to omit any previously approved requirement that is not repeated verbatim.

1.1 Governing source set

- Master SRS v1.1 (20 modules), applicable business rules and acceptance criteria.
- Milestone 4 Finalised Scope (29 September 2026), reconciled with later written scope approvals and payment evidence.
- IVR & Telephony Functional Specification v1.0; Notification Center Specification; AI Scan Engine & Universal Assessment System Specification.
- Approved AI Scan report/book viewer and Executive Briefing requirements; AI Receptionist, AI Scheduling and AI Agent specifications.
- AWF-01–09, BWF-01–08, DWF-01–09, PWF-01–09 and SWF-01–08 workflow families.
- Approved website, navbar, portal, transactional email, communication and design-language specifications.
- Verifiable subsequent Product Owner instructions, WhatsApp clarifications, email agreements and approved staging feedback.

1.2 Scope and precedence

IO SKY classifies the requirements in this document as clarifications and detailed implementation expectations arising from the Master SRS, agreed specifications, milestone communications, emails, WhatsApp discussions and Product Owner feedback. The development team must not label any item in this document as new work, an extension or a separately chargeable feature merely because it is described more explicitly here. If a developer believes an instruction conflicts with the governing written record, the developer must identify the exact requirement, source, version, date and alleged discrepancy and request a written Product Owner determination. No unilateral exclusion, scope reclassification or additional charge is authorised.

Integrated explicit requirements — Source hierarchy, clarification and delivery participation

- Governing source families: Master SRS v1.1 and its 20 modules; Milestone 4 Finalised Scope dated 29 September 2026 and subsequent agreements; IVR & Telephony v1.0; Notification Center; AI Scan Engine; report/viewer/Executive Briefing; AI Receptionist, Scheduling and Agent requirements; AWF-01–09; BWF-01–08; DWF-01–09; PWF-01–09; SWF-01–08; website/navbar/portal/design; transactional email; dated emails, WhatsApp instructions and Product Owner design feedback.
- The developer must map each requirement to exact source title/version/clause or message date, implementation location, positive and negative test, observed result and IO SKY review. Do not invent precise citations when source text has not been independently confirmed.
- Every feature that is ready must be deployed promptly to protected staging with a working link, release note, affected workflow, test instructions and known issues. IO SKY reviews, clarifies, requests corrections and retests before acceptance.
- IO SKY may continue to supply explanations, screen examples, click paths, business rules and UX corrections during development. A short example is not a ceiling on the expected capability.
- The developer may not label a requirement in this consolidated document new billable work merely because it is expressed more precisely than before. Disagreements must be evidenced against the prior SRS, milestones, emails and WhatsApp, with a written IO SKY decision.

2. One integrated operational infrastructure

All modules must work as one connected, secure operational intelligence infrastructure, with authoritative records, shared identifiers, role-aware integration and auditable state transitions; a collection of disconnected screens is unacceptable.

- CRM ↔️ AI Receptionist ↔️ AI Scheduling ↔️ Discovery Calls ↔️ notifications and transactional emails.
- AI Sales Outbound ↔️ prospect profiles, campaigns, replies and AI Advisor recommendations.
- AI Scan intake ↔️ account, international company records, Stripe Tax, payment, assessment, expert review, publication and client portal.
- Projects ↔️ team assignments, tasks, developer portal, documents, client release and notifications.
- Billing ↔️ quotations, invoices, payment requests, subscriptions, Stripe events and authorised client records.
- Governance ↔️ permissions, agent configurations, security logs, audit events, staging approval and controlled release.

Every workflow must avoid duplicate data entry, contradictory statuses, manual copy/paste between modules and misleading simulated integration. A successful event must update all relevant authorised views; failures must be recoverable and visible.

3. Roles, permissions and governance

3.1 Exactly five primary roles

Super Admin; Admin; Developer; Technical Operator; Client. Administrative presets are editable configurations, not additional roles. Effective authorisation must evaluate Role + Permission + Scope + Assignment/Ownership + Environment + Resource on the backend.

3.2 Super Admin and configurable Admins

- Super Admin can invite and manage users, create multiple Admins without arbitrary business caps, configure permissions before invitation, inspect effective access, revoke access, govern agents, security, legal publication, production releases and audits.
- Admin permissions can be combined across CRM, Discovery Calls, Billing, Projects, AI Scan Operations, Review and Publish, Communications and other authorised domains; Full Access and Custom Access must be scoped.
- Actions must be independently configurable where relevant: View, Create, Edit, Assign, Review, Approve, Publish and Manage.
- Ten editable Admin presets: Client Manager; Project Manager; Discovery Call Manager; AI Scan Manager; AI Scan Reviewer; Billing Manager; Communications Manager; Delivery Manager; Operations Manager; Administrative Manager.

3.3 Developer, Technical Operator and Client boundaries

- Developers access assigned projects, tasks, approved environments and resources only; Implementer and Reviewer assignments are distinct.
- Technical Operator scopes: UI/UX, Frontend, Backend, Full Stack, Infrastructure/DevOps, Security, Database/Data and individually selected AI agents. Full Stack is not unrestricted production access.
- Agent access is individually selectable: permission to maintain AI Receptionist must not expose AI Advisor or AI Scan Agent.

- Clients see only their own authorised organisations, projects, documents, published reports, billing, scheduling and communications.
- Effective Access Preview must show resulting modules, actions, resources and environment limits before permission changes. Revocation must be effective at the API and resource layer.

References: Master SRS BR-013, BR-024, BR-025 and role/security modules; exact source mapping to be verified.

Integrated explicit requirements — Role and permission implementation matrix

- There are exactly five primary roles: Super Admin, Admin, Developer, Technical Operator and Client. The ten Admin presets are Client Manager, Project Manager, Discovery Call Manager, AI Scan Manager, AI Scan Reviewer, Billing Manager, Communications Manager, Delivery Manager, Operations Manager and Administrative Manager; presets do not create new primary roles.
- Effective authorisation: Role + Permission + Scope + Assignment/Ownership + Environment + Resource. Evaluate on every relevant backend request, including direct URL, API, export, search, notifications, downloads and AI tools.
- Super Admin can create multiple Admin accounts, configure Full Access or Custom Access per functional domain, combine permissions, preview resulting access, invite, assign, revoke, audit and manage privileged security. No arbitrary application-level business cap on Admin count.
- Admin permissions may be combined independently: View, Create, Edit, Assign, Review, Approve, Publish and Manage; scope can be organisation, client, project, record, environment or agent. AI Scan Review does not imply AI Scan Publish.
- Technical Operator selectable scopes: UI/UX, Frontend, Backend, Full Stack, Infrastructure/DevOps, Security, Database/Data and each AI agent independently. A UI/UX assignment cannot expose source repositories, production databases or credentials by default; Full Stack remains scoped.
- Developer Implementer and Reviewer assignments are independent. Developers see only assigned projects and permitted resources. Client accounts see only their own organisations, documents, billing and published reports.
- Super Admin effective-access preview must show modules, actions, assigned resources and environments before permission changes. Revoked sessions and permissions must block subsequent API/resource access.

4. Authentication, MFA, passkeys and security

- MFA is mandatory for all five roles; support approved secure login, recovery, password change, invitation and activation.
- Support passkeys where compatible with the approved identity provider; device biometrics remain with the device/credential provider.
- Passkey assurance may satisfy MFA when approved by the security policy.
- Provide passkey enrolment/removal, MFA recovery, session visibility/revocation and audited sensitive-profile changes.
- Users cannot elevate their own role or permissions through profile settings.
- Enforce isolation across API, repositories, databases, cloud consoles, secrets, agents, CI/CD, staging and production.
- Developers and Technical Operators cannot independently publish production changes. Required route: Assignment → Implementation → Test → Super Admin Review → Approval → Controlled Publication.
- Use least-privilege workspaces, short-lived credentials, monitoring and confidentiality controls; repository read access cannot technically prevent copying of code already exposed.

Integrated explicit requirements — Mandatory authentication, privileged operations and release gate

- MFA is mandatory for all five roles. Support approved passkeys, secure password reset/change/recovery, enrolment/removal and revocable sessions. Device biometric authentication may be used through the device credential provider without IO SKY collecting raw biometric data.
- Developer and Technical Operator production publication is prohibited without Super Admin review and approval. Route: Assignment → Implementation → Testing → Super Admin Review → Super Admin Approval → Controlled Publication; deployment credentials and CI/CD permissions must enforce it.
- Repository, API, database, cloud console, secret, agent-tool and environment boundaries must be tested separately. A role name or hidden button is not an access-control mechanism.

5. AI agent ecosystem and controlled improvement

Each agreed agent must have a distinct documented responsibility and permission boundary, with an agent registry reconciled to the governing specifications. Do not replace several agreed functions with a generic assistant.

- Per agent document identity, purpose, triggers, inputs/outputs, tools, data sources, permissions, scripts/prompts, handoffs, failure states, audits, evaluation and acceptance tests.
- Super Admin configures prompts, approved knowledge, tools, tone, voices, scripts, escalation, languages, schedules and approvals without editing source code.
- Provide preview, version history, staging evaluation, comparison and rollback.
- Technical Operators can be assigned one or more individual agents for scoped maintenance but cannot publish to production.
- Controlled improvement: observe evidence → identify error → propose change → staging test → compare → Super Admin approve → publish → monitor/rollback.
- Never permit unapproved autonomous production policy changes or cross-caller leakage of private information.

Integrated explicit requirements — AI agent registry and continuous improvement

- Each agreed agent must have a separate documented identity, purpose, triggers, inputs, outputs, data sources, tools, permissions, prompt/script, voice where applicable, handoffs, escalation, audit, evaluation and acceptance cases. One generic chatbot must not replace several distinct responsibilities.
- Super Admin must edit approved instructions, prompts, knowledge, tools, business rules, style, brand voice, language, voices, greetings, routing, scheduling and escalation from the platform without source-code changes, with versions, preview, staging test and rollback.
- Technical Operators can be assigned to one or several named agents independently; access to AI Receptionist must not expose AI Scan Agent or AI Advisor.
- Improvement lifecycle: capture quality signals and outcomes → identify recurring issues → collect Product Owner feedback → propose change → staging evaluation → compare baseline → Super Admin approval → controlled publication → monitor → rollback. No autonomous unapproved production prompt/behaviour change.

6. AI Receptionist, IVR, identity and handover

The AI Receptionist is a natural, context-aware operational agent, not a rigid telephone menu. Governing references include Master SRS §§6.9, 17.6, 19.5 and IVR & Telephony Functional Specification v1.0, subject to source verification.

6.1 Conversation, knowledge and context

- Use approved time-of-day Dutch greeting; switch naturally to English when the caller speaks English.
- Support natural voice, interruption handling, adjustable voices and scripts, corrections, adaptive questions and Dutch–English switching without context loss.
- Retain active-call context: answers, caller objective, business situation, outstanding questions, completed actions and next steps; avoid repeated questions unless security or confirmation requires them.
- Answer approved FAQs about services, Discovery Calls, Operations/Cyber/Elite Scans and general billing; do not invent unknown or restricted facts.
- Create/update CRM lead, deduplicate contacts, mark New Prospect, capture notes, qualification and follow-up tasks.
- Qualify Discovery Calls by business challenge, desired outcome, organisational context, constraints and scheduling preferences; recommend scans by fit, not price.

6.2 Three levels of identity and action

- Level 1 / Unverified: public information, general billing procedures, prospect qualification, permitted scheduling and transfer; no protected client details.
- Level 2 / Verified and authorised: limited own invoice status, balance, due date, payment registration, resend to registered email, permitted account/project status and scheduling.
- Level 3 / Sensitive: bank or payment detail changes, contracts, financial authority and privileged modifications require secure portal self-service with step-up checks or explicitly authorised human handling; AI must not independently execute.
- Preferred verification: locate account without disclosure → send time-limited link to previously verified email → authenticate through IO SKY portal with passkey/MFA → backend checks account, organisation, permissions, session and expiry → return limited verification result to AI.
- Protect against replay, guessing, rate abuse and expiry; no passwords, passkey secrets or recovery codes given to AI. A human transfer never bypasses verification.
- Do not offer refunds or payment arrangements as routine services; escalate legal exceptions to authorised personnel and follow applicable law.

6.3 Mandatory context BEFORE a human answers

When the caller requests a human or AI initiates a transfer, the receiving authorised employee MUST receive the live context at transfer initiation, BEFORE accepting the call, on desktop and mobile. The context must not be postponed until the call is answered. If delivery fails, show an explicit context-unavailable state and apply a safe configured fallback; do not imply context was delivered.

- Show caller name, company, authorised phone, CRM status/link, spoken language, transfer destination, call state, reason, objective, collected details, structured summary, outstanding questions and recommended next action.
- Show verification status and level (unverified, pending, verified, expired, failed, insufficient authority), recording state and transcription state.
- Hide protected details until the backend confirms authorisation.
- The HANDOVER SUMMARY follows the language currently spoken (Dutch → Dutch; English → English); the SURROUNDING PORTAL UI follows the employee's selected portal language. Preserve context across switching.
- Desktop and mobile layouts must both expose the essential information before answer, with minimal navigation. Actual visual examples appear in Appendix B.

- If no human answers, AI resumes, offers callback, saves context and CRM task, assigns owner, notifies, confirms when configured and escalates overdue follow-up.

6.4 Independent recording and transcription

Recording	Live transcription	Expected operation
ON	ON	Audio recording and live transcription
ON	OFF	Audio recording, no live transcription
OFF	ON	Live transcription, no stored audio recording
OFF	OFF	Conversational AI with neither feature

Super Admin must independently toggle both functions. When recording is enabled, announce recording BEFORE it begins and obtain consent where legally required. Separate temporary speech processing, live transcription, persistent transcripts, stored audio and summaries. Apply independent retention, deletion, audit and access rules. AI context retention must work without stored audio or persistent transcript.

6.5 Telephony and IVR

Maintain approved inbound/outbound caller identity, IVR 1/2/3, warm transfer, routing, business hours, queue/voicemail, concurrent-call behaviour and fallback. Super Admin must edit and test greetings, voice, scripts, routing and fallback before controlled release. Test actual end-to-end calls, not only mockups.

Integrated explicit requirements — AI Receptionist: natural conversation, CRM, qualification and FAQ

- Begin with approved time-appropriate Dutch greeting, e.g. “Goedemorgen, welkom bij IO SKY. Waarmee kan ik u van dienst zijn?” Switch naturally to English when caller uses English. Support interruptions, corrections, pronunciation, pacing, configurable voice and contextual questions.
- Maintain active-call memory of caller intent, already answered questions, organisation, business problem, actions taken, unresolved questions and agreed next steps. Do not repeat answered questions unless necessary for accuracy, safety or consequential confirmation.
- Answer approved FAQs about services, Discovery Calls, Operations/Cyber/Elite Scan, general billing and support routes; do not fabricate unavailable or restricted answers.
- Search and deduplicate existing CRM records; create a New Prospect with contact/company, reason, structured notes and follow-up tasks when appropriate. Do not disclose existing-client protected data without verification.
- Discovery qualification must gather why the caller contacted IO SKY, present business challenge, desired outcome, organisational context, operational constraints and scheduling preferences; persist this context in CRM and the appointment.
- Recommend among Operations Scan, Cyber Scan and Elite Scan based on fit, not by default the most expensive option. Explicit human-transfer requests must be respected.

Integrated explicit requirements — AI Receptionist: three security levels and seven-step verification

Level 1 — Public/unverified: general IO SKY and scan information, new prospect capture, Discovery Call qualification, public scheduling, general follow-up and routing; never reveal private invoice, contract, project or account information.

Level 2 — Verified and authorised: invoice status, outstanding balance, due dates, registered payments, resend authorised invoice to verified registered email, explicitly permitted project/account status, support requests and permitted scheduling, using backend-authorised operations.

Level 3 — Sensitive/privileged: AI must not independently change bank details, payment instruments, contracts, financial authority or privileged account settings. Direct customer to secure portal self-service or an authorised human following appropriate verification, approval and audit. Human transfer never bypasses authorisation. AI must not offer standard refunds or payment arrangements; legal/contractual exceptions go to authorised humans.

1. Identify whether caller requests public or protected account information.
2. Locate potential account through authorised CRM search without revealing protected facts.
3. Send a secure, time-limited verification link to the customer's previously registered and verified email address; do not disclose the full destination unnecessarily.
4. Customer follows link and authenticates through the IO SKY portal using approved MFA or passkey-protected authentication.
5. Backend verifies account identity, organisation membership, requested resource permissions, bound session and expiry.
6. AI receives only verification result and permitted level, never password, passkey secret, MFA code or recovery credential.
7. Continue only within the verified permissions for the requested action.

- Verification states: unverified, pending/in progress, verified, expired, failed and insufficient authorisation. Bind verification to correct caller interaction and account, with expiry, rate/retry limits, replay protection, audit and invalidation on relevant security events.
- A recognised telephone number, company or stated name does not establish identity. Failed/expired verification means no protected disclosure; provide safe retry or authorised human support.

Integrated explicit requirements — Live transfer: context BEFORE answer, desktop/mobile and language

MANDATORY: the receiving authorised employee must receive the call context when the AI Receptionist initiates the transfer and BEFORE accepting/answering the call. Showing it only after answering does not satisfy this requirement. If provider constraints prevent this, developers must present the limitation and an equivalent pre-answer delivery design for IO SKY approval; they must not silently weaken the requirement.

- Pre-answer fields: caller name (if known), company, authorised telephone number, CRM status and direct authorised record link, spoken language, call/transfer status, transfer destination, verification state and level, recording ON/OFF, transcription ON/OFF, reason for contact, desired outcome, business challenge, collected information, AI summary, open questions and recommended next action.
- Unknown or unverified values must be clearly identified. Protected data is hidden until backend authorisation is confirmed. Desktop groups identity/verification and conversation context; mobile shows the same essentials with priority to caller, purpose, verification and immediate action.
- Portal chrome/labels follow receiving employee's selected portal language; AI-generated handover summary follows the language currently spoken by caller (Dutch call → Dutch summary; English call → English summary). Language switching must not lose conversation context.
- If transfer is unanswered, unavailable or fails, AI resumes the call rather than disconnecting; confirms callback details, preserves context, creates and assigns CRM follow-up, notifies the right team, sends configured confirmation and tracks/escalates overdue callbacks.

Integrated explicit requirements — Four independent recording/transcription combinations

Recording	Live transcription	Required operation
ON	ON	Audio recording and live transcription
ON	OFF	Audio recording without live transcription
OFF	ON	Live transcription without stored audio recording
OFF	OFF	Natural conversational AI and active-call memory without either persistent feature

- Super Admin controls recording and transcription independently. UI and handover must display the actual active states.
- When recording is enabled, provide legally required notice before recording starts and consent where required; apply separate retention, access, deletion and audit rules to audio, transcripts and summaries.
- AI active-call memory, structured summaries, follow-up and handover must continue to function when recording and transcription are both OFF; no persistent full audio is required for active context.

7. AI Scheduling and Discovery Calls

- AI Scheduling Agent checks real authorised availability, offers valid slots, books, confirms, reschedules, cancels, prevents conflicts and updates CRM and appointment state.
- AI Receptionist supplies previously gathered qualification context to Scheduling Agent; callers must not repeat known information.
- Only confirmed committed events trigger appointment confirmation/reschedule/cancellation emails and notifications; avoid duplicate processing and duplicate bookings.
- Track requested versus confirmed appointments, failures, delivery attempts and human escalations.
- Super Admin configures appointment types, business hours, routing, approvals and availability; Discovery Call hours follow the approved scheduling policy.

References: Master SRS §14.7 and DWF-01–09, subject to traceability review.

Integrated explicit requirements — IVR, telephony and scheduling

- Preserve approved IVR 1/2/3 routing, Dutch/English handling, greetings, business hours, voicemail, transfer, warm transfer, fallback, call summaries, inbound/outbound caller identity, concurrency and real provider integration per IVR specification.
- Super Admin can configure IVR menu options, scripts, routing destinations, greetings, business hours, language, voicemail, callback and transfer rules; preview and test before publication.
- Scheduling Agent must check real availability; propose slots; create, confirm, reschedule and cancel appointments; prevent conflicts; update CRM, Discovery Calls, dashboard, notifications and emails. A requested booking is not a confirmed booking until committed by the scheduling system.
- Scheduling transactional triggers include created, confirmed, rescheduled, cancelled, information requested and callback/follow-up confirmed. Trigger only after authoritative state update, use idempotent processing, record email delivery failures and never fabricate booking confirmation.

8. CRM, profiles and search

- Unified authorised CRM for leads, prospects, organisations, clients, contacts, interactions, Discovery Calls, projects, AI Scans, documents and tasks.
- Combinable filters: name, email, phone, company, source, status, New Prospect, Existing Client, AI Receptionist origin, AI Sales Outbound origin, project and assigned employee.
- Separate lead source from lifecycle status to preserve attribution after conversion to client.
- Contextual profile view shows contact and organisation, photo/logo if provided, history, calls, messages, scans, projects, files, follow-ups and responsible staff.
- All roles can edit permitted profile fields and preferred language; Developers may maintain skills, CV, experience, specialisations and availability. Optional photos are never mandatory.
- Secure integration APIs require per-integration scoped credentials, rotation, revocation, rate limits and logs; external API-key issuance scope requires reconciliation.

References: Master SRS §22.13 and SRS-16.1–16.7.

Integrated explicit requirements — CRM, search, profiles and project communication

- CRM filters must combine name, email, phone, company, lead source, lifecycle status, New Prospect, Existing Client, AI Sales Outbound origin, AI Receptionist origin, project, assigned employee and other relevant attributes; source and lifecycle status remain separate.
- Profiles must display permitted identity, organisation, photo/logo, CRM history, AI Receptionist notes, Discovery Calls, communications, projects, scans, documents, follow-up and responsible staff.
- All five roles manage permitted personal details, photo, contact, preferred language and security. Developer profile additionally includes skills, specialisations, experience, CV and availability; client profile includes business information. Photos must not be mandatory for account creation.
- Integration APIs require scoped credentials, rotation, revocation, rate limiting and audit; never use one unrestricted master key for all integrations.
- IO SKY mediates client–developer communication. Support individual, team, project, internal, client-facing and developer-facing conversations with attachments, history and notifications; prevent direct unauthorised client–developer access.
- All five roles may upload permitted PDFs, images, screenshots and business documents with optional notes. Validate file type/size, malware safeguards, storage and backend access. Cross-boundary document visibility requires explicit IO SKY review/release.
- Projects: create, rename without changing stable ID, link clients, milestones, tasks, deadlines, archive, teams, member roles, primary contact, assignments/reassignment/revocation, project documents and permission-filtered notifications.

9. AI Sales Outbound and campaigns

- Approved lawful prospect sourcing, fit scoring, CRM creation, personalised outreach, controlled sequences and reply tracking.
- Super Admin defines target criteria, brand voice, campaign rules, examples and reviewed feedback.
- Enforce daily/per-mailbox send limits, sending windows, sequence/follow-up limits, suppression, unsubscribe, bounce/complaint handling, deduplication and pause/resume.
- Differentiate queued, sent, provider accepted, delivered where supported, bounced, failed, replied, unsubscribed and suppressed; do not claim inbox delivery without evidence.
- AI Advisor receives campaign outcomes and positive/negative reply classifications with traceable source records and actionable follow-ups.

- Outbound prospecting uses iosky.co only; transaction and operational messages use iosky.nl, with distinct sender identity and reputation management.

References: Master SRS §14.16, AI Sales Outbound specification and subsequent confirmed domain clarification.

Integrated explicit requirements — Outbound, mailbox infrastructure and definitive domains

- AI Sales Outbound must support lawful prospect discovery, targeting, deduplication, CRM creation/update, personalised IO SKY messaging, sequences, follow-ups, reply classification and human escalation.
- Campaign safeguards: mailbox/day and campaign send limits, sending windows, rate limits, follow-up limits, suppression/unsubscribe, bounce, complaint, duplicate prevention, pause/resume and provider-based deliverability monitoring.
- Track queued, sent, provider-accepted, delivered where supported, bounced, failed, replied, unsubscribed and suppressed separately; provider acceptance is not proof of inbox delivery.
- DEFINITIVE: iosky.nl is the transactional/operational domain (invitations, security, scheduling, scans, invoices, support, projects and system mail); iosky.co is the AI Sales Outbound domain (prospecting, personalised campaigns, commercial follow-ups and prospect replies). Do not replace these definitive assignments with an unresolved-domain placeholder.
- Configure approved provider, sender identities, aliases, SPF/DKIM/DMARC, mailbox routing, bounces, complaints, Outlook and approved Zoho settings. Demonstrate intended folder/alias synchronisation; do not assume it works.
- Email design: Deep Teal #0D2D2E header/footer, off-white body, readable dark text, orange #F58A1F CTA, approved logo linking to https://iosky.nl through central template configuration, correct variables, accessible layout and plain-text fallback.

10. Communications, mailboxes and email domains

10.1 Controlled communication boundaries

- All client–developer communications are mediated by IO SKY; do not provide unrestricted direct client–developer contact.
- Support internal, client-facing, developer-facing, individual, project and team conversations with authorised attachments and notifications.
- PDF, image, screenshot and approved business file uploads require validation, access control, optional notes and security checks.
- Documents shared across client/developer boundary require explicit IO SKY release; mere project membership does not confer access.

10.2 Definitive email domains and infrastructure

- iosky.nl: invitations, activation, authentication, MFA, support, Discovery Calls, AI Scans, invoices, payments, projects and all other approved transactional/operational mail.
- iosky.co: AI Sales Outbound prospecting, personalised cold outreach, follow-ups, replies and campaign correspondence only.
- Configure provider(s), mailboxes, aliases, SPF/DKIM/DMARC, bounce/suppression processing, inbound routing, delivery status and approved Zoho/Outlook integration.
- Validate actual mailbox/folder synchronisation and alias behaviour rather than assuming protocol compatibility.
- Transactional email header logo links to https://iosky.nl through central configurable template settings.

11. Notification Center

Notification Center is an action/attention system, not an unrestricted activity feed. Its nine families are: Discovery Calls; AI Scans; Clients & Accounts; Projects & Delivery; Payments & Billing; AI Operations; Platform & Integrations; Security & Access; Governance & System.

- Filter notifications by role, granted permission, scope, assignment and resource.
- Show unread/resolved status, priority, contextual details and authorised deep links.
- Revocation must remove access to sensitive notification content; notification delivery never grants access.
- AI Scan client notification occurs only after authorised publication.

Integrated explicit requirements — Nine notification families and authorised delivery

- Exactly nine families: Discovery Calls; AI Scans; Clients & Accounts; Projects & Delivery; Payments & Billing; AI Operations; Platform & Integrations; Security & Access; Governance & System.
- Show relevant priority, unread/resolved status, grouping, actionable deep link and current state. Filter by role, permission, scope, assignment and ownership. Notifications never grant access; revalidate resource permission on open and after revocation.
- Client receives AI Scan publication notice only after separately authorised publication, not after draft generation or review completion.

12. Projects, teams and assignments

- Super Admin and authorised Admins create/rename/archive projects, link clients, manage milestones, tasks, documents, status, deadlines and delivery.
- Project identifiers remain stable after renaming.
- Create teams, add/remove members, designate point of contact and assign responsibilities; membership never overrides resource access.
- Simple Developer workflow: Open Project → Assign Developer → Search → Select → Configure Role/Access → Confirm.
- Assigned Developer immediately sees only authorised project/tasks; reassignment and revocation propagate correctly.
- IO SKY reviews and releases client/developer documents to appropriate parties; project events trigger scoped notifications.

References: Master SRS §15.18; PWF-01–09; SRS-09.1, 09.2, 09.6, 09.7.

13. AI Scans, review, reports and briefings

13.1 Paid scans and adaptive intake

Operations Scan, Cyber Scan and Elite Scan are all paid. Intake and adaptive assessment support all ten approved languages. The adaptive engine preserves mandatory baseline questions, autosave/resume, detects missing evidence and contradictions, asks targeted non-redundant follow-ups, and stops based on defined evidence sufficiency rather than arbitrary question count.

13.2 New versus existing customers

- New customer selects scan, provides relevant international organisation and tax details, sees language disclosure, selects report language and audience, pays through Stripe, activates account and completes the assessment.
- Existing logged-in client remains authenticated; authorised company details are prefilled and not unnecessarily requested again; no duplicate account.
- Before payment, in the intake language, clearly disclose that the final report is available only in Dutch or English and require explicit choice.

13.3 Evidence, report and review

- Analyst generates evidence-based findings and traceable references to answers, follow-ups, documents, contradictions, assumptions and uncertainty; do not expose private model chain-of-thought.
- Fixed approved report chapters, executive summary, findings, scores, roadmap, recommendations and conclusions; professional book-style viewer, linked contents, navigation, responsive view and downloadable branded output.
- Audience (Board, CEO, CTO/IT, Investor, other) changes presentation, terminology and depth only, never underlying evidence, scoring or substantive findings.
- Review and Publish are independent permissions; assigned reviewers can inspect evidence and propose corrections without publication authority.
- Targeted regeneration may select chapter, section, paragraph, finding, table or recommendation; dependency checks update affected summaries, scores, roadmaps and conclusions while preserving unrelated content.
- Maintain version history, reviewer comments, comparisons, approval evidence and consistency checks.
- Mandatory lifecycle: Assessment → AI Analysis → Expert Review → Authorised Approval → Publish → Client Portal. Generated output is never automatically visible to client.

13.4 Executive Briefing

- Dutch and English at launch; selected audience affects presentation, not factual conclusions.
- Approved avatar-free, professional narrated visual storytelling, charts and animations; preferred HeyGen integration with replaceable Synthesia adapter subject to actual provider capabilities.
- Independent briefing preview, segment correction/regeneration where supported, reviewer approval and publication; minimise unnecessary regeneration cost.
- Eligible client can buy briefing later without repurchasing the full scan; create quotation/payment link, confirm payment, reuse authorised evidence, review and publish separately.

References: BR-009, BR-016, BR-017; AI Scan Engine Specification; SWF-01–08; approved report and briefing specifications.

Integrated explicit requirements — Three paid AI Scans: assessment, report, review and briefing

- Operations Scan, Cyber Scan and Elite Scan are all paid; no free tier. Assessment uses ten languages EN, NL, DE, FR, PT, IT, ES, AR, ZH, JA; baseline questions cannot be skipped, and adaptive follow-ups investigate gaps, contradictions and evidence sufficiency without repetitive questioning. Autosave, resume and submission are required.
- Before payment, translated disclosure must say: “You may complete the assessment in your preferred language. Your final AI Scan report will be delivered in Dutch or English. Please select your preferred report language.” Explicit EN or NL report-language selection is mandatory before payment. Executive Briefing is also EN/NL at launch.

- New clients select scan, enter relevant international company/tax details, pay through Stripe, activate account and continue in portal. Existing logged-in clients remain authenticated, prefill verified company data and never create duplicate accounts.
- Intended audience selection (Board/Executive Management, CEO/Business Owner, CTO/IT Leadership, Investors, other supported categories) changes framing, terminology, depth and emphasis only, not evidence, risks, scores or substantive findings.
- AI Analyst must preserve each scan's fixed report chapters/sections and generate evidence-based findings. Reviewer can inspect answer/follow-up evidence, contradiction, assumptions, uncertainty and review-oriented explanation without exposing private model chain-of-thought.
- Review and Publish permissions are independent. Reviewer may target chapter, section, paragraph, finding, table or recommendation; regenerate affected content, check dependencies across summary, risk, scores, roadmap, conclusion and recommendations; preserve unrelated content, versions, comparisons and reviewer notes.
- Lifecycle: Assessment → Analysis → Expert Review → Approval → Authorised Publication → Client Portal. Only Super Admin or explicitly authorised Admin with AI Scan Publish can publish; generation and review never auto-publish.
- Book-style report requires chapter hierarchy, clickable contents/internal links, charts/visuals, consistent branding, responsive viewer, downloadable PDF and version ID.
- Executive Briefing: approved avatar-free narration, visual storytelling, charts and animation; HeyGen preferred with Synthesia-compatible provider adapter where supported. Separate preview, segment correction/regeneration where supported, review, approval and publication.
- Client can purchase briefing after scan without repurchasing scan: attach to existing scan/order, issue quote/payment link, confirm payment, reuse authorised evidence, review and publish separately.

14. International intake, VAT, Stripe and billing

14.1 International business registration

- Collect legal business name, country, registered address, postal code/city, business email/contact, official national registration number, VAT ID where applicable and other required invoice data.
- Netherlands: label registration field KvK Number; other countries: use appropriate official national commercial/business registration number and country-specific format. Do not require Dutch KvK format from foreign businesses.
- Support jurisdictions without an equivalent registration number or without a VAT ID through documented lawful exceptions; do not reject legitimate international customers solely for differing number formats.
- Validate domestic/international VAT IDs with supported country-specific checks; use VIES for applicable EU VAT verification and a controlled review/exception path when verification is unavailable.

14.2 Stripe Tax and invoices

- Use approved Stripe Tax configuration to determine applicable VAT by jurisdiction, transaction and verified customer information; do not hardcode 21% for all cases.
- Show full tax breakdown and total before payment, retain tax determination/evidence and appropriate registration details for compliant invoices and audit.
- Payment status changes only after authoritative provider confirmation; handle failed, pending and duplicate webhook events idempotently.
- Automated business triggers and authorised manual controls support quotation creation/edit/send, invoice creation/send/resend, payment requests/links, confirmations, reminders and billing notifications.

- Super Admin and explicitly authorised Billing Admins can perform permitted manual actions through the portal without developers.
- All quotations/invoices use official IO SKY logo, deep teal #0D2D2E, orange #F58A1F, professional layout, accurate tax and legal details, downloadable output and consistent email branding.
- Test Dutch, other EU, non-EU, no-VAT-ID, existing customer and temporarily unverifiable registration cases.

References: Master SRS §16, BR-023, BWF-01–08; country-specific tax/legal handling requires validated configuration.

Integrated explicit requirements — International registration, Stripe Tax, VIES and manual/automated billing

- Intake captures legal name, country, registered address, postal code, city, business email, contact information, official national registration number, VAT ID where applicable and legally required invoice fields. Dutch registration label is “KvK Number”; outside NL use the country-appropriate registration label, format, validation and lawful exceptions.
- Accept domestic/international VAT numbers; apply country-specific validation, Stripe Tax and supported VAT services, VIES where applicable for EU VAT IDs. Format match alone is not VAT verification. Provide controlled review/exception when verification unavailable or inconclusive.
- Compute transaction-appropriate tax treatment and amount automatically based on jurisdiction and verified data, not a universal 21% rate. Display tax breakdown before payment and preserve evidence on invoice and transaction.
- Payment state updates only after authoritative Stripe confirmation, using verified and idempotent webhooks; failed, duplicate, late or out-of-order provider events must not create duplicate orders or false paid status.
- Manual and automatic workflows must support quotation create/review/edit/send, invoice generate/send/resend, secure payment links, reminders, subscriptions, payment status and authorised notifications, all through a nontechnical interface.
- Financial documents include official IO SKY logo, Deep Teal #0D2D2E, Orange #F58A1F, readable structure, appropriate legal/tax fields and downloadable output.
- ONLY Super Admin may see company-wide revenue, turnover, aggregated financial analytics, forecasts, revenue-related AI Advisor outputs, dashboards and unrestricted exports. Billing Admins may handle only individually authorised client records, invoices, quotes, payments and subscriptions. Backend/API/search/export/notifications/AI must not permit reconstruction of company totals.
- Demonstrate intake, tax, payment and invoice for Dutch KvK/VAT, other EU company, non-EU company, no VAT ID, existing client with prefilled data and failed/unavailable VAT verification. Legitimate foreign companies cannot be rejected for not having Dutch-format registration.

15. Transactional email design and delivery

- AWF/BWF/DWF/PWF/SWF events trigger only after authoritative workflow completion; record delivery attempts, failures and audit events.
- Shared template: deep teal header/footer, light/off-white body, dark readable text, orange primary CTA, official IO SKY logo, approved typography, spacing, contrast and plain-text fallback.
- Logo is clickable to https://iosky.nl; centralise template variables, destination and locale configuration.
- Email content must include correct names, dates, invoice details, secure payment links and appropriate language.
- Do not send duplicate or premature confirmation; use idempotent event processing.

16. Website, ten-language portals and design

16.1 Website and complete language coverage

Navbar: Foundation | Intelligence | Solutions | AI Scan | About | Contact; Case Studies under About; language selector, Log in and Book Discovery Call functional. Website, five role portals and AI Scan intake/adaptive assessment must support EN, NL, DE, FR, PT, IT, ES, AR, ZH and JA. AI Scan final reports and Executive Briefing videos are Dutch/English at launch.

- Translate entire applicable UI: navigation, sidebars, buttons, forms, status, dashboards, widgets, notifications, validation, errors, file uploads, verification, call handover and AI-generated interface summaries.
- No unintended mixed-language fragments: a Dutch portal means Dutch interface labels throughout. Brand names, user-authored text, proper names and recognised technical terms may remain original when appropriate.
- Arabic requires correct RTL layout; support Unicode, locale-aware dates/numbers and configurable language registries.
- Separate portal UI language, assessment language, report language and live caller language; adding future report languages must not require rebuilding the engine.

16.2 Visual design and nontechnical management

- Use Warm Deep Teal #0D2D2E, Orange #F58A1F, off-white primary text, approved Signature High Glass, readable typography and responsive stable navigation.
- Maintain consistent desktop/mobile interaction, contrast, focus states and accessible form feedback.
- Super Admin manages social links, order, visibility and placements without developer changes.
- Product Owner identifies required website visuals; developers implement approved designs, deploy completed work to staging and iterate on review feedback.

Integrated explicit requirements — Ten-language platform, public website and legal document control

- Ten launch languages: EN, NL, DE, FR, PT, IT, ES, AR, ZH, JA across public website, Super Admin, Admin, Developer, Technical Operator and Client portals, and full AI Scan intake/adaptive assessment. Reports and Executive Briefing only Dutch and English at launch.
- Translate navigation, sidebars, buttons, forms, statuses, widgets, dashboards, notifications, validation errors, system messages, dialogs, uploads, verification screens, call handover labels and relevant AI-generated UI summaries. No stray English UI fragments in selected language.
- Arabic RTL, Unicode, locale-aware formatting, central translations, configurable language registry, separation of interface/assessment/report/briefing languages and language-independent business logic; do not silently translate user-authored content or existing files.
- Public navbar: Foundation | Intelligence | Solutions | AI Scan | About | Contact; Case Studies under About; functional language selector, Log in and Book Discovery Call.
- Design: Warm Deep Teal #0D2D2E, Orange #F58A1F, off-white primary text, approved Signature High Glass, accessible contrast, stable responsive desktop/mobile navigation. IO SKY identifies visuals, reviews staging and requests corrections.
- Super Admin self-service manages public social channels, links, order, visibility and placements.
- Super Admin public legal-document workflow: create/upload/edit/replace/version/preview/publish/unpublish/archive; configured placement automatically updates correct website areas. Private documents are scoped to authorised client, organisation, project, developer or recipient group, with notes, history and controlled release.

17. Legal and operational documents

- Super Admin manages public legal documents: create, upload, edit, replace, version, preview, publish, unpublish and archive.
- Predefined legal document types and placement rules automatically update relevant public website locations.
- Authorised users link private files to specific client, organisation, developer, project, account or group.
- Support PDF, screenshots, images and approved document types, with optional notes, validation, audit and access control.
- Client/developer documents remain private until IO SKY authorises cross-boundary release; retain versions, effective dates, acceptance records and publication history.

18. AI Analytics, AI Advisor and revenue access

18.1 Actual operational intelligence

Dashboards and AI Advisor use real authorised platform data, never unlabeled demonstration figures. Recommendations identify issue, supporting evidence, priority, impact, action, destination and current state; update when the source state changes.

- Examples: unassigned leads, missed positive outbound replies, overdue follow-ups, Discovery Call issues, late scan review, project risks, billing exceptions, integration failures, AI quality problems and overdue callbacks.
- AI Sales Outbound insights include contacts, positive/negative replies, interested prospects, uncertain classifications and response delays; Super Admin can review and correct classifications.
- AI Advisor suggestions may propose agent improvements but cannot change production policy without approval.

18.2 Exclusive company-wide revenue access

ONLY Super Admin may access total company revenue, aggregated turnover, revenue trends, forecasts, executive revenue analytics and revenue-related AI Advisor outputs. Billing Admins may manage explicitly authorised individual client invoices, payment states, quotations and subscriptions, but must not access aggregate company revenue through screens, API, exports, notifications, search or derived summaries.

Integrated explicit requirements — AI Advisor, operational intelligence and approval boundaries

- Dashboards and AI Advisor use actual authorised operational data, not demo figures presented as live. Detect unassigned leads, missed sales follow-ups, Discovery Call problems, delayed scan reviews, project risk, billing problems, failed integrations, agent performance and overdue callbacks.
- Outbound intelligence explicitly counts contacted prospects, replies, positive and negative responses, requests for information, Discovery Call interest, unanswered positive replies, overdue follow-ups and campaign concerns.
- Each recommendation shows evidence, related lead/campaign, priority, reason, operational impact, suggested action, status and authorised deep link. Classifications must distinguish confirmed positive from uncertain replies and be correctable by Super Admin.
- AI Advisor recommendations may suggest improvements but may not modify production agent behaviour or disclose restricted revenue to non-Super Admin users.

19. Manual controls, automation and approvals

Every significant workflow must identify its event trigger, responsible actor, authorisation, state transition, manual override, approval requirement, failure handling and audit evidence. Automation reduces repetition but does not remove mandatory human control.

- Automatic lead creation with manual correction; automatic appointment email with manual scheduling management.
- Automatic quotation/invoice generation with manual review, edit and sending where permitted.
- Automatic callback task creation with manual assignment/completion.
- AI-generated report with expert review and authorised publication; AI agent improvement proposal with Super Admin approval.
- Never claim success until the authoritative operation has committed; provide visible failure and retry states.

20. Staging, production, backup and recovery

- Isolate staging from production, protect staging behind access controls, use synthetic/test data and approved sandbox integrations, and prevent search indexing.
- Allow Super Admin to preview/test agent prompts, voice, IVR routing, scheduling and other permitted configurations in staging before production approval.
- Provide central backup policy visibility and permitted configuration for frequency, retention, encryption and recovery objectives.
- Guided recovery for Super Admin: backup selection, impact warning, strong confirmation, permissions, progress, audit and post-restore validation.
- Test representative recovery cases; one-click initiation must not mean an unsafe unconfirmed restore.
- Production deployments require the controlled approval path; staging deployment is required for iterative Product Owner review.

References: Master SRS platform operations and SRS-19.3.

Integrated explicit requirements — Backup, recovery, staging and end-to-end acceptance

- Staging and production must be isolated, with protected staging access, non-production credentials and appropriate synthetic data. Super Admin must preview and test agent prompts, voices, IVR, scheduling and other approved configurations before production release.
- Super Admin can review and, within approved infrastructure safeguards, configure backup frequency and retention. Backups require consistency, encryption, storage security, recovery objectives and restoration testing.
- Provide guided restore: select backup → show impact warning → check authorisation → confirm → display progress → log action → validate recovery. A simple initiation interface must not skip safety checks.
- Demonstrate positive and denied permission tests for every Technical Operator scope, combined/revoked assignments, APIs, repositories, databases, secrets, environments and deployment.
- Demonstrate real inbound/outbound telephony, verification, language switching, recording/transcription four modes, pre-answer desktop/mobile handover, failed transfer/callback, CRM and scheduling recovery.
- Demonstrate all scan, VAT, payment, reporting, video, publishing, document sharing, outbound, notification, translation, backup and usability workflows on working integrated infrastructure; mock-only screens do not satisfy acceptance.

- Final acceptance requires working integrated functionality, security, responsive UX, ten-language coverage, operational demonstrations, documentation, resolved defects and explicit written Product Owner acceptance; deployment alone is not acceptance.

21. Functional, security and usability acceptance

A screen alone is not acceptance. Developers must demonstrate live functionality, real integration, correct data, negative authorisation tests, responsive interaction, accessibility and reproducible test evidence.

- Technical Operator access: UI/UX, Frontend, Backend, Full Stack, Infrastructure, Security, Database/Data, single and combined agent assignments, temporary and revoked permissions; test UI and direct APIs, repos, secrets, DB and deployments.
- Receptionist: new/existing caller, secure verification, public/private boundary, FAQ, scan advice, Discovery Call qualification, scheduling, human request, failed transfer, callback, pre-answer desktop/mobile context, language switch, context memory, recording/transcription 4 combinations and legal notice.
- Scheduling: create, confirm, reschedule, cancel, prevent conflicts, trigger correct emails, handle failures and sync CRM.
- Scans: new/existing purchase, 10-language intake, report-language disclosure, VAT validation, adaptive evidence, reviewer controls, targeted regeneration, approval/publication, download and independent video review.
- Communication: uploads, optional notes, internal review, authorised sharing, team/individual chat, scoped notifications and prevention of direct client–developer exposure.
- Billing: Dutch/EU/non-EU registrations, tax treatment, Stripe confirmation, manual and triggered quotation/invoice, branding, permissions and failed provider events.
- Full UI language coverage across all ten locales with no untranslated interface fragments, including desktop/mobile handover.
- Non-technical authorised users must complete ordinary operational tasks without code, database commands or developer intervention.

Integrated explicit requirements — Mandatory scenario-based acceptance register

ID	Mandatory working demonstration
ACC-01	Create two Admins with distinct combined permissions; confirm backend scope restrictions and effective access preview.
ACC-02	Technical Operator UI/UX-only cannot read backend repositories, production DB, secrets or other agents.
ACC-03	Developer Implementer cannot approve/release production; Super Admin approval required.
ACC-04	MFA enforced for all five roles; passkey/device authentication and session revocation tested.
ACC-05	Dutch greeting; switch to English mid-call; preserve prior answers and avoid repetition.
ACC-06	Unverified caller cannot access private invoice; secure verified-email portal link and MFA flow works.
ACC-07	Verified caller accesses only authorised invoice; cross-organisation access denied.
ACC-08	Sensitive bank/contract changes not performed by AI;

	secure portal or authorised human route.
ACC-09	Pre-answer desktop call card shows all required context before employee accepts transfer.
ACC-10	Pre-answer mobile call card shows same essential context and verification state.
ACC-11	Dutch call produces Dutch summary while employee portal may use another language.
ACC-12	English call produces English summary with independent portal UI language.
ACC-13	Recording ON/transcription ON works, notice and retention policy applied.
ACC-14	Recording ON/transcription OFF works independently.
ACC-15	Recording OFF/transcription ON works independently.
ACC-16	Both OFF still permit natural conversation, structured memory and safe transfer.
ACC-17	Transfer fails; AI resumes, callback task assigned, notification and follow-up tracked.
ACC-18	Scheduling create/reschedule/cancel synchronises CRM, Discovery Call and emails without duplicates.
ACC-19	AI Sales Outbound reply classified, Advisor identifies unanswered positive reply and deep-links.
ACC-20	Transactional mail from iosky.nl; outbound campaign from iosky.co; authentication and suppression tested.
ACC-21	AI Scan assessment fully usable in ten languages, Arabic RTL, no mixed UI strings.
ACC-22	Report-language EN/NL disclosure and explicit selection occur before Stripe payment.
ACC-23	New international buyer completes account and Stripe Tax flow without Dutch KvK requirement.
ACC-24	Existing authenticated buyer remains logged in, prefilled and no duplicate organisation.
ACC-25	VIES success/failure/unavailable and non-EU/no-VAT exceptions yield correct controlled tax treatment.
ACC-26	Duplicate/out-of-order Stripe webhook does not duplicate order or falsely confirm payment.
ACC-27	Reviewer regenerates single report finding; dependent summary/roadmap updated, unrelated content stable.
ACC-28	AI Scan Review without Publish cannot expose draft; authorised publish notifies client.
ACC-29	Post-scan Executive Briefing payment link uses existing evidence and separate review.
ACC-30	Billing Admin sees scoped invoices but no total revenue via dashboard, API, export, search or

	Advisor.
ACC-31	Client and Developer uploads remain private until IO SKY explicitly releases them.
ACC-32	Legal document publish automatically updates configured public website placement.
ACC-33	Backup restore requires selection, warning, authorisation, progress, audit and validation.
ACC-34	Every completed feature receives incremental staging release, Product Owner feedback and retest.
ACC-35	All five portals and public website translate notifications, validation, widgets, dialogs and handover.
ACC-36	Super Admin edits agent prompt/voice in staging; operator cannot independently publish production.

22. Product Owner collaboration and scope alignment

IO SKY remains actively involved during the entire development and delivery process. The Product Owner will continue to provide clarification, additional functional examples, expected click behaviour, business rules, screenshots, UX feedback and review decisions whenever necessary to make previously discussed requirements unambiguous.

- Developers must ask questions before implementing restrictive assumptions when existing SRS, email, WhatsApp, approved design or milestone instructions appear ambiguous or conflicting.
- Clarifications, examples, workflow elaboration, review feedback and corrections implementing previously communicated functionality are part of IO SKY's clarification process and must not be labelled or invoiced as new work on that basis.
- If the development team alleges a genuine contractual discrepancy, it must submit the precise clause-to-clause comparison, supporting dated correspondence and implementation impact for IO SKY's written review. Until resolved, the item remains identified as an IO SKY functional clarification; no unilateral charge or exclusion is permitted.
- Keep a dated decision log and traceability matrix linking each clarification to its source, approval and implementation/test evidence.
- An example is illustrative, not a limitation on the underlying agreed feature; do not omit a requirement because an example did not show every possible case.

23. Developer documentation and traceability

Developer handoff and operating documentation must include architecture, data flows, source-controlled module descriptions, role/permission matrices, Admin combinations, Technical Operator boundaries, agent registry and configuration, AI Receptionist/IVR, verification, live handover, scheduling, CRM/API, outbound, email domains, projects, AI Scans, billing, notification families, documents, languages, backups, deployment and audit.

- Document each workflow with trigger, actors, permissions, states, exceptions, integrations and evidence.
- Maintain test cases and results, implementation location, source/version reference and operating instructions.
- Include actual desktop and mobile Live Call Handover visual references (Appendix B), not merely a text promise.

- Explain configuration tasks a non-technical Super Admin or authorised Admin can perform without developer involvement.

Integrated explicit requirements — Source reference register: stated references versus independently confirmed evidence

The following references are transcribed from the Product Owner's supplied consolidated text. Their existence as stated references is confirmed in that text; their exact clause wording and commercial treatment require comparison with the original files and dated communications. No WhatsApp timestamp, clause quotation or approval is fabricated.

Area	Stated governing reference
Least privilege	Master SRS BR-013
Technical Operator	Master SRS BR-024; BR-025
AI Scan approval	Master SRS BR-009; BR-016
Report history	Master SRS BR-017
Audit	Master SRS BR-020
Payment	Master SRS BR-023
Discovery	Master SRS §14.7; DWF-01–09
Outbound	Master SRS §14.16
Receptionist/IVR	Master SRS §§6.9, 17.6, 19.5; IVR v1.0
Projects	Master SRS §15.18; PWF-01–09; SRS-09.1, 09.2, 09.6, 09.7
Billing	Master SRS §16; BWF-01–08
Integrations	Master SRS §22.13; SRS-16.1–16.7
Backup	SRS-19.3
Scans	AI Scan Engine Specification; SWF-01–08
Auth emails	AWF-01–09
Notifications	Notification Center Specification
Design and email	Approved website, navbar, portal, email and design specifications
Later clarification	Dated email, WhatsApp and Product Owner instructions — exact messages to attach

END OF APPENDIX I. This appendix is cumulative with Chapters 1–25 and Appendices A–H; any shorter statement elsewhere must not be read to weaken an explicit mandatory requirement above. Where earlier text says the AI Scan intake language is unresolved, the definitive requirement is TEN languages. Where earlier text says domain assignments require confirmation, the definitive stated assignments are iosky.nl and iosky.co. Where earlier text allows context only after answering, the definitive requirement is PRE-ANSWER delivery. These are precedence clarifications, not new billable work.

Release-control note: Any unresolved source citations, provider-dependent functionality, or contractual classification must be reconciled against the governing documents and written approvals. Absence of a verified citation must not be presented as proof that a requirement is new or excluded. No production release or final acceptance follows from this document alone.

24. Incremental staging delivery and final acceptance

24.1 Mandatory incremental staging delivery

As soon as an implementation unit is functionally ready and has passed developer checks, the development team MUST deploy/push it to the protected staging environment promptly, rather than holding completed functionality until the entire platform or milestone is finished. Notify IO SKY with the staging link, scope of changes, tested scenarios, known limitations and any relevant test account/access instructions. The staging release must be sufficiently integrated to allow meaningful review.

24.2 Product Owner review loop

8. Developer implements and self-tests the agreed unit.
9. Developer deploys it to staging and sends IO SKY a concise release note.
10. IO SKY reviews functionality, UI/UX, responsive behaviour, permissions and end-to-end integration.
11. IO SKY provides clarification, observations and corrections.
12. Developer resolves defects/clarifications within agreed scope and pushes the corrected build back to staging.
13. Repeat until written approval for that unit; final production release still follows Super Admin governance.

24.3 Final acceptance

Deployment is NOT acceptance. Final acceptance requires complete agreed functionality, module integration, enforced permissions, secure data handling, working automation, multilingual desktop/mobile UX, tests, documentation, defect resolution and written Product Owner sign-off. Record unresolved items with impact, owner and agreed resolution.

25. Final implementation instruction

Deliver one integrated, secure, intelligent, maintainable, accessible and genuinely user-friendly IO SKY infrastructure. Super Admin retains governance; Admin permissions are combinable and scoped; Developer and Technical Operator access is limited; Clients receive authorised professional experiences; AI agents carry out real work through controlled integrations. Developers must cooperate with IO SKY throughout implementation and respond to ongoing clarifications and staging feedback. This Version 1.0 clarification does not waive existing contractual obligations or create unapproved commercial scope.

Appendix A — Principal requirement reference register


Area	Principal reference
Access and least privilege	Master SRS BR-013
Technical Operator scope	BR-024; BR-025
Report approval and publication	BR-009; BR-016
Report version history	BR-017
Audit	BR-020
Payment confirmation	BR-023
Discovery Calls	§14.7; DWF-01–09
AI Sales Outbound	§14.16; dedicated outbound specification
Receptionist and IVR	§§6.9, 17.6, 19.5; IVR/Telephony spec
Projects	§15.18; PWF-01–09
Billing	§16; BWF-01–08
CRM APIs	§22.13; SRS-16.1–16.7
Backup/recovery	SRS-19.3
AI Scans	AI Scan Engine specification; SWF-01–08
Authentication	AWF-01–09
Notifications	Dedicated Notification Center specification
Emails	Approved AWF/BWF/DWF/PWF/SWF templates
Website and portals	Approved navbar/design specifications

The references below identify principal sources from the supplied consolidated material. Exact page/section mapping, approved revisions and relevant dated email/WhatsApp instructions must be verified against the underlying source records. Missing citation detail is a documentation gap, not grounds to label the described functionality as new work.


Appendix B — Live Call Handover visual references

These visual references show the REQUIRED pre-answer information hierarchy and IO SKY design direction. They are illustrative UX references, not substitutes for working authorised functionality. Caller details are fictional. Both interfaces must show context BEFORE a human accepts the transfer.

B.1 Desktop — pre-answer transfer



B.2 Mobile — pre-answer transfer



Language rule: caller's spoken language controls the handover summary; the receiving employee's selected portal language controls the surrounding interface. If the context cannot be delivered before answer, show explicit unavailability and safe fallback. Verification/recording/transcription status must be accurate.

Appendix C — Integrated acceptance demonstration matrix

Workstream	Minimum live evidence
Access	Five roles; Admin combinations; per-agent operator scopes; backend deny tests
Auth	MFA/passkeys; secure recovery; revocation; cross-client denial
AI Receptionist	Natural Dutch/English; qualification; verification; pre-answer desktop/mobile; failed transfer
Recording	Four independent ON/OFF combinations; notice; retention and deletion
Scheduling	Committed availability; booking/reschedule/cancel; CRM/email sync
CRM & Outbound	Lead attribution; authorised search; campaign controls; AI Advisor follow-up
AI Scans	10-language intake; report EN/NL; evidence; review; publish; video approval
Tax & Billing	International registration; VAT verification; Stripe Tax; branded manual/automatic docs
Communications	iosky.nl vs iosky.co; aliases; approval-based document sharing
Localisation	Full ten-language interface and RTL without mixed-language defects
Security	Repository/DB/API/environment isolation; no independent production publish
Staging	Each finished unit deployed promptly; Product Owner review and corrected redeploy

Appendix D — Source verification and decisions still requiring confirmation

- Confirm the exact approved agent registry and map each agent responsibility to the Master SRS, relevant milestone specification, and dated email/WhatsApp clarifications. Do not relabel a clarification as a new agent feature because the consolidated wording is more detailed.
- Actual approved WhatsApp/email messages and design decisions, with timestamps and approval status.
- Provider-specific availability/limits for voice, telephony, HeyGen/Synthesia, VAT validation and Stripe Tax configuration.
- External CRM API-key management scope, exact backup objectives and recovery policy.
- Applicable legal/tax determination for cross-border invoicing, verification, retention and recording consent.
- Where this consolidated text differs from a signed governing specification, record the conflict and obtain written Product Owner direction.

Source verification is required for accurate implementation and acceptance traceability. Unavailable source records must be flagged for IO SKY to supply or confirm; they do not permit omission, automatic exclusion, or unilateral reclassification of the requirements as new work.

Appendix E — Detailed operational and exception requirements

This appendix preserves detailed Product Owner requirements from the expanded consolidated draft and subsequent clarifications, supplementing Chapters 1–25. All items are presented as clarification of earlier specifications and communications. Any missing exact source citation must be requested and documented; it must not automatically trigger a new-work classification.

E.1 AI Receptionist: verification, continuity and transfer

- At every protected-data request classify the request as public, verified-account information or sensitive change. Caller ID, a spoken name or company name alone never authenticates a caller.
- For verified-account requests, find the account without exposing details; deliver a time-limited verification link to the previously verified registered email; customer authenticates in portal with passkey or MFA; backend binds the result to the correct call, account, organisation, permission and expiry.
- Verification outcomes include unverified, pending, verified, expired, failed and insufficient permission; show the actual state to authorised staff. Never expose password, passkey secrets or recovery codes to the AI.
- For verified and authorised callers, restrict disclosures to their own permitted invoice status, outstanding balance, due date, payment registration, invoice resend to registered email and approved account/project information.
- For bank/payment detail changes, contracts and privileged account changes, redirect to approved authenticated portal self-service or authorised human process; do not independently execute through AI.
- When a caller asks for a human, initiate the authorised handoff; deliver caller context and verification status to the recipient BEFORE they answer. If the pre-answer context cannot be delivered, explicitly show context unavailable and apply the configured safe fallback.
- If no employee answers or transfer fails, resume the AI conversation, offer callback, create assigned CRM task, preserve summary, notify staff, send confirmation where configured and escalate overdue callbacks.
- Keep temporary in-call semantic context independently of stored audio or persistent transcripts; retain answers, objective, corrections, unresolved questions and next steps. Apply separate privacy/retention policies to audio, live text, stored transcript and structured summary.
- The portal interface language follows the employee preference; the handover summary follows the caller's current Dutch/English conversation language. Switching language must not reset context.

E.2 Recording, transcription and legal safeguards

- Provide separate Super Admin Call Recording and Live Transcription toggles and demonstrate ON/ON, ON/OFF, OFF/ON and OFF/OFF.
- Where recording is enabled, announce the recording before capture starts and obtain consent where applicable. If a legally required basis or consent is absent, recording must not begin; use the approved non-recording alternative.
- State recording/transcription status truthfully in the handover, operational logs and permitted user interfaces. Restrict audio/transcript access by role, scope and retention; support deletion and audit.
- Turning both features off does not disable the transient speech processing needed for live AI conversation, but it must disable the corresponding stored or displayed recording/transcription features.

E.3 International onboarding, VAT and invoicing

- Capture legal name, country, registered address, postcode/city, business email, contact details, official registration number where applicable, VAT ID where applicable and other invoice-required details.

- For Dutch companies label the registration field KvK Number; for other countries adapt label, format, necessity and validation to the relevant authority. Support legitimate countries without an equivalent mandatory number.
- Validate VAT beyond superficial string format where possible; use supported Stripe Tax/tax integration and VIES for applicable EU VAT IDs, with controlled exception/review where a service is unavailable or validation is inconclusive.
- Determine transaction-specific tax treatment from verified business context and applicable configured rules; show tax breakdown BEFORE payment and preserve jurisdictional inputs, results and invoice evidence.
- For existing authenticated clients, keep the session, prefill verified company and billing data, permit authorised corrections and avoid duplicate accounts.
- Handle payment initiation, pending state, provider success, failure, duplicate/replayed webhook, cancellation and reconciliation without false paid status or duplicate invoices.
- Demonstrate Dutch KvK/VAT, other EU, non-EU, no VAT ID, existing-client prefill and verification-service-unavailable cases.

E.4 AI Scan evidence, review and publication

- Keep required baseline questions while adapting follow-ups to missing evidence, uncertainty and contradiction; autosave, resume, prevent redundant questioning and stop based on evidence sufficiency.
- Show report language availability (Dutch or English) translated into the chosen assessment language BEFORE payment; require explicit report-language selection. All ten languages are available for interactive assessment.
- Capture report audience (Board/Executive, CEO, CTO/IT, Investor or supported equivalent). Audience may alter presentation, not evidence, scores, risk conclusions or factual findings.
- Each finding must provide reviewer-visible evidence references, answer/follow-up linkage, uncertainty and explainable rationale summaries, not hidden model chain-of-thought.
- Support section/paragraph/finding/table/recommendation-level targeted correction, dependency impact checks, affected-summary/score/roadmap consistency, comparison, versioning and reviewer notes.
- Keep Assessment → Analysis → Expert Review → Approval → Authorised Publish → Client Portal separate; review alone does not publish.
- Provide book-style chapter hierarchy, contents links, responsive viewer, downloadable report and consistent branding.
- Review and publish Executive Briefing separately; support segment correction where provider permits, provider fallback validation, no avatar where prohibited, and eligible post-scan purchase through a separate payment link without buying the scan twice.

E.5 Access, finance and outbound

- Effective permissions = role + action permission + scope + assignment/ownership + environment + resource. Test backend APIs, exports, notifications, AI tools and direct links, not only hidden controls.
- Exactly five roles. Admin presets are editable permission configurations, never additional roles. Super Admin can combine domain rights and preview effective access before inviting or updating users.
- Technical Operator permissions may be UI/UX, Frontend, Backend, Full Stack, DevOps, Security, Database/Data or individual named AI agents; none implicitly unlocks another project, agent, production environment or secret.
- Company-wide revenue, aggregated turnover, forecasts and revenue-related AI insights are exclusively Super Admin-visible. Billing Admin can handle authorised individual billing records but cannot export or query unrestricted aggregates.

- AI Sales Outbound uses iosky.co; transactional/operational mail uses iosky.nl. Separate DNS authentication, sending identities, bounce handling, reputation and suppression. Official transactional logo links to https://iosky.nl.
- Outbound workflows include lawful source qualification, deduplication, personalisation, approved sending windows/limits, follow-up caps, unsubscribe, bounce/complaint handling, positive/negative/ambiguous reply detection and human follow-up.
- AI Advisor recommendations from outbound replies show evidence, priority, prospect link and next action, while respecting access restrictions; classifications are reviewable/correctable.

E.6 Integration, UX, failure recovery and delivery

- Maintain authoritative linked records across Receptionist → CRM → Scheduling → Discovery Calls → email/notifications; Outbound → CRM → Advisor; Scan intake → Stripe → billing; Scan review → publish; projects → assigned portals.
- Use idempotent event handling for payment, scheduling, email and notifications; surface failures and retries without inventing success or duplicating records.
- All ten locale resources must cover sidebars, buttons, forms, widgets, dashboard labels, notifications, verification states, file uploads, handover screens, system errors and AI-generated UI summaries. Arabic supports RTL.
- Preserve the distinction between UI locale, assessment locale, caller/handover language and final report/video language. Do not silently translate user-authored documents or messages.
- Support authorised uploads with notes, scanning/validation, project/client association and internal review; a client-uploaded file must not automatically become developer-visible or vice versa.
- Use staging with protected access, test/synthetic data, sandbox integrations and noindex; deploy each working unit promptly for Product Owner review and corrections.
- Support Super Admin-configurable backup policy within approved infrastructure constraints, guided restore with confirmation, progress, audit and post-restore validation; demonstrate recovery in test environment.

Appendix F — Negative tests and failure-mode acceptance register

Each case must be demonstrated against running software. Record environment, test account, timestamp, expected outcome, observed outcome, evidence link, defect ID and Product Owner decision. No numeric SLA or recovery target is invented here; inherit approved targets or request a written decision.

ID	Scenario	Required observable result
F-01	Unverified caller asks for invoice balance	No private disclosure; secure verification offered
F-02	Verification link expired or replayed	Rejected; state updated; safe retry/audit
F-03	Verified user requests another organisation invoice	Backend denies cross-organisation access
F-04	Caller requests bank/contract change	AI does not execute; secure portal/human route
F-05	Employee has no permission to caller record	Sensitive handover fields hidden
F-06	Transfer recipient unavailable	AI resumes; callback task/notification created
F-07	Pre-answer context delivery fails	Explicit unavailable state; safe fallback
F-08	Recording ON, transcription OFF	Audio only; correct pre-recording notice
F-09	Recording OFF, transcription ON	Live text without stored audio
F-10	Both recording and transcription OFF	Natural AI conversation/context still works
F-11	Caller changes NL to EN	Context preserved; summary language updated
F-12	Existing client buys a second scan	Session retained; prefill; no duplicate account
F-13	Customer selects Japanese assessment	Complete Japanese intake; report NL/EN chosen before payment
F-14	Arabic portal and validation error	RTL and translated labels/errors, no mixed UI
F-15	VAT verification service unavailable	Controlled exception; no unsupported validity claim
F-16	Non-EU registration number	Country-specific handling; no Dutch-only restriction
F-17	Duplicate Stripe webhook	One authoritative state transition; no duplicate invoice
F-18	Payment pending/failed	No paid status or success confirmation
F-19	Scheduling slot becomes unavailable	Conflict prevented; alternative offered
F-20	Duplicate scheduling event	No duplicate appointment or uncontrolled email

F-21	Reviewer edits one scan finding	Dependencies checked; unrelated content unchanged
F-22	Scan generated but not approved	Not visible to Client
F-23	Reviewer without Publish permission	Cannot publish via UI or API
F-24	Executive Briefing bought later	Payment and independent review linked to existing scan
F-25	Billing Admin requests total revenue export	Denied including API/AI Advisor aggregation
F-26	Operator assigned one AI agent requests another	Denied at tools/data/API layers
F-27	Developer attempts direct production publish	Blocked; Super Admin approval enforced
F-28	Revoked access via saved notification URL	Backend denies access and protected content
F-29	Client document uploaded for internal review	Not exposed to Developer until authorised release
F-30	Outbound unsubscribe or bounce	Suppression enforced on future sends
F-31	Provider accepts email but does not deliver	No claim of inbox delivery
F-32	Backup restore requested	Impact warning, confirmation, audit, validation
F-33	Approved staging unit ready	Deployed promptly with review notes and access
F-34	Product Owner identifies agreed-scope defect	Logged, corrected and retested; no automatic change fee

Appendix G — Requirement traceability and source reconciliation

The matrix below is a SOURCE AND ACCEPTANCE TRACEABILITY TEMPLATE. The development team must complete a row for each atomic requirement, identifying its originating SRS/specification, milestone communication, dated email or WhatsApp clarification, implementation location and observed test evidence. This is not a new-work classification exercise.

Required field	What must be recorded
Requirement ID	Stable unique identifier and concise requirement text
Source	Exact document, version, clause/page or dated approved instruction
Clarification source family	Existing specification / milestone instruction / email clarification / WhatsApp clarification / Product Owner implementation clarification (no automatic new-work classification)
Source confirmation	Source date, author, relevant approval or instruction, link/attachment and any unresolved reference question
Implementation	Module, code reference, API/event, configuration and environment
Dependencies	Related modules, permission boundaries and upstream/downstream effects
Acceptance	Positive/negative tests, observed evidence and defect references
Decision	Product Owner interpretation/approval, requested clarification, source confirmation and acceptance decision

Reconciliation rule: where a citation or interpretation is disputed, identify the precise earlier clause or dated instruction, the allegedly conflicting text and the practical impact. Refer the matter to IO SKY for a written decision. Do not independently omit functionality, assign a new-work label or impose additional charges based on missing cross-references or expanded explanatory detail.

G.1 Source confirmation checklist

- Verify the exact agent registry and approved per-agent functionality against Master SRS, milestone instructions and dated email/WhatsApp clarification records.
- Verify approved WhatsApp/email instructions with dates, senders and decisions rather than relying on unverified paraphrases.
- Confirm legally applicable recording notices, consent rules, retention periods, international tax handling and identity verification policy with authorised specialists where necessary.
- Confirm provider-specific capabilities for Twilio, Stripe Tax/VIES, HeyGen/Synthesia, mailbox integration and passkeys; document supported fallbacks.
- Confirm approved backup frequency, retention, recovery point/time objectives, test evidence and production restore authority.
- Resolve any differences between this consolidated Version 1.0 and governing signed documents by written Product Owner instruction.

G.2 Product Owner collaboration and feedback — binding delivery process

IO SKY will remain actively involved throughout implementation, staging demonstrations, functional review, usability feedback, clarification, defect correction and final acceptance. The team must request clarification wherever ambiguity could produce restrictive or incomplete functionality. IO SKY will provide additional examples, screenshots, workflow details and review decisions as needed. The content of this document is presented as clarification of earlier requirements and communications, not a catalogue of new work. Any claimed contractual discrepancy must be supported by exact dated source references and resolved with IO SKY in writing before any scope or commercial consequence is asserted.

Appendix H — Source-reference audit and detail-preservation checks

H.1 Confirmed reference families

The supplied consolidated text cites Master SRS v1.1; BR-009, BR-013, BR-016, BR-017, BR-020, BR-023, BR-024, BR-025; §§6.9, 14.7, 14.16, 15.18, 16, 17.6, 19.5, 22.13; SRS-09.1/09.2/09.6/09.7, SRS-16.1–16.7, SRS-19.3; AWF-01–09, BWF-01–08, DWF-01–09, PWF-01–09 and SWF-01–08. These are references appearing in the supplied draft, not independently verified quotations from each original source.

H.2 Source evidence still to attach

For every atomic requirement, attach the precise governing document revision and clause/page, or the dated email/WhatsApp message and its sender/recipient/context. Verify the agent registry, milestones and approval history, IVR/telephony, notification mapping, report/briefing designs, backup objectives and provider constraints against their originals. No invented clause numbers or presumed approvals are permitted.

H.3 Details that must not be lost in implementation

Verify and demonstrate: five roles and combinable permissions; independent Technical Operator scopes and per-agent isolation; MFA/passkeys; four recording/transcription states and notice before recording; context-aware Dutch/English AI Receptionist; secure verification and three action levels; pre-answer desktop/mobile transfer; caller-language handover summaries independent of portal UI language; CRM/AI Sales/AI Advisor integration; Super Admin-only company-wide revenue; ten-language complete interfaces and AI Scan intake; Dutch/English reports/briefings with prepayment disclosure; adaptive assessments, evidence traceability, reviewer-targeted regeneration, authorised publication and separate briefing review; new/existing client Stripe flows; international registration numbers, VAT/VIES and tax exceptions; transactional iosky.nl versus outbound iosky.co; document release controls; staging and backup/recovery; real end-to-end acceptance demonstrations.

H.4 Explicit handling of unresolved citations

A missing or incomplete citation must be entered as “Source reference to be confirmed by IO SKY”, with an owner and requested document/message. This is a documentation follow-up, not a determination that the requirement is additional work. The development team must ask IO SKY for clarification before implementing restrictive assumptions.

H.5 Product Owner participation

IO SKY remains available throughout implementation to explain previously supplied specifications, clarify email and WhatsApp decisions, review staging builds, provide feedback and confirm expected functional behaviour.

Further clarification during development and review is expected; this document is not an exhaustive transcription of all prior correspondence.

STATUS: BINDING PRODUCT OWNER FUNCTIONAL CLARIFICATION. The clauses below form part of Version 1.0 and are to be implemented together with Chapters 1–25 and Appendices A–H. No requirement is optional because it appears in an appendix. The following clauses deliberately retain specific lists, business rules, examples, security restrictions, exception handling and acceptance cases from the Product Owner's expanded 28 October 2026 text. The source identifiers are supplied as references for developer reconciliation, not as claims that each underlying original message has been independently inspected.