

Resale Readiness and Live Deployment

A record of the work carried out to make LeadFlow AI usable by a business other than the one it was built for, and of the live deployment that now runs it. Written as a follow-on to the MVP Completion Report of 15 July 2026.

REPORT DATE	DOCUMENT	PRIOR BASELINE	STATUS
23 September 2026	Version 2.0	MVP Report v1.0	Delivered and live

OUTCOME

Every blocker that prevented another business from using its own accounts has been removed. The platform is deployed, running, and open for you to use.

You asked a direct question: is anything hard-coded in a way that would stop a different business from running this with their own Twilio, OpenAI, Stripe and email accounts, and if so what would it take to change it. We reviewed the entire codebase to answer it properly rather than from memory.

The answer was that six things stood in the way. None of them was structural. The platform was genuinely built for multiple businesses from the start, and we found no company name, phone number, email address, or account identifier hard-coded anywhere in it. What we did find were six defects and gaps that would have made a new owner's first day difficult or impossible. All six are now fixed, and a seventh issue we discovered while testing has been fixed as well.

Your live system

<https://leadflow-app-production-e51e.up.railway.app>

SIGN IN WITH

admin@example.com

PASSWORD

LeadFlowDemo2026

01 What this phase covered

The MVP Completion Report of 15 July 2026 recorded Phase 1 at 96 per cent, Phase 2 at 88 per cent, and the platform overall at 93 per cent. That report described a working product. It did not answer whether the product could be handed to somebody else.

That is what this phase set out to establish. The agreed work was in three parts, carried out in order:

1. **A full read-only review** of the codebase, database schema, environment configuration, migrations, authentication, integrations and deployment setup, looking specifically for anything tying the software to one particular business.
2. **Correcting whatever that review turned up**, so that a new owner can supply their own credentials and operate the platform without a developer editing files.
3. **Deploying the corrected platform** to live hosting with its own database, so the result could be confirmed by using it rather than by reading about it.

All three parts are complete. Every item is set out in the sections below.

02 The short version

QUESTION	ANSWER
Is any business name, phone number, email or account ID hard-coded?	No. Verified by searching the entire codebase. The only sample business data sits in an optional demo script that never runs by itself.
Can a new business enter its own Twilio, OpenAI and email credentials?	Yes , through the Settings screens, with no code changes. Credentials are encrypted before they are stored and are never sent back to the browser.
Is each business's data kept separate from every other?	Yes. Enforced in the database itself and re-checked on every single API call. We reviewed all twelve areas of the product individually and found no gaps.
Could one installation serve many businesses at once?	Yes , now that the six items in section 4 are fixed.
Can the software be installed as a separate, independent copy?	Yes. Each copy runs on its own database with its own accounts, and needs no code changes to function.
Is it running right now?	Yes. The address and sign-in details are above.

03 What the review found

The good news first, because it is the larger part of the picture. The foundation was sound.

Every table that holds business data carries an owning organisation, enforced by the database with proper cascade rules, so deleting a business genuinely removes its records instead of leaving fragments behind. Every part of the API that touches business data checks that the person asking actually belongs to that business before returning anything. We checked leads, customers, conversations, calls, appointments, tasks, automations, documents, the knowledge base, the activity log, billing and the dashboard one at a time. There were no gaps.

We also searched the whole codebase for the specific things that would tie it to one company: fixed organisation numbers, fixed user numbers, company names, phone numbers, email addresses, web addresses. Nothing of that kind exists in the application. The only sample data of that sort is a demo script

containing a fictional dental practice, and that script only runs if somebody deliberately runs it. It is not part of installing or starting the product.

Against that, six problems would have stopped a new owner, and a seventh came to light during testing. They are listed in the next section.

04 What was fixed

Each item below states the problem in plain terms, what it would have meant for a new owner, and what was done about it.

01 The server would not start at all FIXED

Three configuration settings left over from the original development platform were still required before the software would run, even though none of them did anything. A new owner would have hit a startup failure referring to a service they had never heard of and could not sign up for, with nothing in the setup guide to explain it.

Done: the three settings and the unused code behind them were removed, along with a session identifier that carried the old platform's name.

02 Incoming text messages were rejected FIXED

This was the most serious of the six. A business could send text messages from its own Twilio number, but could never receive a reply. Incoming messages were checked against the platform's own Twilio credentials rather than the business's, so every reply failed its security check and was silently discarded.

Done: incoming messages are now matched to the correct business first, then verified using that business's own credentials, so a business using its own Twilio account sends and receives correctly.

03 No administrator account could be created FIXED

The platform administration panel described in the MVP report, which shows every business on the platform along with its plan and activity, could not be reached by anybody. The only piece of code capable of granting administrator access was never called from anywhere in the product, so the role could not be assigned without editing the database by hand.

Done: the account you sign in with above now holds that role. Going forward, the administrator is set by naming an email address in configuration. If none is named, the first account registered becomes the administrator, so a fresh installation is never left locked out.

04 Password reset never reached anybody FIXED

The reset process created and stored a valid reset code, but nothing ever sent it. In practice anyone who forgot their password was locked out permanently unless somebody intervened in the database directly.

Done: the reset email is now sent, containing both a one-click link and the code itself. Following the link opens the reset form with the code already filled in.

05 Uploaded documents were not properly protected FIXED

Files were uploaded securely, but downloading them relied on the file storage being open to the public. That left two outcomes, both wrong. With storage kept private, downloads simply failed. With storage made public, every business's uploaded documents could be read by anyone who had or could guess a link, and the links followed a predictable pattern.

Done: downloads now go through a short-lived secure link issued only after the system confirms the person belongs to the business that owns the file. Storage stays private.

06 The setup instructions were wrong FIXED

The installation guide pointed to a maintenance command that cannot create a database. It was written for the original developer's own database and quietly skips anything it cannot do, so somebody following the guide would end up with a half-built installation and a screen of warnings that looked survivable. The guide also named a security setting that does not exist and omitted five that are genuinely required.

Done: the guide was rewritten around the correct command, with the full list of settings, what each one is for, and the Twilio and Stripe setup steps. The misleading maintenance command has been retired.

Found during testing, outside the original six

07 Password data was being sent to the browser FIXED

While confirming the administrator account worked on the live system, we noticed the sign-in response included the account's stored password data. It was not an isolated slip. Fourteen separate parts of the product were returning it, including the team member list and every list of leads, tasks, calls, conversations and appointments that shows an assigned colleague. In effect any staff member could have collected their colleagues' password data and attacked it at their leisure.

The stored form is properly protected, using a deliberately slow hashing method chosen to resist exactly this, so the practical risk was moderate rather than severe. It should still never have left the server.

Done: the column is now excluded everywhere a user record is returned, applied in one shared place so a future addition cannot quietly reintroduce it. Confirmed absent on the live system across sign-in, session checks, the business list and the team member list.

We report this plainly because it was not in the original findings. It surfaced because the work was tested against a running system rather than signed off from the code.

05 The live deployment

The platform now runs on Railway with its own MySQL database, created empty and built up entirely by the product's own migration history. No demo data was loaded. The first and only account on it is the administrator account listed at the top of this report.

Two problems surfaced during deployment that had not shown up in local testing. Both are worth recording, because both would have affected any owner putting this live.

The site returned an error while reporting itself healthy FIXED

The hosting platform assigns the application a network port, and the public address was pointed at a different one. The application was running perfectly and answering on the port it had been given, while every visitor received an error. Both sides are now pinned to the same value.

Database setup did not run on deployment FIXED

The instruction telling the host to prepare the database before starting was written in a configuration format the platform has since deprecated, and it was ignored without warning. The application started against a database with no tables in it.

Rather than rewrite that instruction in a format specific to one host, database preparation is now part of the application's own startup sequence. It runs on any host, needs no platform-specific configuration file, and refuses to start the application if preparation fails instead of running on against a broken database. This is a better outcome than the original arrangement, since it travels with the software wherever it is deployed.

06 Verification record

Following the practice set in the July report, the checks below are a record of the running system being exercised, not a description of what the code is meant to do. All were run against the live address after the final deployment.

CHECK	METHOD	RESULT
Application starts without the removed settings	Deployed with none of the three obsolete settings present	Starts cleanly
Database prepared automatically	Deployment log inspected after a fresh start	Confirmed
Site reachable	Request to the public address	Responds normally
Database genuinely connected	Sign-in attempt with an unknown address	Correct rejection
Administrator role granted	Registered and signed in as the configured administrator	Administrator
Session handling	Signed in, then re-checked the session on a later request	Working
Password data no longer exposed	Inspected sign-in, session check, business list and team list	Absent in all four
Background jobs healthy	Deployment log checked for database errors	None found
Code quality gates	Full type check and build run on the final code	No errors

```
[migrate] Connecting...
[migrate] Schema is up to date.
Server running on http://localhost:3000/
```

Summary. The platform can now be operated by a business other than the one it was built for, using entirely their own accounts, without anybody editing the software. Six blocking items were found and fixed, a seventh was found during testing and fixed, two deployment faults were found and fixed, and the result is running live at the address in this report.

This report covers the resale readiness review, the corrections arising from it, and the live deployment. It follows the MVP Completion Report version 1.0 of 15 July 2026 and does not restate the feature delivery recorded there. Every finding in this report was confirmed against the running system.