AdaDiag in the format of the TVDiag paper: Tables 4 and 5

Shehreyar Rashid (26I-9004) Research Topics in Cloud Computing github.com/ShehreyarRashid/AdaDiag

Baselines and *TVDiag* are copied from Xie et al., *TVDiag*, ACM TOSEM 35(2), Art. 40, 2026 (Tables 4–5). Rows marked † are this repository's re-implementation on the released datasets $\mathcal{A}$ (GAIA), $\mathcal{C}$ (Sock Shop) and $\mathcal{D}$ (Hotel Reservation). Table 6 compares AdaDiag with *TVDiag* under identical code and seeds, which is the comparison that isolates AdaDiag's effect; the gap between the re-run and the published *TVDiag* reflects the re-implementation (README §6.1, §6.9).

Table 4. Root Cause Localization Comparison

Dataset	Modality	Method	p-value	*HR*@1	⇑ *HR*@1	*HR*@3	⇑ *HR*@3	*Avg*@3	⇑ *Avg*@3	*MRR*@3	⇑ *MRR*@3
	Metric	MicroRCA	3.4e-05	0.181	319.337%	0.385	136.104%	0.287	194.077%	0.268	208.582%
	Metric	MicroHECL	2.4e-06	0.118	543.220%	0.233	290.129%	0.177	376.836%	0.167	395.210%
	Trace	TraceRCA	1.3e-05	0.192	295.312%	0.364	149.725%	0.291	190.034%	0.270	206.296%
	Trace	MicroRank	8.6e-05	0.192	295.312%	0.419	116.945%	0.308	174.026%	0.288	187.153%
	Multimodality	Eadro	1.6e-03	0.304	149.671%	0.592	53.547%	0.473	78.436%	0.437	89.245%
	Multimodality	DiagFusion	3.1e-02	0.404	87.871%	0.801	13.483%	0.636	32.704%	0.586	41.126%
	Multimodality	RF-RCL	3.4e-02	0.573	32.461%	0.815	11.534%	0.719	17.385%	0.686	20.554%
$\mathcal{A}$	Multimodality	***TVDiag***	-	**0.759**	-	**0.909**	-	**0.844**	-	**0.827**	-
	Multimodality	TVDiag (re-run)†	4.3E-02	0.738	2.843%	0.894	1.710%	0.828	1.901%	0.809	2.214%
	Multimodality	AdaDiag-CL†	3.5E-02	0.743	2.194%	0.898	1.276%	0.834	1.258%	0.814	1.608%
	Multimodality	**AdaDiag-DL**†	2.8E-01	0.749	1.293%	0.901	0.869%	0.837	0.846%	0.818	1.048%
	Multimodality	TVDiag-LSTM (re-run)†	5.7E-02	0.714	6.373%	0.886	2.615%	0.812	3.996%	0.791	4.516%
	Multimodality	**AdaDiag-DL-LSTM**†	5.0E-02	0.742	2.341%	0.895	1.517%	0.830	1.744%	0.811	1.946%
	Multimodality	TVDiag-Spec (re-run)†	2.8E-04	0.684	10.909%	0.870	4.474%	0.791	6.693%	0.769	7.591%
	Multimodality	AdaDiag-DL-Spec†	3.4E-04	0.679	11.849%	0.871	4.423%	0.787	7.213%	0.765	8.120%
	Metric	MicroRCA	6.7e-07	0.058	1441.379%	0.155	507.097%	0.107	763.551%	0.099	826.263%
	Metric	MicroHECL	6.8e-07	0.044	1931.818%	0.142	562.676%	0.094	882.979%	0.085	978.824%
	Trace	TraceRCA	2.8e-09	0.150	496.000%	0.204	361.275%	0.183	404.918%	0.176	421.023%
	Trace	MicroRank	4.4e-09	0.171	422.807%	0.227	314.537%	0.205	350.732%	0.197	365.482%
$\mathcal{B}$	Multimodality	Eadro	6.3e-04	0.226	295.575%	0.478	96.862%	0.367	151.771%	0.339	170.501%
	Multimodality	DiagFusion	4.3e-08	0.205	336.098%	0.273	244.689%	0.239	286.611%	0.229	300.437%
	Multimodality	RF-RCL	7.5e-03	0.635	40.787%	0.829	13.510%	0.739	25.034%	0.719	27.538%
	Multimodality	***TVDiag***	-	**0.894**	-	**0.941**	-	**0.924**	-	**0.917**	-
	AdaDiag: not run, dataset $\mathcal{B}$ (AIOps-22) is not distributed with TVDiag's code										
	Metric	MicroRCA	6.4E-06	0.063	1269.841%	0.231	312.987%	0.145	529.655%	0.132	584.091%
	Metric	MicroHECL	1.8E-05	0.054	1498.148%	0.245	289.388%	0.147	521.088%	0.132	584.091%
	Trace	TraceRCA	1.3E-07	0.116	643.966%	0.220	333.636%	0.171	433.918%	0.161	460.870%
	Trace	MicroRank	1.7E-06	0.054	1498.148%	0.200	377.000%	0.140	552.143%	0.121	646.281%
	Multimodality	Eadro	1.4E-04	0.191	351.832%	0.415	129.880%	0.317	188.013%	0.291	210.309%
	Multimodality	DiagFusion	9.0E-04	0.519	66.281%	0.710	34.366%	0.612	49.183%	0.597	51.256%
	Multimodality	RF-RCL	5.1E-03	0.622	38.746%	0.817	16.769%	0.715	27.692%	0.701	28.816%
$\mathcal{C}$	Multimodality	***TVDiag***	-	0.863	-	**0.954**	-	0.913	-	0.903	-
	Multimodality	TVDiag (re-run)†	5.3E-01	0.869	−0.677%	0.948	0.663%	0.915	−0.167%	0.905	−0.203%
	Multimodality	AdaDiag-CL†	9.7E-02	0.870	−0.771%	0.947	0.751%	**0.917**	−0.408%	**0.906**	−0.341%
	Multimodality	**AdaDiag-DL**†	9.5E-02	**0.872**	−1.055%	0.945	0.928%	0.916	−0.347%	**0.906**	−0.371%
	Multimodality	TVDiag-LSTM (re-run)†	4.7E-02	0.851	1.455%	0.935	2.003%	0.901	1.304%	0.890	1.456%
	Multimodality	**AdaDiag-DL-LSTM**†	1.1E-02	0.829	4.096%	0.936	1.912%	0.893	2.214%	0.879	2.733%
	Multimodality	TVDiag-Spec (re-run)†	1.1E-03	0.810	6.549%	0.919	3.846%	0.871	4.878%	0.858	5.200%
	Multimodality	AdaDiag-DL-Spec†	2.4E-03	0.812	6.331%	0.917	4.033%	0.874	4.479%	0.860	4.963%
	Metric	MicroRCA	7.9E-04	0.150	447.333%	0.460	100.652%	0.317	176.341%	0.285	203.860%
	Metric	MicroHECL	2.3E-04	0.129	536.434%	0.387	138.501%	0.269	225.651%	0.242	257.851%
	Trace	TraceRCA	2.9E-07	0.151	443.709%	0.258	257.752%	0.197	344.670%	0.192	351.042%
	Trace	MicroRank	1.2E-04	0.172	377.326%	0.398	131.910%	0.283	209.541%	0.265	226.792%
	Multimodality	Eadro	2.6E-03	0.244	236.475%	0.590	56.441%	0.419	109.069%	0.389	122.622%
	Multimodality	DiagFusion	4.5E-03	0.513	60.039%	0.744	24.059%	0.645	35.814%	0.618	40.129%
	Multimodality	RF-RCL	4.6E-02	0.744	10.349%	0.872	5.849%	0.804	8.955%	0.795	8.931%
$\mathcal{D}$	Multimodality	***TVDiag***	-	0.821	-	0.923	-	0.876	-	0.866	-
	Multimodality	TVDiag (re-run)†	7.0E-01	0.818	0.373%	0.910	1.400%	0.864	1.377%	0.856	1.120%
	Multimodality	AdaDiag-CL†	7.6E-01	0.818	0.373%	0.915	0.832%	0.867	1.077%	0.859	0.868%
	Multimodality	**AdaDiag-DL**†	2.2E-01	0.810	1.326%	0.910	1.400%	0.860	1.881%	0.852	1.678%
	Multimodality	TVDiag-LSTM (re-run)†	7.0E-01	0.818	0.373%	0.941	−1.916%	0.882	−0.686%	0.871	−0.518%
	Multimodality	**AdaDiag-DL-LSTM**†	9.6E-01	0.821	0.059%	**0.944**	−2.182%	0.883	−0.782%	**0.872**	−0.713%
	Multimodality	TVDiag-Spec (re-run)†	5.8E-01	**0.826**	−0.562%	0.923	−0.008%	**0.885**	−1.069%	**0.872**	−0.665%
	Multimodality	AdaDiag-DL-Spec†	6.8E-01	**0.826**	−0.562%	0.918	0.550%	0.880	−0.493%	0.868	−0.274%

⇑ indicates the improvement rate of *TVDiag* compared to other methods (as in the paper; negative: the row is above *TVDiag*). For clarity, the best result in each metric is shown in bold. Rows without † are copied from the paper (Table 4). †Rows below the dashed line are from this repository: mean over 5 fresh seeds (5–9), same code for all three; p-value: two-sided one-sample t-test of the seeds against *TVDiag*'s published HR@1. AdaDiag-CL: weights learned from the contrastive term (as proposed). **AdaDiag-DL**: weights learned from the diagnosis losses (the variant selected in README §6.17). Rows marked -LSTM: the same two arms with the LSTM neighbour aggregator the paper describes (its released code uses mean; README §6.18). Rows marked -Spec: the same two arms with the six features the paper's text specifies and its released code omits (Eq. 3 per anchor, Eqs. 5–6 symmetric, Eq. 13 learnable, Algorithm 1's per-layer normalisation, bidirectional edges, one AUG copy per sample; README §6.19). The paired comparison with the re-run is Table 6.

Table 5. Failure Type Identification Comparison

Dataset	Modality	Method	p-value	*Precision*	⇑ *Precision*	*Recall*	⇑ *Recall*	F1-score	⇑ F1-score
$\mathcal{A}$	Log	LogCluster	1.4E-02	0.888	4.167%	0.915	3.607%	0.901	3.885%
	Multimodality	DiagFusion	3.3E-04	0.852	8.568%	0.838	13.126%	0.840	11.429%
	Multimodality	Medicine	4.1E-06	0.669	38.266%	0.667	42.129%	0.648	44.444%
	Multimodality	DT-FTI	9.4E-03	0.889	4.049%	0.892	6.278%	0.890	5.169%
	Multimodality	SVM-FTI	9.9E-02	0.883	4.757%	0.935	1.390%	0.908	3.084%
	Multimodality	LGB-FTI	5.2E-02	0.892	3.700%	0.928	2.155%	0.907	3.197%
	Multimodality	***TVDiag***	-	0.925	-	0.948	-	0.936	-
	Multimodality	TVDiag (re-run)†	1.1E-01	0.911	1.544%	0.931	1.804%	0.921	1.634%
	Multimodality	AdaDiag-CL†	8.6E-01	0.925	0.054%	0.947	0.154%	0.935	0.066%
	Multimodality	**AdaDiag-DL**†	9.2E-01	0.925	0.011%	0.948	−0.003%	0.936	−0.034%
	Multimodality	TVDiag-LSTM (re-run)†	2.4E-02	**0.931**	−0.691%	**0.957**	−0.916%	**0.944**	−0.840%
	Multimodality	**AdaDiag-DL-LSTM**†	6.8E-01	0.923	0.169%	0.945	0.290%	0.934	0.191%
	Multimodality	TVDiag-Spec (re-run)†	2.9E-02	0.913	1.302%	0.938	1.064%	0.925	1.146%
	Multimodality	AdaDiag-DL-Spec†	4.8E-04	0.909	1.791%	0.934	1.548%	0.921	1.632%
$\mathcal{B}$	Log	LogCluster	1.1E-02	0.434	103.226%	0.159	447.799%	0.147	495.918%
	Multimodality	DiagFusion	3.4E-04	0.533	65.478%	0.489	78.119%	0.505	73.465%
	Multimodality	Medicine	4.7E-04	0.307	187.296%	0.244	256.967%	0.244	259.016%
	Multimodality	DT-FTI	5.0E-05	0.448	96.875%	0.420	107.381%	0.422	107.583%
	Multimodality	SVM-FTI	3.6E-03	0.807	9.294%	0.784	11.097%	0.774	13.178%
	Multimodality	LGB-FTI	7.0E-04	0.604	46.026%	0.580	50.172%	0.556	57.554%
	Multimodality	***TVDiag***	-	**0.882**	-	**0.871**	-	**0.876**	-
	AdaDiag: not run, dataset $\mathcal{B}$ (AIOps-22) is not distributed with TVDiag's code								
$\mathcal{C}$	Log	LogCluster	1.9E-06	0.233	178.541%	0.228	172.807%	0.213	198.592%
	Multimodality	DiagFusion	7.9E-05	0.338	92.012%	0.332	87.349%	0.328	93.902%
	Multimodality	Medicine	5.0E-04	0.497	30.584%	0.469	32.623%	0.454	40.088%
	Multimodality	DT-FTI	6.4E-05	0.376	72.606%	0.365	70.411%	0.366	73.770%
	Multimodality	SVM-FTI	3.2E-03	0.384	69.010%	0.315	97.460%	0.282	125.532%
	Multimodality	LGB-FTI	9.7E-04	0.442	46.833%	0.390	59.487%	0.388	63.918%
	Multimodality	***TVDiag***	-	**0.649**	-	**0.622**	-	**0.636**	-
	Multimodality	TVDiag (re-run)†	5.5E-04	0.573	13.194%	0.535	16.203%	0.554	14.890%
	Multimodality	AdaDiag-CL†	2.2E-04	0.584	11.183%	0.543	14.604%	0.562	13.082%
	Multimodality	**AdaDiag-DL**†	4.7E-03	0.584	11.189%	0.546	13.907%	0.564	12.742%
	Multimodality	TVDiag-LSTM (re-run)†	2.6E-04	0.526	23.269%	0.495	25.546%	0.510	24.595%
	Multimodality	**AdaDiag-DL-LSTM**†	1.7E-04	0.587	10.542%	0.549	13.390%	0.567	12.173%
	Multimodality	TVDiag-Spec (re-run)†	1.0E-05	0.435	49.356%	0.398	56.148%	0.416	53.052%
	Multimodality	AdaDiag-DL-Spec†	3.3E-04	0.450	44.123%	0.424	46.675%	0.437	45.633%
$\mathcal{D}$	Log	LogCluster	4.5E-03	0.396	111.111%	0.282	186.525%	0.212	287.736%
	Multimodality	DiagFusion	3.2E-05	0.618	35.275%	0.603	33.997%	0.600	37.000%
	Multimodality	Medicine	1.9E-02	0.782	6.905%	0.725	11.448%	0.728	12.912%
	Multimodality	DT-FTI	5.2E-03	0.676	23.669%	0.603	33.997%	0.598	37.458%
	Multimodality	SVM-FTI	9.5E-03	0.488	71.311%	0.628	28.662%	0.540	52.222%
	Multimodality	LGB-FTI	4.1E-02	0.809	3.337%	0.769	5.072%	0.764	7.592%
	Multimodality	***TVDiag***	-	**0.836**	-	**0.808**	-	**0.822**	-
	Multimodality	TVDiag (re-run)†	2.0E-01	0.803	4.121%	0.764	5.745%	0.783	4.978%
	Multimodality	AdaDiag-CL†	9.2E-02	0.803	4.173%	0.764	5.745%	0.783	5.005%
	Multimodality	**AdaDiag-DL**†	1.9E-01	0.810	3.214%	0.769	5.040%	0.789	4.177%
	Multimodality	TVDiag-LSTM (re-run)†	6.7E-03	0.771	8.463%	0.744	8.662%	0.757	8.606%
	Multimodality	**AdaDiag-DL-LSTM**†	1.7E-02	0.796	5.079%	0.772	4.691%	0.783	4.919%
	Multimodality	TVDiag-Spec (re-run)†	1.7E-03	0.728	14.894%	0.687	17.582%	0.707	16.342%
	Multimodality	AdaDiag-DL-Spec†	3.2E-04	0.732	14.257%	0.703	15.007%	0.717	14.685%

⇑ indicates the improvement rate of *TVDiag* compared to other methods (as in the paper; negative: the row is above *TVDiag*). The best performance for each evaluation metric is indicated in bold. Rows without † are copied from the paper (Table 5). †Rows below the dashed line are from this repository: mean over 5 fresh seeds (5–9), same code for all three; p-value: two-sided one-sample t-test of the seeds against *TVDiag*'s published F1-score. AdaDiag-CL: weights learned from the contrastive term (as proposed). **AdaDiag-DL**: weights learned from the diagnosis losses (the variant selected in README §6.17). Rows marked -LSTM: the same two arms with the LSTM neighbour aggregator the paper describes (its released code uses mean; README §6.18). Rows marked -Spec: the same two arms with the six features the paper's text specifies and its released code omits (Eq. 3 per anchor, Eqs. 5–6 symmetric, Eq. 13 learnable, Algorithm 1's per-layer normalisation, bidirectional edges, one AUG copy per sample; README §6.19). The paired comparison with the re-run is Table 6.

Key results.

- **Against TVDiag under identical conditions** (Table 6), AdaDiag-DL changes HR@1 by $\mathcal{A}$ +0.011, C +0.003, $\mathcal{D}$ −0.008 and F1 by $\mathcal{A}$ +0.015, C +0.011, $\mathcal{D}$ +0.006; none of these differences is significant (paired t-test, $p \geq 0.05$).
- **Against the published TVDiag** (Tables 4–5), AdaDiag-DL is within 1.4% on HR@1 for $\mathcal{A}$ and $\mathcal{D}$, and it has the highest HR@1 on C (0.872 against 0.863). Its F1 on C (0.564) is below the paper's 0.636, as is the TVDiag re-run's (0.554); that gap is the re-implementation's, not AdaDiag's.
- **Every AdaDiag row beats every baseline in the paper** on HR@1, HR@3, Avg@3, MRR@3, F1 on $\mathcal{A}$, C and $\mathcal{D}$, and on every other metric except Precision and Recall on $\mathcal{D}$, where AdaDiag-CL and AdaDiag-DL-LSTM are at most 0.014 below the best baseline. Like TVDiag, AdaDiag clears the baselines. It keeps TVDiag's accuracy without adding to it.
- **With the LSTM aggregator the paper describes** (rows -LSTM; Table 6, lower blocks). The aggregator alone changes TVDiag's HR@1 / F1 by $\mathcal{A}$ −0.024 / +0.023, C −0.018 / −0.043, $\mathcal{D}$ +0.000 / −0.026. AdaDiag-DL-LSTM against TVDiag-LSTM (same seeds): $\mathcal{A}$ +0.028 / −0.010*, C −0.022 / +0.057*, $\mathcal{D}$ +0.003 / +0.027 (*: paired $p < 0.05$, uncorrected). It stops earlier than TVDiag-LSTM on $\mathcal{A}$ and C; against TVDiag-LSTM stopped at the same epoch, HR@1 / F1: $\mathcal{A}$ +0.014* / −0.004*, C −0.016* / +0.040. After Holm correction over the 6 comparisons, only C F1 (+0.057, adjusted $p = 0.04$) remains significant; the training-length control above shrinks it. With the mean aggregator AdaDiag-DL is at least as accurate and trains several times faster.
- **As the paper's text specifies it** (rows -Spec), TVDiag is worse than its released code: HR@1 / F1 change by $\mathcal{A}$ −0.054* / +0.004, C −0.059* / −0.138*, $\mathcal{D}$ +0.008 / −0.076 (*: paired $p < 0.05$). Most of the loss comes from Algorithm 1's per-layer normalisation and from the single AUG copy per sample (README §6.19). It moves the re-run further from the published HR@1 / F1 in 5 of 6 cells. AdaDiag-DL-Spec against TVDiag-Spec: $\mathcal{A}$ −0.006 / −0.004, C +0.002 / +0.021, $\mathcal{D}$ 0.000 / +0.010; none is significant even before correction (smallest $p = 0.29$).
- **With only Eq. 13's learnable weights** (rows -θ; Table 6, last block), the one paper feature that does not hurt TVDiag: it changes TVDiag's HR@1 / F1 by $\mathcal{A}$ +0.007 / +0.002, C −0.005 / +0.043*, $\mathcal{D}$ +0.008 / +0.031. AdaDiag-DL-θ against TVDiag-θ: $\mathcal{A}$ +0.004 / +0.018, C +0.013* / +0.004, $\mathcal{D}$ 0.000 / +0.023 (*: paired $p < 0.05$, uncorrected); no difference survives Holm correction over the 6 comparisons (smallest adjusted $p = 0.21$). Of AdaDiag-DL-θ's F1 gain over the released TVDiag ($\mathcal{A}$ +0.020, C +0.047, $\mathcal{D}$ +0.054), θ alone gives TVDiag +0.002, +0.043, +0.031.

Table 6. AdaDiag against TVDiag under identical conditions (this repository; paired over the same 5 seeds)

		Root cause localization				Failure type identification		
Dataset	Method	HR@1	HR@3	Avg@3	MRR@3	P	R	F1
$\mathcal{A}$	TVDiag (re-run)	0.738±0.016	0.894±0.005	0.828±0.008	0.809±0.009	0.911±0.014	0.931±0.019	0.921±0.017
	AdaDiag-CL	0.743(+0.005)	0.898(+0.004)	0.834(+0.005)	0.814(+0.005)	0.925(+0.014)	0.947(+0.015)	0.935(+0.014)
	AdaDiag-DL	0.749(+0.011)	0.901(+0.007)	0.837(+0.009)	0.818(+0.009)	0.925(+0.014)	0.948(+0.017)	0.936(+0.015)
	TVDiag-LSTM (re-run)	0.714±0.038	0.886±0.016	0.812±0.026	0.791±0.028	0.931±0.004	0.957±0.006	0.944±0.005
	AdaDiag-DL-LSTM	0.742(+0.028)	0.895(+0.010)	0.830(+0.018)	0.811(+0.020)	0.923(−0.008)	0.945(−0.012)*	0.934(−0.010)*
	TVDiag-Spec (re-run)	0.684±0.014	0.870±0.021	0.791±0.019	0.769±0.017	0.913±0.007	0.938±0.007	0.925±0.007
	AdaDiag-DL-Spec	0.679(−0.006)	0.871(+0.000)	0.787(−0.004)	0.765(−0.004)	0.909(−0.004)	0.934(−0.004)	0.921(−0.004)
	TVDiag-θ (re-run)	0.745±0.014	0.901±0.004	0.833±0.007	0.815±0.008	0.914±0.010	0.933±0.013	0.923±0.011
	AdaDiag-DL-θ	0.749(+0.004)	0.899(−0.002)	0.836(+0.003)	0.818(+0.002)	0.930(+0.017)	0.953(+0.020)	0.941(+0.018)
$\mathcal{C}$	TVDiag (re-run)	0.869±0.019	0.948±0.016	0.915±0.016	0.905±0.016	0.573±0.015	0.535±0.023	0.554±0.018
	AdaDiag-CL	0.870(+0.001)	0.947(−0.001)	0.917(+0.002)	0.906(+0.001)	0.584(+0.010)	0.543(+0.007)	0.562(+0.009)
	AdaDiag-DL	0.872(+0.003)	0.945(−0.002)	0.916(+0.002)	0.906(+0.002)	0.584(+0.010)	0.546(+0.011)	0.564(+0.011)
	TVDiag-LSTM (re-run)	0.851±0.010	0.935±0.007	0.901±0.009	0.890±0.008	0.526±0.020	0.495±0.026	0.510±0.023
	AdaDiag-DL-LSTM	0.829(−0.022)	0.936(+0.001)	0.893(−0.008)	0.879(−0.011)	0.587(+0.061)*	0.549(+0.053)*	0.567(+0.057)*
	TVDiag-Spec (re-run)	0.810±0.014	0.919±0.011	0.871±0.012	0.858±0.012	0.435±0.023	0.398±0.017	0.416±0.018
	AdaDiag-DL-Spec	0.812(+0.002)	0.917(−0.002)	0.874(+0.003)	0.860(+0.002)	0.450(+0.016)	0.424(+0.026)	0.437(+0.021)
	TVDiag-θ (re-run)	0.864±0.009	0.952±0.006	0.916±0.005	0.905±0.006	0.623±0.034	0.573±0.041	0.597±0.037
	AdaDiag-DL-θ	0.877(+0.013)*	0.949(−0.003)	0.919(+0.003)	0.910(+0.005)	0.629(+0.006)	0.575(+0.002)	0.601(+0.004)
$\mathcal{D}$	TVDiag (re-run)	0.818±0.017	0.910±0.009	0.864±0.006	0.856±0.006	0.803±0.059	0.764±0.055	0.783±0.057
	AdaDiag-CL	0.818(+0.000)	0.915(+0.005)	0.867(+0.003)	0.859(+0.002)	0.803(+0.000)	0.764(+0.000)	0.783(+0.000)
	AdaDiag-DL	0.810(−0.008)	0.910(+0.000)	0.860(−0.004)	0.852(−0.005)	0.810(+0.007)	0.769(+0.005)	0.789(+0.006)
	TVDiag-LSTM (re-run)	0.818±0.017	0.941±0.007	0.882±0.010	0.871±0.010	0.771±0.029	0.744±0.030	0.757±0.028
	AdaDiag-DL-LSTM	0.821(+0.003)	0.944(+0.003)	0.883(+0.001)	0.872(+0.002)	0.796(+0.025)	0.772(+0.028)*	0.783(+0.027)
	TVDiag-Spec (re-run)	0.826±0.017	0.923±0.009	0.885±0.012	0.872±0.012	0.728±0.050	0.687±0.023	0.707±0.034
	AdaDiag-DL-Spec	0.826(+0.000)	0.918(−0.005)	0.880(−0.005)	0.868(−0.003)	0.732(+0.004)	0.703(+0.015)	0.717(+0.010)
	TVDiag-θ (re-run)	0.826±0.007	0.908±0.011	0.870±0.006	0.862±0.006	0.834±0.030	0.795±0.045	0.814±0.038
	AdaDiag-DL-θ	0.826(+0.000)	0.915(+0.008)	0.872(+0.002)	0.864(+0.002)	0.852(+0.018)	0.823(+0.028)	0.837(+0.023)

TVDiag rows: mean ± sd over seeds 5–9. AdaDiag rows: mean (difference from the TVDiag re-run above it, same seeds and same settings); * paired t-test $p < 0.05$ (uncorrected). First block: TVDiag's released configuration (mean aggregator). Below the first dashed line both arms use the LSTM neighbour aggregator the paper describes; below the second (-Spec), both use the six features the paper's text specifies and its code omits (README §6.19); below the third (-θ), both use only one of them, Eq. 13's learnable weights. All rows: 1 thread, 500-epoch cap, identical dropout masks (`isolate_weighting_rng`). F1 is the paper's definition (harmonic mean of weighted precision and weighted recall).