NAME: SHEIK NOORDEEN
Roll No.: 240701494

UID EXPERIMENT 9

- ## AIM:

- The aim is to design input forms that validate user data, such as email and phone numbers, and display dynamic error messages using HTML, CSS, and JavaScript with the **Validator.js** library.

PROCEDURE:

Step 1: Set up the HTML file to create the basic structure of the form, including input fields for email and phone numbers.
Step 2: Add the **Validator.js** library using a CDN link in the HTML file to access pre-built validation functions.
Step 3: Create a CSS section or file to style the form and define how error messages should appear (e.g., red text).
Step 4: Create a JavaScript file (script.js) to capture user input and implement the validation logic.
Step 5: Use JavaScript to check if the input matches required formats (email/phone) and toggle the visibility of error messages.
Step 6: Link the JavaScript file to the HTML file and run the program in a browser to test the validation.

Html Code:

Welcome | login.js | style.css | login.html

login.html > html

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Form Validation</title>

    <link rel="stylesheet" href="style.css">
</head>

<body>

    <div class="container">
        <form id="myForm">

            <label for="email">Email:</label>
            <input type="email" id="email" name="email" required>
            <span id="emailError" class="error"></span>

            <label for="phone">Phone Number:</label>
            <input type="text" id="phone" name="phone" required>
            <span id="phoneError" class="error"></span>

            <button type="submit">Submit</button>

        </form>
    </div>

    <!-- Validator library -->
    <script src="https://cdnjs.cloudflare.com/ajax/libs/validator/13.6.0/validator.min.js"></script>

    <!-- Your JS -->
    <script src="login.js"></script>

</body>
</html>
```

Javascript code:

JS login.js > ...

```javascript
document.getElementById("myForm").addEventListener("submit", function(event) {

    let email = document.getElementById("email").value;
    let phone = document.getElementById("phone").value;

    let emailError = document.getElementById("emailError");
    let phoneError = document.getElementById("phoneError");

    let isValid = true;

    // Clear previous errors
    emailError.textContent = "";
    phoneError.textContent = "";

    // Email validation
    if (!validator.isEmail(email)) {
        emailError.textContent = "Invalid email format";
        isValid = false;
    }

    // Phone validation (10 digits)
    if (!validator.isNumeric(phone) || phone.length !== 10) {
        phoneError.textContent = "Enter valid 10-digit phone number";
        isValid = false;
    }

    if (!isValid) {
        event.preventDefault(); // stop form submission
    }
});
```

Output: