

LAB 08 PHP-01 8.1 Write a PHP script to accept the data provided through HTML form created in Lab2 (Q1) and Store it in a table called job_aspirant in a database called recruitment Note: •

- If the CGPA is below 7.5 then do not store the data. Instead, display a message saying "Dear aspirant_name, The minimum CGPA must be 7.5!!

```
<!DOCTYPE html>

<html>

<head>

    <title>Job Aspirant Form</title>

</head>

<body>

<h2>Job Aspirant Registration</h2>

<form action="" method="get">

    Name:

    <input type="text" name="name"><br><br>

    Email:

    <input type="email" name="email"><br><br>

    CGPA:

    <input type="text" name="cgpa"><br><br>

    Skill:

    <input type="text" name="skill"><br><br>

    <input type="submit" name="submit" value="Submit">

</form>

<?php

$conn = mysqli_connect("localhost","root","","recruitment");

if(isset($_GET['submit']))

{

    $name = $_GET['name'];

    $email = $_GET['email'];

    $cgpa = $_GET['cgpa'];

    $skill = $_GET['skill'];

    if($cgpa < 7.5)

    {

        echo "<h3>Dear $name, The minimum CGPA must be 7.5!!</h3>";

    }

    else

    {

        $sql = "insert into job_aspirant values('$name','$email','$cgpa','$skill')";

        if(mysqli_query($conn,$sql))

        {

            echo "<h3>Data Stored Successfully</h3>";

        }

        else

        {

            echo "<h3>Error in Insertion</h3>";

        }

    }

}
```

```

    }
}
}
?>

</body>

</html>

```

```

Database code in wamp
create database recruitment;

use recruitment;

create table job_aspirant
(
    name varchar(50),
    email varchar(50),
    cgpa float,
    skill varchar(50)
);

```

8.2 Write a PHP script to accept the data through HTML form created in Lab: 2 (Q2) and Store it in a table called credentials in a database called admission. Note: password should be stored in an encrypted format

```

<!DOCTYPE html>

<html>

<head>

    <title>Admission Form</title>

</head>

<body>

<h2>Admission Login Form</h2>

<form action="" method="post">

    User ID:

    <input type="text" name="userid"><br><br>

    Password:

    <input type="password" name="pass"><br><br>

    <input type="submit" name="submit" value="Register">

</form>

<?php

$conn = mysqli_connect("localhost","root","","admission");

if(isset($_POST['submit']))
{
    $userid = $_POST['userid'];
    $password = $_POST['pass'];

    // Encrypt password

    $encpass = md5($password);

    $sql = "insert into credentials values('$userid','$encpass')";

    if(mysqli_query($conn,$sql))
    {

```

```

        echo "<h3>Data Stored Successfully</h3>";
    }
    else
    {
        echo "<h3>Error in Insertion</h3>";
    }
}
?>
</body>
</html>

```

```

Db code
create database admission;

use admission;

create table credentials
(
    userid varchar(50),
    password varchar(100)
);

```

LAB 09 PHP-02 9.1 Write a PHP script to connect to the database ,execute SELECT query on a table and display all the details present in a table format

```

<!DOCTYPE html>

<html>

<head>

    <title>Display Records</title>

</head>

<body>

<h2>Student Details</h2>

<?php

$conn = mysqli_connect("localhost","root","","student");

if($conn)

{

    echo "Database Connected <br><br>";

}

else

{

    echo "Connection Failed";

}

$sql = "select * from stud";

$result = mysqli_query($conn,$sql);

echo "<table border='1' cellpadding='10'>";

echo "<tr>";

echo "<th>Name</th>";

echo "<th>Age</th>";

echo "</tr>";

```

```

while($row = mysqli_fetch_array($result))
{
    echo "<tr>";

    echo "<td>".$row['name'].</td>";

    echo "<td>".$row['age'].</td>";

    echo "</tr>";
}

```

```

echo "</table>";

```

```

?>

```

```

</body>

```

```

</html>

```

Db code:

```

create database student;

```

```

use student;

```

```

create table stud

```

```

(
    name varchar(50),
    age int
);

```

```

insert into stud values('Ravi',20);

```

```

insert into stud values('Anu',21);

```

```

insert into stud values('Kiran',22);

```

9.2 Write a PHP script to connect to the MYSQL database and access the table cookie_sales(Sale_ID, Salesman_Name, Sale_Amount, Sale_Date)' and to Display only those rows from the cookie_sales table where the Sale Amount is less than 99 dollars, Print the no of rows fetched. • Change the Salesman_Name to MGR where Sale Amount is 0. Print the no. of rows affected

```

<!DOCTYPE html>

```

```

<html>

```

```

<head>

```

```

    <title>Cookie Sales</title>

```

```

</head>

```

```

<body>

```

```

<h2>Cookie Sales Details</h2>

```

```

<?php

```

```

$conn = mysqli_connect("localhost","root","","salesdb");

```

```

if(!$conn)

```

```

{
    die("Connection Failed");
}

```

```

echo "<h3>Rows where Sale Amount is less than 99</h3>";

```

```

$sql = "select * from cookie_sales where Sale_Amount < 99";

```

```

$result = mysqli_query($conn,$sql);

```

```

echo "<table border='1' cellpadding='10'>";

echo "<tr>";

echo "<th>Sale ID</th>";

echo "<th>Salesman Name</th>";

echo "<th>Sale Amount</th>";

echo "<th>Sale Date</th>";

echo "</tr>";

while($row = mysqli_fetch_array($result))

{

    echo "<tr>";

    echo "<td>".$row['Sale_ID'].</td>";

    echo "<td>".$row['Salesman_Name'].</td>";

    echo "<td>".$row['Sale_Amount'].</td>";

    echo "<td>".$row['Sale_Date'].</td>";

    echo "</tr>";

}

echo "</table>";

$count = mysqli_num_rows($result);

echo "<h3>Number of rows fetched = $count</h3>";

$update = "update cookie_sales set Salesman_Name='MGR' where Sale_Amount=0";

mysqli_query($conn,$update);

$affected = mysqli_affected_rows($conn);

echo "<h3>Number of rows affected = $affected</h3>";

?>

</body>

</html>

```

Db code:

```

create database salesdb;

use salesdb;

create table cookie_sales

(

    Sale_ID int,

    Salesman_Name varchar(50),

    Sale_Amount int,

    Sale_Date date

);

insert into cookie_sales values(1,'Ravi',50,'2025-01-10');

insert into cookie_sales values(2,'Anu',0,'2025-02-11');

insert into cookie_sales values(3,'Kiran',120,'2025-03-12');

insert into cookie_sales values(4,'Manoj',80,'2025-04-15');

```

9.3 Write HTML code to create a login page(User-ID, Password and a login(submit-type) button). On clicking the login button the PHP script should connect to the database and check if the User-ID exists in the credentials table. If it exists then hash the input password and compare it with the already hashed password in the credentials table. If not a match then print an error message saying “The credentials are wrong” else display a success message saying “The login is successful!”

```

<!DOCTYPE html>

```

```
<html>

<head>

    <title>Login Page</title>

</head>

<body>

<h2>User Login</h2>

<form action="" method="post">

    User ID:

    <input type="text" name="userid"><br><br>

    Password:

    <input type="password" name="pass"><br><br>

    <input type="submit" name="login" value="Login">

</form>

<?php

$conn = mysqli_connect("localhost","root","","admission_hash");

if(isset($_POST['login']))

{

    $userid = $_POST['userid'];

    $password = $_POST['pass'];

    // Encrypt input password

    $encpass = md5($password);

    // Check User-ID

    $sql = "select * from credentials where userid='$userid'";

    $result = mysqli_query($conn,$sql);

    if(mysqli_num_rows($result) > 0)

    {

        $row = mysqli_fetch_array($result);

        // Compare encrypted passwords

        if($encpass == $row['password'])

        {

            echo "<h3>The login is successful!</h3>";

        }

        else

        {

            echo "<h3>The credentials are wrong</h3>";

        }

    }

    else

    {

        echo "<h3>User-ID does not exist</h3>";

    }

}

?>
```

```
</body>
```

```
</html>
```

Db code:

```
create database admission;
```

```
use admission;
```

```
create table credentials
```

```
(
```

```
    userid varchar(50),
```

```
    password varchar(100)
```

```
);
```

```
insert into credentials values
```

```
(
```

```
    'admin',
```

```
    md5('1234')
```

```
);
```