

1 Test Your Knowledge

1. What does PHP stand for?
 - a) HyperText Markup Language
 - b) Hypertext Preprocessor
 - c) Programming Hypertext Language
 - d) Programming Web language
2. In which version of PHP, Just-In-Time (JIT) Compiler was introduced?
 - a) PHP 5.0
 - b) PHP 7.0
 - c) PHP 8.0
 - d) PHP 9.0
3. Which of the following describes PHP?
 - a) Client-side scripting
 - b) Server-side scripting
 - c) Both A and B
 - d) None of these
4. What is the function of the PHP interpreter?
 - a) To connect ISP and the server
 - b) To process HTML and PHP files
 - c) To translate User language to System Language
 - d) All of these
5. Which of the following is used to begin a PHP script?
 - a) <?php
 - b) <php
 - c) ?php
 - d) <php?

2 Test Your Knowledge

1. PHP files have a default file extension of
 - a) .html
 - b) .xml
 - c) .php
 - d) .hphp
2. Which of the following is the correct syntax of PHP?
 - a) <?php>
 - b) <php>
 - c) ?php?
 - d) <?php?>
3. Which of the following is correct to add a PHP comment?
 - a) & &
 - b) //
 - c) /* */
 - d) Both (b) and (c)
4. Which of the following is used for displaying the output in PHP?
 - a) Echo
 - b) Write
 - c) Print
 - d) Both (a) and (c)

3 Test Your Knowledge

1.What will be the output of following PHP code?

```
1  <?php
2
3  header('Content-type: text/plain');
4  $year = "2025";
5  $str = '$year is arriving \t soon';
6  echo ($str);
7  echo "\n";
8  $str = "$year is arriving \t soon";
9  echo ($str);
10
11 ?>
```

A	\$year is arriving \t soon 2025 is arriving soon
B	2025 is arriving \t soon 2025 is arriving soon
C	\$year is arriving \t soon \$year is arriving \t soon
D	None of these

2.Which of these is a compound data type in PHP?

a) array

b) struct

c) dictionary

d) integer

3.Which of the following is not a data type in PHP?

a) Resource

b) Object

c) Null

d) Void

4. How many values does Boolean data type hold?

a) 1

b) 2

c) 3

d) 4

5. Objects are specified as instances of user-defined classes that can hold _____.

a) Lists

b) Functions

c) Constants

d) Variables, Constants, and Functions

4 Test Your Knowledge


1. Which of the following is the correct method of declaring a variable in PHP?
 - a. \$variable name = value;
 - b. \$variable name value;
 - c. \$variable_name = value
 - d. \$variable name as value;
2. Which of the following is the correct use of the strcmp() function in PHP?
 - a. The strcmp() function is used for comparing the strings excluding case.
 - b. The strcmp() function is used for comparing the uppercase strings.
 - c. The strcmp() function is used for comparing the lowercase strings.
 - d. The strcmp() function is used for comparing the strings including case.
3. Which of the following is an invalid variable name?
 - a. \$newVar
 - b. \$new_Var
 - c. \$new-var
 - d. All of these
4. String values in PHP must be enclosed within
 - a. Double Quotes
 - b. Single Quotes
 - c. Double Quotes and Single Quotes
 - d. Double //
5. ____ can be used to test the type of any variable?
 - a. showtype()
 - b. gettype()
 - c. settype()
 - d. type()

5 Test Your Knowledge

1. Which loop evaluates the conditional expression before processing the loop?

- A. for loop
- B. while loop
- C. do-while loop
- D. All of these


2. What will be the output of the following PHP code?



```
1 <?php
2 for ($num = 1; $num <= 10; $num += 2) {
3     echo "$num";
4 }
5 ?>
```

- A. 13579
- B. 12345
- C. 97531
- D. Error

3. What will be the output of the following PHP code?



```
1 <?php
2 $num= 20;
3 while ($num <12) {
4     $num += 2;
5     echo $num, "\n";
6 }
```

- A. Error
- B. No Output
- C. infinite loop
- D. Only one garbage value

4. Identify the output of the following PHP code:

```
1  <?php
2      $arr = array (10, 20, 30);
3      foreach ($arr as $val) {
4          echo "$val1 \n";
5      }
6  ?>
```

- A. 10 20 30
- B. No Output
- C. 10

D. undefined variable \$var1

5. Identify the output of the following PHP code:

```
1  <?php
2  for ($a = 1; $a <= 10; $a++) {
3      for ($b = 1; $b <= 5; $b++) {
4          print "LFC" ;
5          // $i = $a * $b;
6          // print "=$i "; //50 times LFC
7      }
8  }
9
10 ?>
```

- A. "LFC" will be printed 10 times
- B. "LFC" will be printed 50 times
- C. "LFC" will be printed 5times
- D. "LFC" will be printed 1 time

6. Built-in function will add a value to the end of an array?

- A. array_unshift()
- B. into_array()
- C. inend_array()
- D. array_push()

6 Test Your Knowledge

1. The _____ specifies the URL that will process form data and send the feedback.
 - a) Method
 - b) Form control
 - c) Action attribute**
 - d) Body of the HTTP message
2. Which of the following option(s) is/are the key difference between GET and POST methods?
 - a) GET is used with HTTP protocol and POST is used with HTTPS.
 - b) GET displays the submitted data as part of the URL. However, while using POST, this information is not shown.**
 - c) GET is intended for changing server state and it carries more data than POST.
 - d) GET is more secure than POST and should be used for sensitive information.
3. Which of the following option(s) is/are used to enter text in PHP Forms?
 - a) input type="text"**
 - b) input type="radio"
 - c) input type="textarea"
 - d) input type="null"
4. Which of the following option(s) is/are correct if a user tries to submit a form without entering the text area or required field?
 - a) No error message will be displayed.
 - b) An error message will be displayed and the form will not get submitted.**
 - c) An error message will display and the form is submitted.
 - d) The form is frozen.
5. which of the following is the syntax for the GET method?
 - a) \$varname = GET['variable']
 - b) varname = \$_GET['variable']
 - c) \$varname = \$_GET['variable']**
 - d) \$varname = \$GET['variable']

7 Test Your Knowledge

1. Which of the following is not a built-in function in PHP?

- a. print_r()
- b. fopen()
- c. fclose () → correct is fclose()
- d. gettype ()


2. Which of the following cannot be used at the beginning of a function name?

- a. alphabet
- b. underscore
- c. number
- d. Both b and c

3. A function name is not case-sensitive (State True/False).

- a. True
- b. False


4. Which of the following is the correct output of the following code?



```
1 <?php
2 function setHeight(int $minheight = 50)
3 {
4     echo "The height is $minheight <br>";
5 }
6 setHeight(350);
7 ?>
```

- a. The height is: 350
- b. The height is: 50
- c. The height is: 1550
- d. Error

5.output of the following code:



```
1 <?php
2 function addNumbers(int $a, int $b){
3     return $a + $b;
4 }
5 echo addNumbers(5, "5 days");
6 ?>
```

- a. 5 + 5 days
- b. 55 days
- c. 25 days
- d. Error

8 Test Your Knowledge

1. Which of the following functions set a cookie in PHP?

- a) createcookie()
- b) makecookie()
- c) setcookie()
- d) None of these

2. The ____ option enables a session to automatically initialize if the session ID is not found in the browser request.

- a) session.start
- b) session.auto_start
- c) session.session_start
- d) session.session_auto_start

3. Identify the files that can be read and written from the Web server via PHP scripts and store user or session information.

- a) Session
- b) Cookies
- c) Bytecode
- d) All of them

4. Built-in function ____ removes all saved values from the session variable and cleans the session variable.

- a) session_unset ()
- b) session_clean()
- c) session_remove()
- d) session_clear()

5. The ____ function checks whether the cookie is set.

- a) \$_COOKIE []
- b) set ()
- c) setcookie ()
- d) isset()

9 Test Your Knowledge

1. Which of the following database management systems lack a native PHP extension?
 - a. MySQL
 - b. PostgreSQL
 - c. Microsoft SQL Server
 - d. None of these
2. Which of the following is used to access a MySQL database in PHP?
 - a. mysqli-connect() function
 - b. mysqlconnect() function
 - c. mysqli_connect() function
 - d. sql_connect() function
3. Which of the following arrays refers to the array with strings as an index?
 - a. Binary array
 - b. Multi-dimensional array
 - c. Associative array
 - d. Indexed array
4. Which of the following **mysqli** functions frees the memory associated with a result?
 - a. mysqli.real_query.php
 - b. mysqli.multi_query.php
 - c. mysqli.prepare.php
 - d. mysqli-result.free.php
5. Which of the following client utilities helps create logical database backups?
 - a. mysqldump
 - b. mysqlcheck
 - c. mysqlrepair
 - d. mysqlanalyze

10 Test Your Knowledge

1. Which one of the following functions is used to send an email using PHP script?
 - a. mail_send()
 - b. send_mail()
 - c. mailer()
 - d. mail ()**
2. Which of the following describes the user's email **server address**?
 - a. sendmail_from **(sender info, not server)**
 - b. send mail()
 - c. SMTP**
 - d. None of these
3. The symbol is used for separating recipient addresses.
 - a. / (forward slash)
 - b. & (Ampersand)
 - c. , (comma)**
 - d. : (colon)
4. When a user wants to send an email that has attachments, it is essential to set the Content-type header to
 - a. multipart/mixed**
 - b. multipart/attachment
 - c. multipart/none
 - d. mixed/multipart
5. What is the process of validating a user's credentials before granting access to an application called as?
 - a. Parsing
 - b. Entry
 - c. Authentication**
 - d. Validation

11 Test Your Knowledge

1. Which of the following is the right way to open the file "mytext.txt" as readable?

- a) `fopen("mytext.txt", "r");`
- b) `fopen("mytext.txt", "r+");`
- c) `fopen("mytext.txt", "read");`
- d) `fopen("mytext.txt");`

2. A PHP function used to read specific number of characters from a file is ____.

- a) `filegets()`
- b) `fget ()` reads a single line from a file
- c) `fgets()`

d) `fread()` `echo fread($fp, 10); // reads first 10 characters`

3. Which PHP function specifies the last access time of a file?

- a) `filetime ()`
- b) `fileatime()`
- c) `filectime()`
- d) None of these

4. Which of the following statements invoke the exception class?

- a) `new throws Exception();`
- b) `New Exception();`
- c) `throws new Exception();`
- d) `throw new Exception();`

5. Users can handle fatal errors by using _____ block.

- a) `try-catch`
- b) `try-handle`
- c) `catch-handle`
- d) `try-throw`

12 Test Your Knowledge

1. Which of the following is used to execute code automatically when a new instance of a class is created?

- a. Destructor
- b. Constructor**
- c. Friend
- d. Initial

2. Which of the following keywords can be used to create objects from a class that has been defined?

- a. New object
- b. construct
- c. new**
- d. Both a and e

3. Within a namespace, which of the following is used as a prefix to access the built-in PHP classes?

- a. percent
- b. ampersand
- c. asterix
- d. backlash**

can be written at a start of a class name and can be followed by numerous letters, periods, or underscores.

- a. Letter**
- b. Name
- c. Underscore
- d. Asterix

5. Though multiple traits cannot be utilized in the same class, multiple interfaces can be used. (State True/False).

- a. True
- b. False**

13 Test Your Knowledge

1. Which of the following pseudo-variables is not available inside methods that are declared as static?
 - a. Sname
 - b. \$this
 - c. \$super
 - d. Subject
2. The properties and methods of an object are accessed using the ____ operator.
 - a. >>
 - b. →
 - c. ->
 - d. +
3. Identify the methods that a subclass inherits from the parent class, when the class is extended.
 - a. Private
 - b. Public
 - c. Protected
 - d. Both b and c
4. Child classes are defined using the keyword _____.
 - a. extents
 - b. extends
 - c. extend class
 - d. child_class
5. Objects are created from the class using the ____ keyword, once the class is defined.
 - a. construct
 - b. new
 - c. new object
 - d. static

14 Test Your Knowledge

1. Which of the following is not a type in JSON?

- a. Date
- b. Object
- c. Array
- d. String

JSON has only **6 data types** → String, Number, Boolean, Null, Object, Array.

2. What will be the value of the variable \$input in the following PHP code?

```
1 $input = "Juliet<td>Lawrence</td>you are really<i>pretty</i>!";
2 $input = strip_tags ($input, "<i></i>");
3 echo $input;
```

- a. Juliet Lawrence you are really pretty!
- b. Juliet <td>Lawrence</td> you are really<i>pretty</i>!
- c. Juliet <td>Lawrence</td> you are really pretty!
- d. Juliet Lawrence you are really<i>pretty</i>!

3. Which of the following functions is used to redirect the browser?

- a. exit()
- b. header()
- c. break)
- d. None of these

4. Which of the following functions is used to parse or convert the JSON content to PHP variable?

- a. json_decode()
- b. json_encode()
- c. json_last_error
- d. None of these

5. Which of the following PHP functions is used to access the value of all environment variables?

- a. getenv()
- b. getvar()
- c. getnow()
- d. gethour()

15 Test Your Knowledge

1. AJAX is based on
 - a. JavaScript and XML
 - b. JavaScript and Java
 - c. VB Script and XML
 - d. JavaScript and HTTP requests
2. When does a browser create an XMLHttpRequest?
 - a. When HttpRequest is Processed
 - b. When an event occurs on a Web Page
 - c. When data is sent back to the browser
 - d. When HttpRequest is processed
3. Which property returns the response data as a string?
 - a. getText
 - b. responseText
 - c. responseAllText
 - d. getResponseText
4. What is the role of XMLHttpRequest object in AJAX?
 - a. It is used to send and receive data synchronously with a server
 - b. It is used to process the request
 - c. It is used to display the results
 - d. It is used to send and receive data asynchronously with a server
5. What are the advantages of AJAX?
 - a. Better user interaction
 - b. Faster data retrieval
 - c. Bandwidth utilization
 - d. All of these