

Chapter 1

1. What does PHP stand for?
 - a) HyperText Markup Language
 - b) Hypertext Preprocessor
 - c) Programming Hypertext Language
 - d) Programming Web language
2. In which version of PHP, Just-In-Time (JIT) Compiler was introduced?
 - a) PHP 5.0
 - b) PHP 7.0
 - c) PHP 8.0
 - d) PHP 9.0
3. Which of the following describes PHP?
 - a) Client-side scripting
 - b) Server-side scripting
 - c) Both A and B
 - d) None of these
4. What is the function of the PHP interpreter?
 - a) To connect ISP and the server
 - b) To process HTML and PHP files
 - c) To translate User language to System Language
 - d) All of these
5. Which of the following is used to begin a PHP script?
 - a) <?php
 - b) <php
 - c) ?php
 - d) <php?

Answers to Test Your Knowledge

1. HyperText Preprocessor
2. PHP 8.0
3. Server-side scripting
4. To Process HTML and PHP files
5. <?php

2.4 Test Your Knowledge



1. PHP files have a default file extension of _____.
 - a) .html
 - b) .xml
 - c) .php
 - d) .hphp
2. Which of the following is the correct syntax of PHP?
 - a) <?php >
 - b) <php >
 - c) ?php ?
 - d) <?php ?>
3. Which of the following is correct to add a PHP comment?
 - a) & &
 - b) //
 - c) /* */
 - d) Both (b) and (c)
4. Which of the following is used for displaying the output in PHP?
 - a) Echo
 - b) Write
 - c) Print
 - d) Both (a) and (c)

Answers to Test Your Knowledge

1. .php
2. <?php ?>
3. Both (b) and (c)
4. Both (a) and (c)

3.16 Test Your Knowledge



1. What will be the output of following PHP code?

```
<?php
header('Content-type: text/plain');
$year = "2025";
$str = '$year is arriving \t soon';
echo($str);
echo "\n";
$str = "$year is arriving \t soon";
echo($str);
?>
```

A	\$year is arriving \t soon 2025 is arriving soon
B	2025 is arriving \t soon 2025 is arriving soon
C	\$year is arriving \t soon \$year is arriving \t soon
D	None of these

- a) A
b) B
c) C
d) D
2. Which of these is a compound data type in PHP?
a) array
b) struct
c) dictionary
d) integer
3. Which of the following is not a data type in PHP?
a) Resource
b) Object
c) Null
d) Void
4. How many values does Boolean data type hold?
a) 1
b) 2
c) 3
d) 4
5. Objects are specified as instances of user-defined classes that can hold _____.
a) Lists
b) Functions
c) Constants
d) Variables, Constants, and Functions

Answers to Test Your Knowledge

1. A
2. array
3. Void
4. 1 (either true OR false)
5. Variables, Constants, and Functions

4.5 Test Your Knowledge



1. Which of the following is the correct method of declaring a variable in PHP?
 - a. `$variable name = value;`
 - b. `$variable name = value;`
 - c. `$variable_name = value`
 - d. `$variable_name as value;`
2. Which of the following is the correct use of the `strcmp()` function in PHP?
 - a. The `strcmp()` function is used for comparing the strings excluding case.
 - b. The `strcmp()` function is used for comparing the uppercase strings.
 - c. The `strcmp()` function is used for comparing the lowercase strings.
 - d. The `strcmp()` function is used for comparing the strings including case.
3. Which of the following is an invalid variable name?
 - a. `$newVar`
 - b. `$new_Var`
 - c. `$new-var`
 - d. All of these
4. String values in PHP must be enclosed within _____.
 - a. Double Quotes
 - b. Single Quotes
 - c. Double Quotes and Single Quotes
 - d. Double //
5. _____ can be used to test the type of any variable?
 - a. `showtype()`
 - b. `gettype()`
 - c. `settype()`
 - d. `type()`

Answers to Test Your Knowledge

1. `$variable_name = value;`
2. The `strcmp()` function is used for comparing the strings including case
3. The `strcmp()` function is used for comparing the lowercase strings
4. Double Quotes and Single Quotes
5. `gettype()`

5.8 Test Your Knowledge



- Which loop evaluates the conditional expression before processing the loop?
 - for loop
 - while loop
 - do-while loop
 - All of these

- What will be the output of the following PHP code?

```
<?php
for ($num = 1; $num <= 10; $num += 2) {
    echo "$num ";
}
?>
```

- 1 3 5 7 9
- 1 2 3 4 5
- 9 7 5 3 1
- Error

- What will be the output of the following PHP code?

```
<?php
$num = 20;
while ($num < 12) {
    $num += 2;
    echo $num, "\n";
}
?>
```

- Error
- No Output
- infinite loop
- Only one garbage value

- Identify the output of the following PHP code:

```
<?php
$arr = array (10, 20, 30);
foreach ($arr as $val) {
    echo "$val \n";
}
?>
```

- 10 20 30
- No Output
- 10
- undefined variable

- Identify the output of the following PHP code:

```
<?php
for ($a = 1; $a <= 10; $a++){
    for ($b = 1; $b <= 5; $b++){
        print "LFC";
    }
}
?>
```

- "LFC" will be printed 10 times
- "LFC" will be printed 50 times
- "LFC" will be printed 5 times
- "LFC" will be printed 1 time

6. Which in-built function will add a value to the end of an array?

- A. `array_unshift()`
- B. `into_array()`
- C. `inend_array()`
- D. `array_push()`

Answers to Test Your Knowledge

- 1. while loop
- 2. 1 3 5 7 9
- 3. 1 2 3 4 5
- 4. undefined variable
- 5. "LFC" will be printed 1 time
- 6. `array_push()`

6.6 Test Your Knowledge



- The _____ specifies the URL that will process form data and send the feedback.
 - Method
 - Form control
 - Action attribute
 - Body of the HTTP message
- Which of the following option(s) is/are the key difference between `GET` and `POST` methods?
 - `GET` is used with HTTP protocol and `POST` is used with HTTPS.
 - `GET` displays the submitted data as part of the URL. However, while using `POST`, this information is not shown.
 - `GET` is intended for changing server state and it carries more data than `POST`.
 - `GET` is more secure than `POST` and should be used for sensitive information.
- Which of the following option(s) is/are used to enter text in PHP Forms?
 - `input type="text"`
 - `input type="radio"`
 - `input type="textarea"`
 - `input type="null"`
- Which of the following option(s) is/are correct if a user tries to submit a form without entering the text area or required field?
 - No error message will be displayed.
 - An error message will be displayed and the form will not get submitted.
 - An error message will display and the form is submitted.
 - The form is frozen.
- Which of the following is the syntax for the `GET` method?
 - `$varname = GET['variable']`
 - `varname = $_GET['variable']`
 - `$varname = $_GET['variable']`
 - `$varname = $GET['variable']`

Answers to Test Your Knowledge

- Action attribute
- `GET` displays the submitted data as part of the URL. However, while using `POST`, this information is not shown
- `input type="text"`
- An error message will be displayed and the form will not get submitted.
- `$varname = $_GET['variable']`

7.13 Test Your Knowledge



1. Which of the following is not a built-in function in PHP?
 - a. `print_r()`
 - b. `fopen()`
 - c. `fclose()`
 - d. `gettype()`
2. Which of the following cannot be used at the beginning of a function name?
 - a. alphabet
 - b. underscore
 - c. number
 - d. Both b and c
3. A function name is not case-sensitive (State True/False).
 - a. True
 - b. False
4. Which of the following is the correct output of the following code?

```
<?php declare(strict_types=1); // strict requirement ?>
<?php
function setHeight(int $minheight = 50) {
    echo "The height is : $minheight <br>";
}
setHeight(350);
?>
```

- a. The height is: 350
 - b. The height is: 50
 - c. The height is: 1550
 - d. Error
5. Which of the following is the correct output of the following?

```
<?php declare(strict_types=1); // strict requirement
function addNumbers(int $a, int $b) {
    return $a + $b;
}
echo addNumbers(5, "5 days");
?>
```

- a. 5+5days
- b. 55days
- c. 25 days
- d. Error

Answers to Test Your Knowledge

1. `print_r()`
2. Both b and c
3. True
4. The height is: 350
5. 5+5 days

8.6 Test Your Knowledge



1. Which of the following functions set a cookie in PHP?
 - a) `createcookie( )`
 - b) `makecookie( )`
 - c) `setcookie( )`
 - d) None of these
2. The _____ option enables a session to automatically initialize if the session ID is not found in the browser request.
 - a) `session.start`
 - b) `session.auto_start`
 - c) `session.session_start`
 - d) `session.session_auto_start`
3. Identify the files that can be read and written from the Web server via PHP scripts and store user or session information.
 - a) Session
 - b) Cookies
 - c) Bytecode
 - d) All of them
4. Built-in function _____ removes all saved values from the session variable and cleans the session variable.
 - a) `session_unset()`
 - b) `session_clean()`
 - c) `session_remove()`
 - d) `session_clear()`
5. The _____ function checks whether the cookie is set.
 - a) `$_COOKIE[]`
 - b) `set()`
 - c) `setcookie()`
 - d) `isset()`

Answers to Test Your Knowledge

1. `setcookie( )`
2. `session.auto_start`
3. Session and Cookies
4. `session_unset()`
5. `isset()`

9.11 Test Your Knowledge



1. Which of the following database management systems lack a native PHP extension?
 - a. MySQL
 - b. PostgreSQL
 - c. Microsoft SQL Server
 - d. None of these
2. Which of the following is used to access a MySQL database in PHP?
 - a. `mysqli-connect()` function
 - b. `mysqlconnect()` function
 - c. `mysqli_connect()` function
 - d. `sql_connect()` function
3. Which of the following arrays refers to the array with strings as an index?
 - a. Binary array
 - b. Multi-dimensional array
 - c. Associative array
 - d. Indexed array
4. Which of the following `mysqli` functions frees the memory associated with a result?
 - a. `mysqli.real_query.php`
 - b. `mysqli.multi_query.php`
 - c. `mysqli.prepare.php`
 - d. `mysqli-result.free.php`
5. Which of the following client utilities helps create logical database backups?
 - a. `mysqldump`
 - b. `mysqlcheck`
 - c. `mysqlrepair`
 - d. `mysqlanalyze`

Answers to Test Your Knowledge

1. None of these
2. `mysqli_connect()` function
3. Associative array
4. `mysqli-result.free.php`
5. `mysqldump`

10.7 Test Your Knowledge



1. Which one of the following functions is used to send an email using PHP script?
 - a. `mail_send()`
 - b. `send_mail()`
 - c. `mailrr()`
 - d. `mail()`
2. Which of the following describes the user's email server address?
 - a. `sendmail_from`
 - b. `send mail()`
 - c. SMTP
 - d. None of these
3. The _____ symbol is used for separating recipient addresses.
 - a. /
 - b. &
 - c. ,
 - d. :
4. When a user wants to send an email that has attachments, it is essential to set the Content-type header to _____.
 - a. `multipart/mixed`
 - b. `multipart/attachment`
 - c. `multipart/none`
 - d. `mixed/multipart`
5. What is the process of validating a user's credentials before granting access to an application called as?
 - a. Parsing
 - b. Entry
 - c. Authentication
 - d. Validation

Answers to Test Your Knowledge

1. `mail()`
2. `sendmail_from`
3. , (Comma)
4. `multipart/mixed`
5. Authentication

11.11 Test Your Knowledge

1. Which of the following is the right way to open the file "mytext.txt" as readable?
 - a) `fopen("mytext.txt", "r");`
 - b) `fopen("mytext.txt", "r+");`
 - c) `fopen("mytext.txt", "read");`
 - d) `fopen("mytext.txt");`
2. A PHP function used to read specific number of characters from a file is _____.
 - a) `filegets()`
 - b) `fget()`
 - c) `fgets()`
 - d) `fread()`
3. Which PHP function specifies the last access time of a file?
 - a) `filetime()`
 - b) `fileatime()`
 - c) `filectime()`
 - d) None of these
4. Which of the following statements invoke the exception class?
 - a) `new throws Exception();`
 - b) `New Exception();`
 - c) `throws new Exception();`
 - d) `throw new Exception();`
5. Users can handle fatal errors by using _____ block.
 - a) try-catch
 - b) try-handle
 - c) catch-handle
 - d) try-throw

Answers to Test Your Knowledge

1. `fopen("mytext.txt", "r");`
2. `fgets()`
3. `fileatime()`
4. `throw new Exception();`
5. try-catch

12.8 Test Your Knowledge



1. Which of the following is used to execute code automatically when a new instance of a class is created?
 - a. Destructor
 - b. Constructor
 - c. Friend
 - d. Initial
2. Which of the following keywords can be used to create objects from a class that has been defined?
 - a. New object
 - b. construct
 - c. new
 - d. Both a and c
3. Within a namespace, which of the following is used as a prefix to access the built-in PHP classes?
 - a. percent
 - b. ampersand
 - c. asterix
 - d. backlash
4. _____ can be written at a start of a class name and can be followed by numerous letters, periods, or underscores.
 - a. Letter
 - b. Name
 - c. Underscore
 - d. Asterix
5. Though multiple traits cannot be utilized in the same class, multiple interfaces can be used. (State True/False).
 - a. True
 - b. False

Answers to Test Your Knowledge

1. Constructor
2. New
3. Percent
4. Letter
5. False

13.14 Test Your Knowledge

1. Which of the following pseudo-variables is not available inside methods that are declared as static?
 - a. `$name`
 - b. `$this`
 - c. `$super`
 - d. `$object`
2. The properties and methods of an object are accessed using the _____ operator.
 - a. `>>`
 - b. `→`
 - c. `->`
 - d. `+`
3. Identify the methods that a subclass inherits from the parent class, when the class is extended.
 - a. Private
 - b. Public
 - c. Protected
 - d. Both b and c
4. Child classes are defined using the keyword _____.
 - a. `extends`
 - b. `extend`
 - c. `extend_class`
 - d. `child_class`
5. Objects are created from the class using the _____ keyword, once the class is defined.
 - a. `construct`
 - b. `new`
 - c. `new object`
 - d. `static`

Answers to Test Your Knowledge

1. `$this`
2. `->`
3. Both b and c
4. `extends`
5. `new`

14.8 Test Your Knowledge



1. Which of the following is not a type in JSON?
 - a. Date
 - b. Object
 - c. Array
 - d. String
2. What will be the value of the variable \$input in the following PHP code?

```
<?php
$input = "Juliet<td>Lawrence</td>you are really<i>pretty</i>";
$input = strip_tags($input, "<i></i>");
echo $input;
?>
```

- a. Juliet Lawrence you are really pretty!
 - b. Juliet <td>Lawrence</td> you are really<i>pretty</i>!
 - c. Juliet <td>Lawrence</td> you are really pretty!
 - d. Juliet Lawrence you are really<i>pretty</i>!
3. Which of the following functions is used to redirect the browser?
 - a. exit()
 - b. header()
 - c. break()
 - d. None of these
 4. Which of the following functions is used to parse or convert the JSON content to PHP variable?
 - a. json_decode()
 - b. json_encode()
 - c. json_last_error
 - d. None of these
 5. Which of the following PHP functions is used to access the value of all environment variables?
 - a. getenv()
 - b. getvar()
 - c. getnow()
 - d. gethour()

Answers to Test Your Knowledge

1. Date
2. Juliet Lawrence you are really<i>pretty</i>!
3. header()
4. json_decode()
5. getenv()

15.7 Test Your Knowledge



1. AJAX is based on _____.
 - a. JavaScript and XML
 - b. JavaScript and Java
 - c. VB Script and XML
 - d. JavaScript and HTTP requests
2. When does a browser create an XMLHttpRequest?
 - a. When HttpRequest is Processed
 - b. When an event occurs on a Web Page
 - c. When data is sent back to the browser
 - d. When HttpRequest is processed
3. Which property returns the response data as a string?
 - a. getText
 - b. responseText
 - c. responseAllText
 - d. getResponseText
4. What is the role of XMLHttpRequest object in AJAX?
 - a. It is used to send and receive data synchronously with a server
 - b. It is used to process the request
 - c. It is used to display the results
 - d. It is used to send and receive data asynchronously with a server
5. What are the advantages of AJAX?
 - a. Better user interaction
 - b. Faster data retrieval
 - c. Bandwidth utilization
 - d. All of these

Answers to Test Your Knowledge

1. JavaScript and XML
2. When an event occurs on Web page
3. responseText
4. It is used to send and receive data asynchronously with a server
5. All of these