

COMPUTER 2022**OPTION - I - PROGRAMMING USING "C"****TIME: 3 Hours****(75 Marks)****SECTION 'A' (Multiple Choice Questions)(29)****1 Choose the correct answer for each from the given options:****(i) In $x = 3.5 / a + 2 * n$; this operation will be performed first:**

- * $3.5 / a$ ✓ * $a + 2$ * $2 * n$ * depends upon compiler

(ii) Every function's body begins and ends with:

- * { } ✓ * () * [] * < >

(iii) This operator takes only integer operands:

- * + * * * % ✓ * /

(iv) This is not a logical operator:

- * & ✓ * && * || * !

(v) If $\text{int } a = 10 + 4.867$ then the value of 'a' is:

- * $a = 10$ * $a = 14.867$ * $a = 14$ ✓ * compiler error

(vi) This operator takes only one operand:

- * ! * || * && * >

(vii) This inversion specifier is used to display a floating point value in exponential notation:

- * [e or E] ✓ * [d or D] * [g or G] * [f or F]

(viii) This statement can only test for equality:

- * break * switch ✓ * return * if

(ix) This data type is used when the function does not return a value:

- * char * double * float * void ✓

(x) The declaration of a function is called its:

- * Prototype ✓ * Function * Function Definition

(xi) We use this operator to tell the compiler to store data at an address:

- * address operator (&) ✓ * dereference operator (#)
* indirection operator (*) * pointer operator (^)

(xii) A function can return only:

- * one values ✓ * two values * three values * six values

(xiii) This is a default data type in MS-Access:

- * auto number * text ✓ * number * data

(xiv) This MS Access object is considered primary:

- * table ✓ * query * form * report

(xv) Key field must contain:

- * default values * null values * unique values ✓
* duplicate values

(xvi) 'One-to-many' refers to:

- * constraint * join * union * cardinality ✓

(xvii) This is the output of $4 \% 5$:

- * 0✓ * 1 * 4 * 5
- (xviii) If n has the value 3, then the output of the statement,
printf("%d%d",n++,++n) is: * 4 4 * 2 5
- * 3 5 * 4 5✓
- (xix) To retrieve information from a database, users can use this, an easy to use
computer language:
* data dictionary * report generator
* query language ✓ * low level language
- (xx) The rules/formats for using programming language are called.
* Sematic * Rule * Syntax✓ * Module
- (xxi) This statement is used to exit the selection structure:
* continue * default * break✓ * exit
- (xxii) If a file is opened in "w" mode, then:
* Reading is possible * Appending is possible
* Writing is possible✓ * there is no any "w" mode
- (xxiii) Data access must be sequential in:
* Network Database Model * Hierarchical Database Model
* Relational Model ✓ * Flat Model
- (xxiv) "" is an operator of the type:
* Assignment * Arithmetic ✓ * Relational * Logical
- (xxv) This is used to share the data from two tables:
* Table ✓ * Form * Relation * Report
- (xxvi) This data type is used to store long text entries in MS-Access:
* Memo ✓ * Text * Number * OLE object
- (xxvii) In this database mode, data is organized into related groups much like a
family tree:
* Hierarchical✓ * Network * Relational * Flat
- (xxviii) RDBMS consists of:
* Collection of Records * Collection of Keys
* Collection of Tables✓ * Collection of fields
- (xxix) In MS-Access, this object is used to represent data in a printed format:
* Query * Form * Report✓ * Macro

SECTION "B" (Short Answer Question) Marks: 30

NOTE: Attempt any TEN part questions in all. All part questions carry equal marks. Answer should not exceed 6 to 7 lines

2.i) Why is C language called 'case sensitive language'?

ii) What will be the output of the following program segment?

```
For(i = 1; i < 5; i++)
```

```
if (I == 3)
```

```
continue;
```

```
else
```

```
print("%d",i);
```

iii) What is a function? What are the advantages of using a function?

iv) Define any one of the following:

a) DBMS

* Data dictionary

v) Write a program that generates the following output: (use any loop)

```

2      4
3      6
4      8
5      10

```

vi) Write a program that prints the factorial of given number.

vii) What is reserved word or keywords in C language? Define only three.

viii) What are escape sequences? Write the purpose of any three.

ix) Define

a) Table

b) Query

x) What is data redundancy?

xi) Define increment operator and decrement operator. Give example of each operator.

xii) What is the difference between a primary key and a secondary key?

xiii) Write equivalent C statement:

a) $x = \frac{b^2 - c^2}{2bc}$

b) $(x + y)^n$

* $b = \sqrt{x + y} + z^2$

ix) Define scanf() with its syntax

x) Differentiate between Actual Parameter and Formal Parameters.

Section C (Detailed – Answer Question) (16)

NOTE: Attempt any TWO question from this section.

All questions carry equal marks.

3. Explain arithmetic, relational and logical operators used in C.

4. Define switch statement. Also write an example program of switch statement.

5. Explain different types of database models.

COMPUTER 2021

(AS PER CONDENSED SYLLABUS)

OPTION - I - PROGRAMMING USING "C"

TIME: 2 Hours

(100 Marks)

NOTE: i) This section consists of 36 part questions and all are to be answered. Each question carries ONE mark.

ii) Do not copy the part questions in your answer book. Write only the answer in full against the proper number of the question

SECTION 'A' (Multiple Choice Questions) (36)

1. Select the correct answer for each from the given options:

(i) This data type in C occupies 4 times as many bytes of memory as type char:

*int *float ✓ *double * long float

(ii) A block of instructions that performs a specific task, is a/an:

* function ✓ *loop * string *array

(iii) Every statement in C must end with:

* : * } * ; ✓ *

(iv) A variable that can hold the value 234 having a data type:

* char * float * int ✓ * double

(v) A relational operator is used to:

* change variable to logical values * Compare values ✓

* distinguish different types of variables * combine values

(vi) This statement causes an exit only from the inner most switch:

* continue * goto * break ✓ * default

(vii) Multiple increment expression in a for loop expression is separated by:

* < * : * ; * , ✓

(viii) A string is terminated by a null character which is written as:

* \0 ✓ * // * \n * \\ *

(ix) Type char can accommodate numbers from:

* -32768 to +32767 * 3.4e-38 to 3.4e+38

* -128 to 127 ✓ * 0 to 65565

(x) The function designed specially to read string from the keyboard:

* getch() * puts() * gets() ✓ * getchar()

(xi) An external variable is defined:

* in the first function that uses it

* in any function that uses it

* in main () only * outside of any function ✓

(xii) This function is used to clear the screen:

* clear * clrscr ✓ * Clrsr * CLSO

(xiii) This format specifier is used for exponential notation:

* %e ✓ * %x * %xd * %d

(xiv) In switch statement if no match is found with any case statement, only the statements following are execute in:

* else * continue * default ✓ * break

(xv) A loop performed within another loop is said to be:

* nested loop ✓ * conditional loop

* recursive loop * continuous loop

(xvi) Three types of control structures are:

* initialization, condition, increment

* sequence, selection, iteration ✓

* sequential, selection, conditional

* initialization, condition, decrement

(xvii) String is:

* a collection of characters * a list of characters

* an array of characters ✓ * a single character

(xviii) This will be output of 22% 3:

* 3 * 1 ✓ * 22 * 0

(xix) The function scanf() reads:

* any possible number * a single character

* any possible variable type ✓ * a character and a string

PAST PAPERS XII (S)**399****يوسفيز COMPUTER (C)**

- (xx) This loop will be executed at least once whether its condition is false:
* for * while * do-while✓ * continuous loop
- (xxi) A variable which can be accessed by all program modules is called:
* global variable✓ * local variable
* argument * private variable
- (xxii) Case statement is used with:
* printf() * scanf() * switch ()✓ * getch()
- (xxiii) This statement is incorrect in C:
* int a; * float b; * double e; * character c;✓
- (xxiv) The escape sequence is used for:
* tab * backspace * end of string * new line✓
- (xxv) This is called the address operator:
* &✓ * % * && * |
- (xxvi) The library function sqrt (1024) returns:
* 512 * 32✓ * 256 * 64
- (xxvii) Quantities whose values cannot be changed during program execution are:
* data files * variables * constants✓ * functions
- (xxviii) If a = -5, the statement a += 5 returns:
* -15 * 0✓ * 10 * -5
- (xxix) This expression is valid:
* a++1 * 6++ * a++✓ * a++1
- (xxx) This operator operates on only one operand:
* = * == * && * !✓
- (xxxi) This is invalid variable declaration
* double c; * unsigned int F;
* float p,q✓ * char name;
- (xxxii) What will be the output of the following statement:
Printf("%0.2f", 633.6658)
* 63.33 * 63 * 633.66✓ * 633.6
- (xxxiii) This statement can terminate any loop immediately:
* continue * switch * break✓ * goto
- (xxxiv) A format specifier used for int type variable is:
* %c * %f * %d✓ * %s
- (xxxv) Function prototype is called:
* Function definition * Function Declaration✓
* Function Calling * Function Repetation
- (xxxvi) This sub directory contains header files:
* lib * bin * include✓ * bgi

SECTION 'B' (Short-Answer Questions) (25)

NOTE: Answer any five part questions from this section. All questions carry equal marks. Answer should not exceed 3 to 4 lines.

2. i) What is IDE? Write few shortcut keys and their functions in IDE.
ii) Write a program to print the factorial of an inputted number.

iii) What is meant by Escape Sequence? Define any four with examples.

iv) Convert the following mathematical expressions into equivalent 'C' expressions. (Attempt any two)

a) $B = (x + y)^2 - (a^2 + b^2)$

b) $p = \frac{(a^2 - b^2)}{(a - b^2)}$

c) $y = (a + b)^n$

d) $X = \sqrt{b + a^2}$

v) What is main difference between Source code and Object code.

vi) Define Logical operators with examples.

vii) What are the library functions? Name any four.

viii) What are Local and Global Variables also give examples:

ix) By using nested loop write the program to print the following output.

2	4	6	8	10
3	6	9	12	15
4	8	12	16	20
5	10	15	20	25

x) Write a program to calculate the area of rectangle
(Hint $A = w * l$).

SECTION "C" (Detailed Answer Questions)(14)

NOTE: Attempt any Two questions from this section. All questions carry equal marks.

3. Explain all data types in C – Language

4. How many types of decision structures are there in 'C'? Define with examples.

5. What is Function? What are the advantages of using function?

6. Define switch and break Statement with example.

نوٹ: سال 2020 میں گیارہویں اور بارہویں جماعت کے امتحانات نہیں ہوئے تھے۔

COMPUTER 2019

Important Instructions: This paper comprises Two independent options (I) Programming Using 'C' and (II) Programming Using Visual Basic. The candidates have to attempt any One Option, Programming Using 'C' OR Programming Using Visual Basic, whichever they have offered.

OPTION - I - PROGRAMMING USING "C"

NOTE:

i) This section consists of 15 part questions and all are to be answered. Each question carries 1 mark.

ii) Do not copy the part questions in your answer book. Write only the answer in full against the proper number of the question and its part.

Time: 20 minutes

Max. Marks: 15

SECTION 'A' (MULTIPLE CHOICE QUESTIONS)

1. Choose the correct answer for each from the given options:

- i) This object in MS-Access is used to display data in printed form:
 *form *Query *Report *Table
- ii) Let a=0, the statement print f ("%a",a++); will print this value:
 *0 *1 *2 *3
- iii) Primary key of another related table is called: *Candidate key
 *Foreign key *Alternate key *Composite key
- iv) This is not a loop *while *for *switch *do-while
- v) This is the format specifier for "int" variable:
 *%x *%c *%f *%d
- vi) This is correct statement:
 * #include (stdio.h) *#include <stdio>
 *#include >stdio.h< *#include <stdio.h>
- vii) This primary key in a Database is:
 *Unique *Duplicate *Null *None
- viii) This is a data type of MS-Access:
 *int *float *currency *string
- ix) This function is used to write on to the computer screen in C:
 *main () *clrscr *printf() *getch ()
- x) It is not an Arithmetic operator:
 *+ */ *% *<=
- xi) Passing parameters/arguments/values of a function are given within the:
 * Square Brackets [] *Curly Brackets { }
 *Parenthesis () *Pair of Slashes /**/
- xii) Compiler cannot detect this error:
 *Runtime *Logical *Absolute *Syntax
- xiii) The scope of this type of variable is not limited:
 *local variable *integer variable *external/global variable
 *float variable
- xiv) This object in MS-Access is considered as primary object:
 *Query *Form *Report *Table
- xv) This keyword is used to exit from the switch statement:
 *case *break *else *default

COMPUTER 2019

Option-I Programming using 'C'

TIME: 2 Hours 40 Minutes

(60 Marks)

SECTION 'B' (SHORT ANSWER - QUESTION) (36 Marks)

NOTE: Answer any 12 part questions from this section. All questions carry equal marks.

2. (i) What is programming error? Define Syntax error.
2. (ii) Write a C program to show the table of an inputted number.
2. (iii) Write C-Program equivalent statements of any three of the following:

(a) $A = (x^2 + y^3) - (x - y)^3$

(c) $C = \frac{-y + \sqrt{y^2 - 4xz}}{2x}$

(b) $B = y^2 - 2xy + x^2$

(d) $D = x^2 + y^3 + z^3 - 3xyz$
2. (iv) Write the basic structure of C programming language.
2. (v) Differentiate between while loop and do-while loop.
2. (vi) Define Relational Operators used in C-language.
2. (vii) What is escape sequence? Define any two
2. (viii) Write the full form of the following:

*DML
*RDBMS
*DBA
2. (ix) What is difference between Primary key and Foreign key?
2. (x) Can reserved words in C-language be chosen as variable names? Justify your answer.
2. (xi) Write any three advantages of DBMS.
2. (xii) Write a function that receives two integers and returns the maximum of the two.
2. (xiii) What is the role of DBA in DBMS?
2. (xiv) What will be the output of the give programming statements?


```
For ( int x=1; x<=5; x++)
{for (int y=1;y<=x;y++)
  Printf("%d",y);
  Print f("\n");
}
```
2. (xv) Identify valid variables or invalid variables of the following:

(a) number (b) You & me (c) Case
2. (xvi) Rewrite the given statements correctly:

a) if (a=b) then
printf("Karachi");

b) for (int i=1, i<10, i++)
printf("%d\n",i)

c) integer i=5;
i++;
2. (xvii) Write the steps to create a table in MS-Access
2. (xviii) Define any three reserved words in C.

SECTION 'C' (DETAILED-ANSWER QUESTIONS) (24)

NOTE: Attempt Two questions from this section.

3. (a) Explain all data types in C-Language.
3. (b) Define "Nested" for loop with example:
3. (c) Define any four objects of MS-Access.

4. (a) What are the input/output statements in C programming language? Define any three with examples.
4. (b) Define else if statement. How it is different from switch statement?
4. (c) Write the names of various types of database models. Explain two of these.
5. (a) What is function in C-language? In how many ways can be used?
5. (b) What are control structure in C-language? Define Iteration control structure. Give example.
5. (c) What is relationship Database? Define all three types of relationship Database. Give example.

COMPUTER 2018

OPTION - I - PROGRAMMING USING "C"

Time: 20 minutes

Max. Marks: 15

SECTION 'A' (MULTIPLE CHOICE QUESTIONS)

1. Choose the correct answer for each from the given options:

(i) A character constant is a single character, enclosed:

*in double quotation marks

*in single quotation marks

*in left and right braces

*without quotation marks

(ii) Comments or remarks can be placed anywhere within a program as long as they are placed within delimiters:

*by braces and asterisks{*comments*}

*by asterisks *comments*

*by parenthesis and asterisks(*comments*)

by slashes and asterisks / comments*/

(iii) The function void play (void); is the example of:

*Calling function

*A Prototype declared as a function

*Return type function

*Itself function

(iv) This operator has the lowest precedence:

*++ *% *< *&&

(v) This converts C program into machine language:

*An editor

*A compiler

*An operating system

*A linker

(vi) This function is used to read a character from a data file:

*putchar() *getc()

*getch() *getche()

(vii) Loop within the loop is called:

*Nested loop

*Continuous loop

*Inner loop

*Outer loop

(viii) This database tool is used to display and print your data in an organized manner: *Record *Field *Report *Table

(ix) This database model organizes data into a tree structure:
*Hierarchical *Relational *Object oriented model

*Network model

(x) Each row in a table is also called a:

*Feild

* Tuple

*Entity

*Attribute

(xi) A person who is responsible for managing the overall database management system is called :

*Database administrator

*Network supervisor

*Programmer

*System analyst

(xii) This is escape sequence: */n

*\t

*%f

*i++

(xiii) This is the output of 4% 5:

*0

*1

*4

*5

(xiv) The specialized software necessary to create and process the database and modified as needed is called:

*Compiler

*Windows xp

*DBMS *Interpreter

(xv) The include <stdio.h> does not begin without a sign of:

*\$

*!= *# *@

COMPUTER 2018

Option-I Programming using 'C'

TIME: 2 Hours 40 Minutes

(60 Marks)

SECTION 'B' (SHORT ANSWER - QUESTION) (36 Marks)

NOTE: Answer any 12 questions from this section.

2. (i) If x=1, what is the output of following program segments?

```
Printf ("x=%d\n",x);
```

```
Printf ("x=%d\n",++x);
```

```
Printf ("x=%d\n",x);
```

2. (ii) What is the difference between source program and an object program?

2. (iii) Determine which of the following are valide or invalid identifiers.

(a)Array1 (b)Stax (c) name and address

2. (iv) What is the difference between arithmetic and arithmetic assignment operators?

2. (v) What is the difference between DBMS and RDMBS?

2. (vi) Write the full form of DCL, IDE and DBMS.

2. (vii) Write the name of objects in MS-Access.

2. (viii) Define the following functions:

(a)Pow() (b)sqrt() (c)abs()

2. (ix) Write the print () statements of the following:

(a)Int a=4562; (b)float c=15.27; (c) chart []

"intermediate class";

2. (x) Write the following in while () equivalent:

```
Void main (void)
```

```
{
```



```
Int a=3;
Do {print("%d\n",a);
A=a+3'
}
```

While (a=10);}

2. (xi) Define Relational database model.

2. (xii) Convert the following algebraic expression to C-equivalent format:

$$(a)x = \frac{1}{2}ab^2 \quad (b)x = x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a} \quad (c)y = |b^2 - 4ac|$$

2. (xiii) Write a C-program to calculate the power of numbers from 1 to 5.

2. (xiv) What is the meaning of two void used in any function declaration?
i.e. void main(void)

2. (xv) What is wrong with the following C-program?

```
Void main(void)
```

```
{
```

```
Print Hoo what a wonderful short
```

```
}
```

2. (xvi) Write a program that prints factorial of any inputted member.

2. (xvii) What is composite key? Where do we use it?

2. (xviii) How can we define one-to-one relationship in database?

SECTION 'C' (DETAILED-ANSWER QUESTIONS) (24)

NOTE: Answer Two questions from this section. All questions carry equal marks.

3 (a). Define switch and break statement with an example.

3 (b). Write the general form(syntax) of for () & while () loops.

3 (c). Explain why we use Table, Form & Report in MS- Access.

4 (a). What are the different types of operators used in any C Language program? Define any two types.

4 (b). Define different basic opening modes used to open a data file in C language.

4 (c). Why is DBMS necessary for any big organization?

5 (a). Define Function. What are the main characteristics of a function.

5 (b). Define different format specifies used in any formatted function.

5 (c). Define the data types in MS access.

COMPUTER 2017

OPTION - I - PROGRAMMING USING "C"

Time: 20 minutes

Max. Marks: 15

SECTION 'A' (MULTIPLE CHOICE QUESTIONS)

1. Choose the correct answer for each from the given options:

i) This format specifier is used for double precision value:

* %ld * %lf * %d * %u

ii) The quantities which may change during program execution are called:

- * Constants * Variables * Strings * Integers

iii) The 'break' statement is used to exit from this part of a loop:

- * Beginning * Middle * End * Never exit

iv) This is the default data type in MS Access:

- * Text * Auto number * Number * Data

v) The "n" character does this one of the following operations:

- * double line spacing * character deletion
* character backspace * place cursor on the next line

vi) # define PI 3.14159. This code represents this one of the following:

- * Preprocessor directive * Variable
* Constant * Integer

vii) This arithmetic operator computes the integer remainder:

- * % * + * - * /

viii) A top to bottom relationship among the items in a data base is established by a:

- * Hierarchical Model * Network Model
* Relation Model * Flat Model

ix) This one of the following represents comment in C:

- * < * [] * /* */ * /* */

x) A relational database developer refers to record as:

- * a criteria * a relation * a tuple * an attribute

xi) The format specifier starts with:

- * % * / * \ * #

xii) This MS Access object is considered primary:

- * Table * Query * Form * Report

xiii) "=" is an operator of this type:

- * Logical * Arithmetic * Assignment * Relation

xiv) Reserved word "case" is used with this statement:

- * printf() * scanf() * switch() * getch()

xv) This standard I/O function is used to close a data file:

- * gclose() * fclose() * fscanf() * fcall()

COMPUTER 2017

Option-I Programming using 'C'

TIME: 2 Hours 40 Minutes

(60 Marks)

SECTION 'B' (SHORT ANSWER - QUESTION) (36 Marks)

NOTE: Answer any 12 questions from this section.

2. (i) What is foreign key? Where do we use it?
2. (ii) What is the main difference between while and do-while loop?
2. (iii) In which condition is one to many relationship used?
2. (iv) What is the output of the following program statements:

```
For (int a=1 ; a<5; a++)
{
```

2. (v) What d

2. (vi) What i
operators.

2. (vii) Write

2. (viii) Writ

*SQL *D

2. (ix) How c

2. (x) What i

2. (xi) What

Void main()

{

Int

If (

Print

If (

Print

else

prin

}

2. (xii) Writ

format:

For(a=1; a

Printf("%o

2. (xiii) Defi

2. (xiv) Defi

(a)"r" (b

2. (xv) Debu

(

Printf('I a

)

2. (xvi) Wri

2. (xvii) W

2. (xviii) W

(a) x

SECT

NOTE: A

carry equ

3 (a). What

3 (b). Defi


```

For (int b=a; b<5; b++)
Printf ("%d",B);
Printf ("\n");
}

```

2. (v) What do you mean by function prototype?
2. (vi) What is operator precedence? Write the precedence arithmetic operators.
2. (vii) Write a program that swap two inputted numbers.
2. (viii) Write the full form of the following:
*SQL *DML *DDL
2. (ix) How does else-if ladder differ from switch statement?
2. (x) What is data dictionary in DBMS.
2. (xi) What will be the output of the following program:

```

Void main()
{
    Int n=5;
    If (n<1
    Printf ("hello");
    If (n==5)
    Printf ("hi")
    else
    printf("no");
}

```

2. (xii) Write the equivalent code of the following statement in while loop format:

```

For(a=1; a<=100;a++)
Printf ("%d\n",a*a);

```

2. (xiii) Define an increment or decrement statement in C.
2. (xiv) Define the following file opening mode in C:
(a) "r" (b) "w" (c) "a"
2. (xv) Debug the following program:

```

(
    Printf('I am a good programmer');
)

```

2. (xvi) Write a program to calculate the area of a rectangle (Hint $A = w \times h$)
2. (xvii) What do you mean by reserved words in C language?
2. (xviii) Write equivalent 'C' statement:

$$(a) x = \frac{b^2 + c^2}{2bc} \quad (b) b = \sqrt{x + y} + z^3 \quad (c) z = \frac{4}{3} \pi r^3 \text{ where } \pi = 3.14$$

SECTION 'C' (DETAILED-ANSWER QUESTIONS) (24)

NOTE: Answer Two questions from this section. All questions carry equal marks.

- 3 (a). What is meant by Control Structure?. Discuss selection control structure
- 3 (b). Define Database. Define the major data types used in MS access.

- 3 (c). What is the purpose of break and continue statement?
 4 (a). Define the data types of C.
 4 (b). Define Network Model. Where do we use it?
 4 (c). Define formatted I/O and unformatted I/O functions.
 5 (a). Define any four objects of DBMS.
 5 (b). Define for loop with an example.
 5 (c). What is Function? Define its importance in C language.

COMPUTER 2016

OPTION - I - PROGRAMMING USING "C"

NOTE:

i) This section consists of 15 part questions and all are to be answered. Each question carries 1 mark.

ii) Do not copy the part questions in your answer book. Write only the answer in full against the proper number of the question and its part.

Time: 20 minutes

Max. Marks: 15

SECTION 'A' (MULTIPLE CHOICE QUESTIONS)

1. Choose the correct answer for each from the given options:

- i) Format specifiers must start with: * % * & * / * \
- ii) This is a relational expression:
 * $x = y$; * $x == y$; * $x + y$; * $x ++$
- iii) The gets () statement is used to input:
 * Single character data * Integer data
 * String data * Float data
- iv) To print the value of %lf a and b given below, the following print() statement will be used: float a = 3.14; double b = 2.532:
 * printf("%f%lf", a, b); * printf("%Lf%f", a, b);
 * printf("%Lf%Lf", a, b); * printf("f%Lf", a, b);
- v) The columns in a Microsoft Access Table are called:
 * Rows * Records * Fields * Entities
- vi) A foreign key:
 * has nothing to do with the primary key
 * has different values than the primary key
 * is found in tables that do not have a primary key
 * is related to the primary key of a different table
- vii) The various components in MS Access are called:
 * Tools * Entities * Properties * Objects
- viii) A field in DBMS is sometimes called a/an:
 * File * Attribute * Record * Database
- ix) A function which invokes itself is called:
 * Recursive function * System function
 * Library function * Iteration function
- x) Names given to variable, constants and functions are called:

* header files * identifiers

xi) For () loop is used when we need to perform: * loops

* structures

* Sequential logic

* Iteration logic

* Selection logic

xii) This is a statement terminator in C: * Parallel logic

* {

* ;

* "

* }

xiii) This type of error is detected by the compiler:

* Run time

* Logical

* Syntax

* Absolute

xiv) A pictorial / graphical representation of program logic is known as:

* Flowchart

* Procedure

* Source code

* Algorithm

xv) A program, written in high level language, is known as:

* Source code

* Object code

* Uni code

* Executable code

COMPUTER 2016

Option-I Programming using 'C'

TIME: 2 Hours 40 Minutes**(60 Marks)****SECTION 'B' (SHORT ANSWER - QUESTION) (36 Marks)****NOTE:** Answer any 6 questions from this section. All questions carry equal marks.

2. (i) Define each format specifier with an example

(a) %c (b) %d (c) %f (d) %s (e) %lf (f) %ld

2. (ii) Determine any six valid or invalid identifiers, in case of invalid, given reason.

(a) Include (b) Stwen.y (c) 5-numbers (d) y/s (e) integer (f) f_name

(g) Getch (h) smallest

2. (iii) Draw a flowchart that prints the table of any inputted number.

2. (iv) What is meant by case-sensitive language? Write the structure of "C" program.

2. (v) Write a program in C language to print the number from 4 to 9 and their squares. (using do while loop).

2. (vi) Convert the following mathematical expressions into "C" equivalent statements.

(a) $A = \pi r^2$ (b) $x = 3ab^3 + 3a^2b$ (c) $d = |b^2 - 4ac|$ (d) $y = a^2 + b^3 +$ c^4 (e) $X = (a^2 - b^3)^n$ (f) $J = \frac{1}{2}pb$

2. (vii) Write the output of the following statement of C-program.

For(int i=2; i<10; i++)

```

{
    Printf("%d", i)
    If(i%2==0)
        Sontinue;
    Printf("\n");
}

```


2. (viii) What is algorithm? Define different Algorithm Notations:
 2. (ix) What are the responsibilities of DBA?

SECTION 'C' (DETAILED-ANSWER QUESTIONS) (24)

NOTE: Answer Two questions from this section. All questions carry equal marks.

- 3 (a). What is loop? Explain nested for loop with an example.
 3 (b). What is preprocessor directive? Explain any two preprocessor directive in C with examples.
 4 (a). Define fails. Describe any two types of data files using in C-program.
 4 (b). Define operators. Explain different types of operators in C-language.
 5 (a). Explain the objects of MS Access.
 5 (b). What is database? What are the advantages of relational database management system (RDMBS)?

COMPUTER 2015

OPTION - I - PROGRAMMING USING "C"

Time: 20 minutes

Max. Marks: 15

SECTION 'A' (MULTIPLE CHOICE QUESTIONS)

1. Choose the correct answer for each from the given options:
- The for loop counter variables should be of this type:
 * Float * int * Char * Double
 - A field is sometimes called an/a:
 * File * Attribute * Record * Database
 - An object whose value can be changed during the program execution is called:
 * Symbol * Variable * Constant * Operator
 - To control the spacing and number of characters is displayed by:
 * Precision specifier * Field-width specifier
 * Format specifier * Escape sequence
 - This database object is used to present data in a printed format:
 * Table * Query * Form * Report
 - The memory space required for a float is:
 * 2 bytes * 8 bytes * 1 byte * 4 bytes
 - A function which invokes itself is called:
 * Recursive function * System function
 * Library function * Iterative function
 - In database, records are also called:
 * Attributes * Entities * Tuples P * Relations
 - This is the symbol of AND operator:
 * $\frac{1}{2}\frac{1}{2}$ * && * & * !
 - The control structure use do-while loop is:
 * Sequence * Selection * Iteration * Random
 - This symbol in a flow chart represents a process:

* Rectangle P

* Oval

* Circle

* Diamond

xii) The comment begins with the characters set of:

* */

* /*

* *

* */

xiii) The statements within any C function must be enclosed within a pair of:

* {}

* []

* ()

* ""

xiv) The collection of related fields is called a:

* Record

* Field

* Database

* Attribute

xv) The default case in the switch statement is:

* Optional

* Compulsory

* Occasional

* Relational

COMPUTER 2015

Option-I Programming using 'C'

TIME: 2 Hours 40 Minutes**(60 Marks)****SECTION 'B' (SHORT ANSWER - QUESTION) (36 Marks)****NOTE:** Answer any 6 questions from this section. All questions carry equal marks.2. (i) What is purpose of the statement #include <stdio.h> in a C program?
What is statement terminator?

2. (ii) Define logical operators in C language.

2. (iii) Differentiate between while loop and the do while loop.

2. (iv) What are escape sequences? Give an example.

2. (v) List some of the advantages of database management system?

2. (vi) Write the full form of the following acronyms:

DML, DDL, SQL, IDE, RDMBS, DBA

2. (vii) What is a key field? Why is it important in DBMS?

2. (viii) Write a program that reads radius of a circle and displays the circle/s area. Use this formula $\text{area} = \pi r^2$.

2. (ix) Rewrite the following mathematical expressions using C function:

$$(a) \sqrt{x+y} \times z^2 \quad (b) \sqrt{(a-b)^3} \quad (c) \left| ab - \frac{U}{V} \right|$$

SECTION 'C' (DETAILED-ANSWER QUESTIONS) (24)**NOTE:** Answer Two questions from this section. All questions carry equal marks.

3 (a). Explain the use of nested if-else statement.

3 (b). Write a program that reads three numbers and prints the largest.

4 (a). Explain the data types used in MS-Access.

4 (b). Write a program in C to call a function which returns the cube of a given number.

5 (a). Explain various types of Database model.

5 (b). What are the commonly used input/output functions in C? How are they accessed?

COMPUTER 2014**OPTION - I - PROGRAMMING USING "C"**

Time: 20 minutes

Max. Marks: 15

SECTION 'A' (MULTIPLE CHOICE QUESTIONS)

1. Choose the correct answer for each from the given options:

- i) The data type OLE is used for:
 * numeric data * Text
 * Object linking & Embedding * none of these
- ii) This is a postfix increment operator:
 * ++a * a+ * a++ * +a
- iii) The extension of a 'C' program is:
 * .cpp * .tc * .cp * .cc
- iv) This format specifier is used for 'float' data:
 * %c * %d * %f * %x
- v) The range of integer value is:
 * -32768 to +32767 * -30676 to +30678
 * -34877 to +34878 * -36677 to +36678
- vi) This loop uses post testing:
 * for() * while() * do-while() * none of these
- vii) Every C program must have this function:
 * recursive * input/output * main * printf
- viii) Library routines are attached to object program through:
 * compiler * linker * assembler * interpreter
- ix) Saving the function's definition under '.h' extension creates:
 * link file * object file * source file * header file
- x) Unconditional looping is implemented through:
 * for * while * do-while * none of these
- xi) DML queries are also called:
 * sub queries * joins * action queries * unions
- xii) if a = -15, the statement a += 5 yields:
 * 15 * -10 * -15 * -5
- xiii) In %5d, 5 is:
 * integer * hex value
 * field's width specifier * none of these
- xiv) 'One-to-many' refers to:
 * Cardinality * Constraint * Join * Union
- xv) This is an arithmetic operator:
 * & * % * && * <=

COMPUTER 2014

Option-I Programming using 'C'

TIME: 2 Hours 40 Minutes**(60 Marks)****SECTION 'B' (SHORT ANSWER - QUESTION) (36 Marks)****NOTE:** Answer any 6 questions from this section. All questions carry equal marks.

2. (i) What is the basic structure of a 'C' program?
2. (ii) List all iterative control structures in C, explain any one of them with syntax.
2. (iii) Write a program in C that swaps two numbers.
2. (iv) What is a user defined function? Write its syntax.
2. (v) Write a function that returns the cube of any inputted number.
2. (vi) Define format specifiers in C-Language.
2. (vii) Convert the following mathematical expression into C-Language statement using library functions.

$$(I) \left[\frac{x^2 + y^2}{x(p - q)} \right] \left[\frac{q + y}{e^2 + n^2} \right] \quad (II) x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a} \quad (III) N$$

$$= a^3 + 3a^2b + 3ab^2 + b^3$$

2. (viii) Write a program in C-language that prints the following:

1
22
333
4444
55555

2. (ix) What is relationship? State the kinds of relationships used in MS-Access

SECTION 'C' (DETAILED-ANSWER QUESTIONS) (24)**NOTE:** Answer Two questions from this section. All questions carry equal marks.

- 3 (a). Write a program that uses switch statement.
- 3 (b). Explain function prototype with an example.
- 4 (a). Explain all types of operators used in C.
- 4 (b). Explain the data types used in C-Language with examples. How much space is reserved for each data type in memory?
- 5 (a). Write the advantages of Database.
- 5 (b). Explain the objects used in MS-Access.

COMPUTER 2013**OPTION - I - PROGRAMMING USING "C"****Time: 20 minutes****Max. Marks: 15****SECTION 'A' (MULTIPLE CHOICE QUESTIONS)**

1. Choose the correct answer for each from the given options:

i) Each escape sequence must start with:

- * & (and sign) * / (forward slash)
- * \ (back slash) * % (percentage sign)

ii) All C - Language program must have a function called:

- * printf () * getch () * main () * scanf ()

iii) A program that is written in high level language and is converted to low level language is known as:

- * op-code * source code * object code * none of these

iv) All three expressions of for loop must be separated by:

- * , (comma) * ; (semi colon) * & (and) * none of these

v) Key field must contain:

- * Filtered values * Default values
- * Unique values * Duplicate values

vi) User defined function must have:

- * address * prototype * arguments * none of them

vii) Which of the following control structures used DO-WHILE?

- * Sequence logic * Selection logic
- * Iteration logic * none of these

viii) Collection of related files is called:

- * files * database * record * none of these

ix) Which of the following is a primary object in MS-Access?

- * Table * Form * Query * Report

x) A function that calls itself is called:

- * Repeating function * Iterative function
- * Recursive function * none of these

xi) Which statement is used to exit the switch statement?

- * Break * If * Continue * none of these

xii) Which of the following is an arithmetic operator?

- * % * & * && * <

xiii) The full form of IDE is:

- * Integrated Design Environment
- * Internal Design Environment
- * Integrated Development Environment
- * Interconnected Development Environment

xiv) The step by step solution, of any program is called:

- * a flow chart * a pseudo code
- * an algorithm * none of these

xv) Which format specifier is used for double data type?

- * %d * %f * %c * %lf

COMPUTER 2013

Option-I Programming using 'C'

TIME: 2 Hours 40 Minutes**(60 Marks)****SECTION 'B' (SHORT ANSWER - QUESTION) (36 Marks)**
NOTE: Answer any 6 questions from this section. All questions carry equal marks.

2. (i) Define Source code and Object code.
2. (ii) Define Switch case statement with an example.
2. (iii) What are Escape sequences? Mention call Escape sequences.
2. (iv) What will be the output of the following C-language program:

```
For(i= 5 ; i>0 ; i-)
```

```
For(j=1 ;j>=I ; j++)
```

```
Printf("%d",i)
```

```
Printf("n")
```

2. (v) Write a C = language program of character I/O which reads a character from a text file name ABC.TXT.
2. (vi) What is an Algorithm? Write different Algorithm standard notations.
2. (vii) Convert the following mathematical expressions into equivalent "C" expression.

$$(i) x = \frac{(2ab)^2}{3c} \quad (ii) x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a} \quad (iii) (x + y)^n$$

2. (viii) Define various data types supported by Ms-Access.
2. (ix) Write a program to generate prime number upto 11 (like 2 3 5 7 11)

SECTION 'C' (DETAILED-ANSWER QUESTIONS) (24)**NOTE:** Answer Two questions from this section. All questions carry equal marks.

- 3 (a). Explain different data types used in C-language with examples of each.
- 3 (b). What is a loop? Define diff. loops used in C language.
- 4 (a). What is a Function? What are the major characteristics of any function?
- 4 (b). Define database Model with diagram.
- 5 (a). Name the control structure used in C-language & discuss iterative control structure with syntax & example.
- 5 (b). What are format specifies and how do we used them in C-language , program?

COMPUTER 2012**OPTION - I - PROGRAMMING USING "C"****Max. Marks: 15****Time: 20 minutes****SECTION 'A' (MULTIPLE CHOICE QUESTIONS)**

1. Choose the correct answer for each from the given options:

- i) Every C program must have this function:
 * scanf() * main() * printf() * none of these
- ii) == is a/an:
 * Assignment operator * Logical operator
 * Relational operator * Conditional operator
- iii) C language is developed by:
 * Denis Ritchie * Eric Richard
 * Charles Babbage * Blaise pascal
- iv) An operator used to compare the values between the two operands is:
 * Logical * Relational * Arithmetic * Conditional
- v) A function used to get only a character from the keyboard is:
 * getche() * printf() * scanf() * gets()
- vi) This object in MS Access is used to present data in printed form:
 * Table * Query * Report * Form
- vii) The number of Bytes occupied in memory by an int type data is:
 * 4 * 2 * 1 * 8
- viii) A format specifier used for int variable is:
 * %c * %s * %f * %d
- ix) This statement can terminate the loop immediately:
 * break * switch * continue * stop
- x) This loop is appropriate when its body is executed at least once:
 * for * while * do-while * none of these
- xi) This is not a relational operator:
 * = * == * < * >=
- xii) Multiple initializations in 'for loop' are separated with:
 * , * ; * none of these
- xiii) In flowchart, a diamond box is used for:
 * Decision * Processing * Flow * Input/Output
- xiv) Function prototype is also called:
 * Function Definition * Function Declaration
 * Function Calling * none of these
- xv) This sub-directory contains header files:
 * lib * include * bin * bgi

COMPUTER 2012

Option-I Programming using 'C'

TIME: 2 Hours 40 Minutes

(60 Marks)

SECTION 'B' (SHORT ANSWER – QUESTION) (36 Marks)

NOTE: Answer any 6 questions from this section. All questions carry equal marks.

2. (i) What are the different types used in C language.
2. (ii) What are the escape sequences? Define any five.
2. (iii) What are the steps involved in creating a report in MS Access?
2. (iv) What do DBMS and RDBMS stand for? State the advantages of DBMS.

2. (v) Write a program to input three numbers and print the greatest one.
 2. (vi) What is an algorithm? What is its importance in computer programming?
 2. (vii) Write a program that prints the squares of all the numbers from 1 to 20.
 2. (viii) Convert the following mathematical expressions into equivalent 'C' expressions.

$$(a) x = (\sqrt{a^2} + \sqrt{b^2})^2 \quad (b) \frac{2ab}{(a+b)(a-b)} \quad (c) Z = \frac{a^m + B^n}{(m+n)^a}$$

2. (ix) Write the output of the following statements of C program.

```
For(int I=2; i<10 ; i++)
{
  Printf "%d",i);
  If(i%2==0)
  Continues;
  Printsf("/n");
}
```

SECTION 'C' (DETAILED-ANSWER QUESTIONS) (24)

NOTE: Answer Two questions from this section. All questions carry equal marks.

- 3 (a). What is a flow chart? Describe different symbols used while drawing a flowchart.
 3 (b). How many relationships exist in MS Access? Explain in detail.
 4 (a). What are the different operators used in C language? Write their precedence also.
 4 (b). What are the main objects in MS Access?
 5 (a). What is a control structure? Discuss any two control structures with examples.
 5 (b). Define the term function. Describe any five I/O functions used in C language.

ہم معذرات خواہیں کہ باجوہ پوری کوشش کے کپیڈ ٹرکاڈ ٹریول بیسک (Visual Basic) کے 2021، 2022 کے پرچے عدم دستیابی کی وجہ سے ان پرچہ جات میں شامل نہیں کیے جاسکے لیکن ہماری کوشش ہے کہ یہ پرچہ جلد از جلد کہیں سے بھی حاصل کر کے پرچہ جات میں شامل کیے جائیں۔

COMPUTER 2019

Important Instructions: This paper comprises Two independent options (I) Programming Using 'C' and (II) Programming Using Visual Basic. The candidates have to attempt any One Option, Programming Using 'C' OR Programming Using Visual Basic, whichever they have offered.

OPTION - II - PROGRAMMING USING "VISUAL BASIC"

NOTE:

i) This section consists of 15 part questions and all are to be answered. Each question carries 1 mark.

ii) Do not copy the part questions in your answer book. Write only the answer in full against the proper number of the question and its part.

Time: 20 minutes

Max. Marks: 15

SECTION 'A' (MULTIPLE CHOICE QUESTIONS)

1. Choose the correct answer for each from the given options:

i) This is the extension of a project file in VB: *.vbr *.vbz *.vbf

*.vbp

ii) The scope of variable refers to its:

*name *accessibility *data type *value

iii) Primary key of another related table is called:

*Candidate key *Alternate key *Composite key *Foreign key

iv) The index value of an array starts from: *0 *1 *-1 *2

v) Variable, whose scope is limited to particular function/procedure in which it is declared is called:

*Numeric variable *Local variable *Global variable *Public variable

vi) This is used to choose only one option in YES (1) or NO (0):

*Combo button *Power button *Check box *Square box

vii) This is a loop in VB:

*IF-THEN *for-Next *Select-Case *Goto

viii) The control button contains text edit field:

*List box *Check box *Combo box *None

ix) Attribute in a table is also called:

*Field *Row *Record *Query

x) This is a block of statement that returns a value:

*Function *Procedure *Loop *Array

xi) This object in MS-Access is used to present data in printed form:

*Form *Query *Report *Table

OPTION

TIME: 2 H

SECTION

NOTE: An

questions c

2. (i) What a

2. (ii) What

2. (iii) Writ

2. (iv) What

2. (v) What

2. (vi) Differ

2. (vii) Wri

*1

*12

*123

*1234

*12345

2. (viii) Wh

2. (ix) Diffe

2. (x) Writ

2. (xi) Wri

2. (xii) Wri

2. (xiii) Wr

2. (xiv) Wri

2. (xv) Wh

2. (xvi) Def

2. (xvii) Di

2. (xviii) D

SECT

NOTE: A

equal ma

PAST PAPERS XII (S)**419**

يوسف

COMPUTER (VB)

xii) This control accepts textual information from the user:
 *Textbox *Combo box *Label *Caption

xiii) Default property of first form is:

*Form0 *Form1 *Form *None

xiv) The main purpose of using the primary key is:

*speed *uniqueness *security *privacy

xv) Option buttons are also called:

*Select buttons *Push buttons *Radio buttons *Label Buttons

COMPUTER 2019**OPTION - II - PROGRAMMING USING "VISUAL BASIC"**

TIME: 2 Hours 40 Minutes

(60 Marks)

SECTION 'B' (SHORT ANSWER - QUESTION) (36 Marks)

NOTE: Answer any Twelve Part Questions from this Section. All questions carry equal marks.

2. (i) What are the characteristics of a Composite key?
2. (ii) What is a Function? How is it different from a Subroutine?
2. (iii) Write the full forms of the following: *DML *SQL *DCL
2. (iv) What is the role of DBA in DBMS?
2. (v) What do you mean by Data Dictionary?
2. (vi) Differentiate between Public variable and Private variable.
2. (vii) Write programming statements in VB to display the following output:
 *1
 *12
 *123
 *1234
 *12345
2. (viii) What is Combo box? List its properties.
2. (ix) Differentiate between Primary key and Foreign key.
2. (x) Write any three advantages of DBMS.
2. (xi) Write only the name of control structure used in VB.
2. (xii) Write a program in VB that display cubes of all numbers from 1 to 10.
2. (xiii) Write the VB equivalent expressions of the following:

$$(a) d = 2\sqrt{r+1} \quad (b) z = \frac{1}{x} + \frac{1}{y} \quad (c) k = \frac{(a+b)^2}{a^2 + b^2}$$
2. (xiv) Write the steps to create a table in MS-Access.
2. (xv) What are the advantages of Visual Basic programming?
2. (xvi) Define the term Array in visual basic with syntax
2. (xvii) Differentiate between ADO and DAO.
2. (xviii) Define Arithmetic operators used in Visual Basic.

SECTION 'C' (DETAILED-ANSWER QUESTIONS) (24)

NOTE: Attempt Two questions from this section. All Questions carry equal marks

3. (a) Explain data types used in MS-Access.
3. (b) Explain select-case with an example.
3. (c) What is Relationship in Database? Define all three types of relationship in Database with examples.
4. (a) What is MDI? Write its advantages.
4. (b) What is List box? How is it created?
4. (c) Explain any four objects in MS-Access.
5. (a) Explain the different tools available in Tool Box.
5. (b) Write any 4 built-in functions used in VB. Also give their purpose.
5. (c) Explain any three types of Database models.

COMPUTER 2018

OPTION - II - PROGRAMMING USING "VISUAL BASIC"

Time: 20 minutes

Max. Marks: 15

SECTION 'A' (MULTIPLE CHOICE QUESTIONS)

1. Choose the correct answer for each from the given options:

(i) This database model organizes data into a tree structure:

- * Hierarchical * Relational
* Network model * Object oriented model

(ii) Each row in a table is called a/an:

- * Field * Tuple * Entity * Attribute

(iii) A person who is responsible for managing the overall database management system is called:

- * Database administrator * Network supervisor
* System analyst * Programmer

(iv) This translator translates the entire high level language program into machine code:

- * Assembler * Compiler * Interpreter * Debugger

(v) Visual Basic Language is a/an:

- * Mnemonic * Machine
* Object-oriented/Event-driven * Procedure-oriented

(vi) Each record in either table is related to only one record in the other table. This relationship is called:

- * one-to-one * one-to-two
* one-to-many * many-to-many

(vii) It is a list of homogenous data elements:

- * Form * Function * Check box * Array

(viii) A sub program which returns a value is called:

- * Function * Report * Check box * Array

(ix) A variable whose scope is unlimited is called:

- * Local variable * Auto variable
* Global variable * Ghost variable

(x) The text contained in a label control is stored in:

- * Text * Caption

- * Both Text
- (xi) This typ
- * Do while
- (xii) This va
- * Global va
- * Auto vari
- (xiii) This c
- * Boolean
- (xiv) This c
- manner:
- * Record
- (xv) This r
- * primary
- * foreign k

PAST PAPERS XII (S)**421**

يوسفيز

COMPUTER (VB)

- * Both Text and Caption * Project
- (xi) This type of loop runs only as long as the condition becomes false:
 - * Do while * For Next * While Wend * Do Until
- (xii) This variable has limited scope to a procedure:
 - * Global variable * Local variable
 - * Auto variable * Ghost variable
- (xiii) This data type stores true/false value:
 - * Boolean * Variant * Number * Text
- (xiv) This database tool is used to display and print your data in an organized manner:
 - * Record * Field * Report * Table
- (xv) This represents the relationship between tables:
 - * primary key * secondary key
 - * foreign key * alternate key

COMPUTER 2018**OPTION - II - PROGRAMMING USING "VISUAL BASIC"**

TIME: 2 Hours 40 Minutes

(60 Marks)

SECTION 'B' (SHORT ANSWER - QUESTION) (36 Marks)

NOTE: Answer any Twelve Part Questions from this Section. All questions carry equal marks.

2. (i) How can we select more than one control at a time?
2. (ii) What are the uses of VB Form and immediate window?
2. (iii) State about event-driven programming.
2. (iv) Why do we use Form and Report in MS-Access?
2. (v) Write the few names of properties and methods that are commonly applied to most objects.
2. (vi) Write a program in VB that generates even-numbers from 5 to 25.
2. (vii) Define Network database model.
2. (viii) What is Active X in VB?
2. (ix) Define many-to-many relationship in VB.
2. (x) What is Object to VB?
2. (xi) Write the steps to add control to the toolbox.
2. (xii) What is the main difference between Do while and Do-Until loops?
2. (xiii) Define variable with its scope.
2. (xiv) Write a program that inputs a year and then check whether it is leap year or not.
2. (xv) What is composite key? Where do we use it?
2. (xvi) Why do we use memo field type in MS Access?
2. (xvii) Write the full form of the following abbreviation:
DBA , RDBMS , OLE
2. (xviii) What do you mean by Array in Visual Basic?

SECTION 'C' (DETAILED-ANSWER QUESTIONS) (24)

NOTE: Attempt Two questions from this section. All Questions carry equal marks

- 3 (a). What are the basic data types of VB? Explain their uses?
 3 (b). Define Relational operators and Logical operators? Give their symbols and purpose in VB.
 3 (c). Why does a primary key field contain a unique value for each record in database?
 4 (a). Describe ADO Data Control.
 4 (b). What are built-in functions in VB? Give any two examples.
 4 (c). What are databases and why is it used in an organization?
 5 (a). Define selection control statement in VB
 5 (b). What is loop? Define two types of loops in Visual Basic.
 5 (c). Define different types of key fields in database.

COMPUTER 2017

OPTION - II - PROGRAMMING USING "VISUAL BASIC"

Time: 20 minutes

Max. Marks: 15

SECTION 'A' (MULTIPLE CHOICE QUESTIONS)

1. Choose the correct answer for each from the given options:

i) This control structure compares one expression to multiple expressions:

- * If.....Then * If...then...else
 * Select....case * For....Next

ii) The database model allowing Query through SQL is:

- * Network * Hierarchical * Relational * Flat

iii) The most common object in VB is:

- * Report * Form * File * Code

iv) A sub program which returns a value is called:

- * Procedure * Module * Function * Object

v) This control selects a single choice from a Data group:

- * Check Box * Option Button
 * Caption Box * List Box

vi) This range is valid for storing integer data type:

- * -13245 to 123450 * -65537 to +65538
 * -32768 to +32767 * 0 to 32769

vii) When the variable scope is limited to a procedure, it is called:

- * Global variable * Local Variable
 * Host variable * Main variable

viii) The property that changes text colour is:

- * Back color * Font color
 * Fore color * Text color

ix) The project file of Visual Basic has one of the following extensions:

- * .frm * .vbp * .ocx * .ham

x) The default name property of first form is:

- * Form * Form 1 * Form 0 * Form 10

PAST PAPERS XII (S)

423

يوسفين

COMPUTER (VB)

- xi) This MS Access object is considered primary:
* Table * Query * Form * Report
- xii) The number of data types supported by MS Access is:
* ten * eight * four * two
- xiii) Reserve word DIM explicitly declares:
* Variable * Constant * Keyword * Function
- xiv) This method is used to hide a form:
* hide.hide * formname.hide * up.hide
- xv) Any Array index value starts from: * 0 * -1 * 1 * +2

COMPUTER 2017

OPTION - II - PROGRAMMING USING "VISUAL BASIC"

TIME: 2 Hours 40 Minutes

(60 Marks)

SECTION 'B' (SHORT ANSWER - QUESTION) (36 Marks)

NOTE: Answer any Twelve Part Questions from this Section. All questions carry equal marks.

2. (i) Distinguish between local variable and global variable.
2. (ii) Define the term function. How does it differ a subroutine?
2. (iii) How is VB connected with a database? Write all the steps.
2. (iv) What will be the value of 'a'
- (a) Dim a as float
A=5/2
- (b) Dim a as string
A=5+2
- (c) Dim a as integer
A=5x2
2. (v) How does case structure differ from else-if statement?
2. (vi) What is wrong with the following VB statement?
- (a) Dim a [5] a=mileges
- (b) For a=1 to 5step 2
Begin
(c) if (a<b)
b=a
end if
2. (vii) Write a program in visual basic that finds the largest number among three inputted numbers:
2. (viii) Write a program in VB that generates the following series: 1 3 5 7 9 11
2. (ix) Write the properties of Text Box.
2. (x) How do fields & record differ?
2. (xi) What id foreign key and where do we use it?
2. (xii) What is the main purpose of report?
2. (xiii) How does an AND condition differ from an OR condition?

2. (xiv) Write at least five advantages of DBMS.
 2. (xv) Write a function sub-program to convert the temperature provided in °F to °C.
 2. (xvi) Define primary key. Why is it necessary in any database?
 2. (xvii) What is control structure? What statements are used selection control?
 2. (xviii) Convert the following mathematical expressions to "Visual Basic" equivalent statement

$$*x = \frac{(a^2 - b^2)}{(a - b)^2} \quad *y = \frac{4}{3}r^3 \quad *z = \frac{\sqrt{b - c^2}}{2b}$$

SECTION 'C' (DETAILED-ANSWER QUESTIONS) (24)

NOTE: Attempt Two questions from this section. All Questions carry equal marks

- 3 (a). Write salient feature of VB.
 3 (b). Discuss timer control.
 3 (c). What do you understand by referential integrity?
 4 (a). What is Combo Box? Name & describe three types of Combo Box
 4 (b). What are relational & logical operator in VB?
 4 (c). How many data base Model are three? Describe any Two
 5 (a). Explain the data types used in MS access.
 5 (b). What is Array? Explain how an array is used to reduce program code.
 5 (c). Discuss tools available in Tool Box

COMPUTER 2016

OPTION - II - PROGRAMMING USING "VISUAL BASIC"

Time: 20 minutes

Max. Marks: 15

SECTION 'A' (MULTIPLE CHOICE QUESTIONS)

1. Choose the correct answer for each from the given options:

i) The cancel button property belongs to this object:

*Button *Form *Label *Textbox

ii) When a condition in "If..... Then statement" tests true"

*the next Else statement is activated *the next if statement is activated
 *the next Then statement is activated *The End if statement is activated

iii) DBMS stands for:

*Data base Management System *De base Management System

*Dot Base Management System *De Bug Management System

iv) This selection process is an example of multiple branches from a single expression:

*if....Then *Select Case *Do....Loop *For....Next

v) In the for.....Next statement the default value for the step is:

*-1 *0 *1 *2

vi) The number of Radio Buttons in a Group Box that can be selected at the same time is:

*0 *1 *2 *3

- vii) The scop
 *the length
 *the access
 *The data t
 viii) In the s
 refers to:
 *Array nan
 ix) A foreign
 *Has nothi
 *has differ
 *is found i
 *is related
 x) The colu
 *Rows
 xi) A label
 *Enter tex
 xii) A Sub
 *Procedur
 xiii) This c
 *Memo
 xiv) This c
 *Check bo
 xv) The p
 *.frm

PAST PAPERS XII (S)

425

يوسف

COMPUTER (VB)

vii) The scope of a variable refers to:

*the length of the variable *the name of the variable

*the accessibility of the variable

*The data type of the variable

viii) In the statement, Dim Days (7) as String, this part of the array number 7 refers to:

*Array name

*Datatype

*Lowerbound

*Upperbound

ix) A foreign key:

*Has nothing to do with the primary key

*has different values than the primary key

*is found in tables that do not have a primary key

*is related to the primary key of a different table

x) The columns in a Microsoft Access table are called:

*Rows

*Records

*Fields

*Entities

xi) A label is used to:

*Enter text

*Display text

*Edit text

*Selection option

xii) A Sub program which returns a value is called:

*Procedure

*Module

*Function

*routine

xiii) This data type is used to store long text entries in MS Access:

*Memo

*Text

*Number

*OLE objet

xiv) This control display text the user can edit:

*Check box

*List box

*Label

*Text box

xv) The project file of visual basic has one of the following extension:

*.frm

*.vbp

*.ocx

*.rpt

COMPUTER 2016

OPTION - II - PROGRAMMING USING "VISUAL BASIC"

TIME: 2 Hours 40 Minutes

(60 Marks)

SECTION 'B' (SHORT ANSWER - QUESTION) (36 Marks)

NOTE: Answer any 6 Part Questions from this Section. All questions carry equal marks.

2. (i) Describe any four features of Visual Basic.

2. (ii) Define array with syntax and example.

2. (iii) What is Combo box? List its properties

2. (iv) List some file controls.

2. (v) Write a program in VB to generate the factorial of an inputted number.

2. (vi) What is Select Case? Write its syntax.

2. (vii) Define Form and state its tools used in VB.

2. (viii) What are the characteristics of primary key?

2. (ix) Write a program that reads any character from keyboard and determine whether the entered value is numerical or alphabet.

SECTION 'C' (DETAILED-ANSWER QUESTIONS) (24)

NOTE: Attempt Two questions from this section. All Questions carry equal marks

- 3 (a). What is operator? Explain all operators in VB.
 3 (b). Explain all data types used in VB.
 4 (a). What is common dialog control? Explain all methods and properties with examples.
 4 (b). Explain all the objects of MS Access.
 5 (a). Define Loop. How many types of loops are used in VB?
 5 (b). What are the advantages of Relational database management system (RBDMS)

COMPUTER 2015

OPTION - II - PROGRAMMING USING "VISUAL BASIC"

Time: 20 minutes

Max. Marks: 15

SECTION 'A' (MULTIPLE CHOICE QUESTIONS)

1. Choose the correct answer for each from the given options:
- The collection of related files is called:
 *Record *Field *Database *ADO
 - The collection of homogeneous data items is kept in:
 *function *structure *Procedure *array
 - Option buttons are also called:
 *Radio buttons *Selected buttons *Labels *Push buttons
 - In MS-Access, a calculation expression is built in:
 *Join *Expression builder *Relation *Union
 - This method is used to hide the form:
 *Hide.hide *Form.hide *Hide.form *Formname.hide
 - The method used to remove items for the list box is called:
 *display *Clear *Delete items *Remove items
 - When the variable scope is limited to a procedure, it is called:
 *Host variable *Global variable
 *Local variable *Public variable
 - In VB 'Form' is saved with this extension:
 *.frm *.vbf *.vbp *.doc
 - This is used to create a calculated field in a query:
 *a formula *a filter *a condition *an expression
 - In MS-Access, this object creates views, alters and analyzes the data in different ways.
 *Form *Query *Report *Macro
 - This data type can accommodate all types of data:
 *Object *Date *Variant *Fixed length string
 - In VB, an integer data type can accommodate number from:
 *0 to 65535 *3.4e⁻³⁸ to 3.4e³⁸
 *-32.768 to +32.767 *-128 to 127
 - This control accepts textual information from the user:
 *label *Text box *Caption *Combo box
 - This type of variable is used in all procedures:
 *Private *Public *Confidential *Relational

PAST PAPERS XII (S)

xv) Default property of first form is:

*Form1

*Form

*Any

*Form

427

يوسفيز

COMPUTER (VB)

COMPUTER 2015

TIME: 2 Hours 40 Minutes

SECTION 'B' (SHORT ANSWER - QUESTION) (60 Marks)

NOTE: Answer any 6 Part Questions from this Section. All questions carry equal marks. (36 Marks)

2. (i) Define any two of the following:

(a) Event Driven Programming (b) Key Board Events (c) VB Projects

2. (ii) Explain Active X controls.

2. (iii) Differentiate between Procedure and Function.

2. (iv) Write a program that generates a multiplication table of an inputted number.

2. (v) What are main objects of MS-Access?

2. (vi) What is an Array? Explain with an example.

2. (vii) Create single form to add to numbers using text boxes and buttons.

2. (viii) What is data dictionary? What does it provide in DBMS.

2. (ix) Write the full form of the following acronyms:

DML, DDL, SQL, IDE, RDBMS, DBA

SECTION 'C' (DETAILED-ANSWER QUESTIONS) (24)

NOTE: Attempt Two questions from this section. All Questions carry equal marks

3 (a). Define various types of database models.

3 (b). Why is a primary key necessary in a database program?

4 (a). State all the loop control structure supported by visual basic and compare them by their syntax and an example.

4 (b). Discuss various data types used in MS-Access.

5 (a). Why is a database management system important to any organization?

5 (b). What characteristics should a good DBMS exhibit?

COMPUTER 2014

OPTION - II - PROGRAMMING USING "VISUAL BASIC"

Time: 20 minutes

Max. Marks: 15

SECTION 'A' (MULTIPLE CHOICE QUESTIONS)

1. Choose the correct answer for each from the given options:

i) The Data about Data is:

*Data

*Data dictionary

*Table

*Views

ii) IDE stands for:

*Integrated Development Environment

*Integrated Design Environment

*Integral Development Environment

*none of these

iii) OLE stands for:

*Object Linking and Enhancing

*Object Linking and Embedding

*Object Listing and Embedding

*Object Listing and Enhancing

iv) This control accepts textual information from the user:

* label

*Textbox

*Caption

*Canvas

v) The collection of homogeneous data item is kept in:

*Function

*Procedures

*Structure

*Array

vi) Multiple input choices are displayed through:

*Function

*Windows

*List box

*Labels

vii) The reserve word 'END SUB' is used to:

*start function

*end procedure

*end program

*none of these

viii) SQL stands for:

*simple query language

*Structured query language

*System query language

*none of these

ix) One-to-one, One-to-many and many to -many are called:

*Constraints

*Cardinality

*String

*Key

x) Attribute of an Entity is mapped as:

*field

*record

*tuple

*one of these

xi) Bound field is bound to have as associated:

*File

*Record

*Record set

*data

xii) ADO is gateway to:

*Server

*OS

*Database

*none of these

xiii) WHILE WEND is a/an:

*conditional loop

*unconditional loop

*Post-test loop

*none of these

xiv) SQL view in Access is used for:

*Form designing

*Query designing

*Labels

*none of these

xv) Constraints are dropped through:

*DDL

*DML

*DQL

*DCL

COMPUTER 2014

TIME: 2 Hours 40 Minutes

(60 Marks)

SECTION 'B' (SHORT ANSWER - QUESTION) (36 Marks)

NOTE: Answer any 6 Part Questions from this Section. All questions carry equal marks.

2. (i) List all Control Structures used in VB. Write syntax of any one of them.
2. (ii) Write code to invoke a sub-form the current active form over click operation on a command button.
2. (iii) Give two text boxes and a command button labeled as "Copy". Write the code text2 item into text1 item under click on "Copy" button.
2. (iv) Differentiate between Primary Key and Foreign Key.
2. (v) Write sub routines for a simple calculator over a form.
2. (vi) Write a program in Visual Basic to display the following pattern:

*

**

2. (vii) D

(a)Text

2. (viii)

2. (ix)W

SEC

NOTE

equal n

3 (a). E

3 (b). E

4 (a). E

4 (b).Ex

5 (a). E

5 (b). W

among

OPT

Time:

SEC

1. Cho

i) The a

* Positi

ii) In M

Query

iii) Wh

* Globa

* Host

iv) RDI

* Relat

* Relat

* Relat

* Relat

v) Opt

* Radi

* Sele

vi) Wh

* Labe

vii) Th

* Form

viii) A

and an

* if

2. (vii) Define the following:
 (a) Text Box (b) List Box (c) Combo Box (d) Form
2. (viii) Explain event drive programming.
2. (ix) Write a program using for loop to print odd number from 1 to 50.

SECTION 'C' (DETAILED-ANSWER QUESTIONS) (24)

NOTE: Attempt Two questions from this section. All Questions carry equal marks

- 3 (a). Explain Selection Control Structures used in VB.
- 3 (b). Explain joins and sub queries in DBMS.
- 4 (a). Explain functions or subroutines with examples.
- 4 (b). Explain database Constraints.
- 5 (a). Explain the different data types used in VB.
- 5 (b). Write a program which takes three integers and prints the largest value among them.

COMPUTER 2013

OPTION - II - PROGRAMMING USING "VISUAL BASIC"

Time: 20 minutes

Max. Marks: 15

SECTION 'A' (MULTIPLE CHOICE QUESTIONS)

1. Choose the correct answer for each from the given options:
- i) The abs () function return as:
 * Positive value * + & both * Negative value * none of these
- ii) In MS-Access, which object is used to represent data in a printed format?: *
 Query * Form * Report * Macro
- iii) When the variable scope is limited to a procedure, it is called:
 * Global variable * Local variable
 * Host variable * all of these
- iv) RDBMS stands for:
 * Relational Data Managing System
 * Relational Data Management Structure
 * Relational Data Managing Structure
 * Relational Database Management System
- v) Optional Buttons are also called:
 * Radio Buttons * Labels
 * Selected Buttons * None of these
- vi) Which control accepts textual information from the user?
 * Label * Textbox * Caption * None of these
- vii) The default name property of first Form is:
 * Form * Form 1 * Form 0 * None of these
- viii) A statement, which executes one block of statement if the condition is True and another block of statement if the condition is False, is:
 * if * if-then * if-then-else * none of these

- ix) This is similar to subroutine but always returns a single value:
 * Subroutine * Procedure * Function * None of these
- x) One-to-many relation in RDBMS is:
 * Parent table has many records & child table also has many records
 * Parent table has one record and child table has many records
 * Parent table has many records and child table has one record
 * all of these
- xi) Key field must contain:
 * Filtered value * Default values
 * Unique values * Duplicate values
- xii) To locate a record in a database table quickly, use the:
 * Datasheet * Replace feature
 * Find feature * Print preview feature
- xiii) The collection of related fields is called:
 * Record * Entity * File * Database
- xiv) ADO stands for:
 * Access Data Object * Access Display Object
 * Active-X Data Object * Actual Data Organization
- xv) The collection of homogeneous data item is called:
 * Procedure * Function * Structure * Array

COMPUTER 2013

TIME: 2 Hours 40 Minutes

(60 Marks)

SECTION 'B' (SHORT ANSWER – QUESTION) (36 Marks)

NOTE: Answer any 6 Part Questions from this Section. All questions carry equal marks.

2. (i) Write is event driven programming?
2. (ii) Differentiate between input box and message box?
2. (iii) Define common method of form?
2. (iv) Define the terms (a) primary key (b) secondary key.
2. (v) What is and object is MS-Access? Enlist various object of MS-Access.
2. (vi) Write a program in visual Basic to generator the following output:
 12345
 1234
 123
 12
 1
2. (vii) Defferentiate between DBMS and RDBMS
2. (viii) Define the terms Function. Explain how it is different from subroutine.
2. (ix) Explain Action -X control in VB.

SECTION 'C' (DETAILED-ANSWER QUESTIONS) (24)

NOTE: Attempt Tow questions from this section. All Questions carry equal marks

- 3 (a). What is MDI? What are its advantages in

3 (b). De
models.
4 (a). De
4 (b). W
5 (a). W
greater.
5 (b). W
Control

Time:

1. Cho
i) This t
* Priva
ii) In M
differen
iii) This
* Quit
iv) In V
* .frm
v) VB i
vi) RDB
* Relat
* Relat
* Relat
* Relat
vii) SQ
* Struc
* Serial
viii) In
* 0 to 6
* 0 to 1
ix) A p
* Uniq
x) This
* For.
xi) MD
* Mul
* Mult
xii) In
* Tabl
xiii) Bo

- 3 (b). Define the term database Models. Explain relations and hierarchical models.
- 4 (a). Define and discuss the loops used in visual Basic.
- 4 (b). What is data type? Define visual basic data type.
- 5 (a). Write a program which accepts three value and check which one is greater.
- 5 (b). What is a control structure? What statement is used for selection Control?

COMPUTER 2012

OPTION - II - PROGRAMMING USING "VISUAL BASIC"

Time: 20 minutes

Max. Marks: 15

SECTION 'A' (MULTIPLE CHOICE QUESTIONS)

1. Choose the correct answer for each from the given options:
 - i) This type of variable is used in all procedures:
 - * Private * Public * Dim
 - * none of these
 - ii) In MS Access, this object creates views, alters and analyzes the data in different ways:
 - * Query4
 - * Form
 - * Report
 - * Macro
 - iii) This statement allows the user to exit permanently from a loop:
 - * Quit
 - * End
 - * Exit
 - * Out
 - iv) In VB, 'Form' is saved with this extension:
 - * .frm
 - * .vbf
 - * .vbp
 - * .doc
 - v) VB is derived from:
 - * C
 - * ASP
 - * BASIC
 - * none of these
 - vi) RDBMS stands for:
 - * Relational Database Management System
 - * Relational Data Managing System
 - * Relational Data Managing Structure
 - * Relational Data Management Structure
 - vii) SQL stands for:
 - * Structured Query language
 - * Sequential Query language
 - * Serial Query language
 - * none of these
 - viii) In VB, integer data type can accommodate numbers ranging from:
 - * 0 to 65536
 - * -32768 to 32767
 - * 0 to 127
 - * -654321 to 654320
 - ix) A primary key must contain:
 - * Unique data
 - * filtered data
 - * Repetitive data
 - * none of these
 - x) This loop is suitable when number of iterations are already known:
 - * For...Next
 - * While...Wend
 - * Do...While
 - * Do...Until
 - xi) MDI stands for:
 - * Multiple Document Interface
 - * Multiple Database Interface
 - * Multiple Document Interchange
 - * Multiple Database Interchange
 - xii) In MS Access, this object represents data in printed format:
 - * Table
 - * Query
 - * Report
 - * Form
 - xiii) Boolean data type stores values of this type:

- * Data * True / False * Character * Number
- xiv) The collection of related records is called:
- * Database * Table * Records * Attribute
- xv) This operator is used to get remainder value:
- * < * + * Mod4 * none of these

COMPUTER 2012

• TIME: 2 Hours 40 Minutes (60 Marks)

SECTION 'B' (SHORT ANSWER - QUESTION) (36 Marks)

NOTE: Answer any 6 Part Questions from this Section. All questions carry equal marks.

2. (i) What is Event Driven programming? Explain with example.
2. (ii) Differentiate between List Box and Combo Box.
2. (iii) Write a program to calculate the sum and average of five inputted numbers.
2. (iv) Describe the Select.... Case control structure with an example.
2. (v) What are the advantages of Visual Basic programming?
2. (vi) What are the steps of creating Report in MS Access?
2. (vii) What is an Array? Explain with an example.
2. (viii) Differentiate between ADO and DAO.
2. (ix) Differentiate between Public variable & Private variable

SECTION 'C' (DETAILED-ANSWER QUESTIONS) (24)

NOTE: Attempt Two questions from this section. All Questions carry equal marks

- 3 (a). What is a structured programming language?
- 3 (b). Define Relational Database models with an appropriate example.
- 4 (a). What is a Subroutine? State its importance in VB.
- 4 (b). What is meant by user interface? Design Window.
- 5 (a). Define different objects & their functions in MS access?
- 5 (b). What is MDI? What are its advantages in VB.

COMPUTER 2011

OPTION - II - PROGRAMMING USING "VISUAL BASIC"

Time: 20 minutes

Max. Marks: 15

SECTION 'A' (MULTIPLE CHOICE QUESTIONS)

1. Choose the correct answer for each from the given options:

i) A loop which uses a counter variable is known as:

- * For...Next * For...Each * While...Wend * Do...loop

ii) The Collection of related records is called:

- * Field * File * Entity * Attribute

iii) A Form file is saved with one of the following extension:

- * .FrX * .Frm * .Ocx * None of these

iv) Default property of first Form is:

- * Form 1
- v) This t
- * Dim
- vi) An A
- * 0
- vii) A pr
- * Filtere
- * Unique
- viii) A se
- use of da
- * DBMS
- ix) This
- * Memo
- x) This c
- one:
- * Check
- xi) This
- * -13245
- * 0 to 42
- xii) This
- button:
- * Check
- xiii) Thi
- * Var
- xiv) Thi
- * Objec
- xv) Whe
- * Globa
- * Host v

TIME:

SEC

NOTE

carry e

2. (i) D

2. (ii) V

*

**

2. (iii) D

(a) List

PAST PAPERS XII (S)

433

يوسفيز

COMPUTER (VB)

* Form 1 * Form

* Any

* None of these

v) This type of variable is used in all procedures:

* Dim

* Private

* Public * None of these

vi) An Array index value starts from:

* 0

* -1

* 1

* None of these

vii) A primary key must contain:

* Filtered data

* Default values

* Unique data

* None of these

viii) A software that manages the creation, storage, access, update, deletion and use of database is:

* DBMS * Database

* System software

* None of these

ix) This data type is used to store long text entries in MS-Access:

* Memo * Text

* Number

* OLE object

x) This control presents a group of buttons from which user can choose only one:

* Check box

* Option button

* Command button

* Combo box

xi) This range is valid for storing integer data type:

* -13245 to 123450

* -65537 to 65538

* 0 to 4220

* -32768 to 32767

xii) This control represents an action that is carried out where user clicks the button:

* Check box

* List box

* Combo box

* Command button

xiii) This is used to declare variable explicitly:

* Var

* Set

* Dim

* None of these

xiv) This data type can accommodate all type of data:

* Object * Date * Variant

* Fixed length string

xv) When the variable's scope is limited to a procedure, it is called:

* Global variable * Local variable

* Host variable

* All of these

COMPUTER 2011

TIME: 2 Hours 40 Minutes

(60 Marks)

SECTION 'B' (SHORT ANSWER - QUESTION) (36 Marks)

NOTE: Answer any 6 Part Questions from this Section. All questions carry equal marks.

2. (i) Define term function. Explain how it is different from subroutine?

2. (ii) Write a program to generates the following output:

*

**

2. (iii) Differentiate between the following

(a) List Box and Combo box (b) While...Wend and For. Next

2. (iv) Describe common methods of form & its key properties.
2. (v) Differentiate between primary key and foreign key.
2. (vi) What is Multiple Document Interface? Define its Characteristics.
2. (vii) Elaborate advantages of data base management system.
2. (viii) Define various data types used in MS-Access.
2. (ix) How do we connect VB with data base

SECTION 'C' (DETAILED-ANSWER QUESTIONS) (24)

NOTE: Attempt Two questions from this section. All Questions carry equal marks

- 3 (a). Define Relationships in DBMS & RDBMS.
- 3 (b). Define the term database model. Explain relational and hierarchical model.
- 4 (a). Write a program that generate the following output.
20 18 16 14 12 10 8 6 4 2 0
- 4 (b). Define any three of the following:
(i) Check box (ii) Report (iii) Query (iv) Select Case
- 5 (a). Elucidate the term ActiveX control. Discuss Scroll bar & Text box controls.
- 5 (b). What are main objects of MS. Access?

COMPUTER 2010

OPTION - II - PROGRAMMING USING "VISUAL BASIC"

Time: 20 minutes

Max. Marks: 15

SECTION 'A' (MULTIPLE CHOICE QUESTIONS)

1. Choose the correct answer for each from the given options:
 - i) A list of files and objects associated with a project as well as information about environment is called:
 - * Form
 - * Project file
 - * Event
 - * Object
 - ii) The abs () function returns a:
 - * Positive value
 - * Negative value
 - * Positive and negative values both
 - * None of them
 - iii) What statement allows users to exit prematurely from a loop?
 - * Quit
 - * Out
 - * Exit
 - * None of them
 - iv) When VB finds an undeclared variable, it creates a new variable of type:
 - * String
 - * Variant
 - * Date
 - * Boolean
 - v) In Access, an object that creates view, alters and analyzes data in different ways is:
 - * Query
 - * Form
 - * Report
 - * None of them
 - vi) In MS Access, a calculation expression is built in:
 - * Join
 - * Expression builder
 - * Relation
 - * None of them
 - vii) A form file in VB is saved with one of the following extensions:
 - * .frm
 - * .frx
 - * .ocx
 - * None of them
 - viii) Which control displays text that can be edited by user?

- * Check bo
- ix) A block
- * Procedur
- x) Which
- * Check bo
- xi) While d
- * Text box
- xii) Project
- * MDI win
- * Project e
- xiii) ADO
- * Access D
- * Actual D
- xiv) Which
- * Caption
- xv) The co
- * Record *

TIME: 2

SECTI

NOTE: A

carry equ

2. (i) How

suitable ex

2. (ii) Wri

2. (iii) Elu

2. (iv) Diff

(a) List Bo

2. (v) Defin

2. (vi) Defin

2. (vii) Wr

number.

2. (viii) Di

2. (ix) Defin

SECT

NOTE: A

equal ma

3 (a). Wha

3 (b). Defin

4 (a). Expla

4 (b). Expla

5 (a). Defin

5 (b). Defin

PAST PAPERS XII (S)**435**

يوسفيز

COMPUTER (VB)

- * Check box * List box * Combo box * None of them
ix) A block of statements that returns a value is called:
* Procedure * Function * Loop * All of them
x) Which control button contains text edit field?
* Check box * List box * Combo box * None of them
xi) While designing a form, what will be used to input the user's name?
* Text box * Label * Command button * Check box
xii) Project window is known as:
* MDI window * Immediate window
* Project explorer * Property window
xiii) ADO stands for
* Access Data Object * Access Data Organization
* Actual Data Object * None of them
xiv) Which one is a text property that appears on title bar of a form?
* Caption * Label * Show task * None of them
xv) The collection of files is called:
* Record * Field * Database * None of them

COMPUTER 2010

TIME: 2 Hours 40 Minutes

(60 Marks)

SECTION 'B' (SHORT ANSWER - QUESTION) (36 Marks)

NOTE: Answer any 6 Part Questions from this Section. All questions carry equal marks.

2. (i) How many data types are used in VB? Discuss string data type with suitable example.
2. (ii) Write a program that generates the given series 1, 3 5, 7, 9, 11.
2. (iii) Elucidate the term Operator. Explain logical and relational operators.
2. (iv) Differentiate between the following:
(a) List Box & Combo box (b) Procedure & Function
2. (v) Define the term control structure. Describe repetitive control structure.
2. (vi) Define Form and state its tools used in VB.
2. (vii) Write a program that generates a multiplication table of an inputted number.
2. (viii) Differentiate between DBMS and RDBMS.
2. (ix) Define relationship. Discuss its type used in MS-Access.

SECTION 'C' (DETAILED-ANSWER QUESTIONS) (24)

NOTE: Attempt Two questions from this section. All Questions carry equal marks

- 3 (a). What is an Array? Explain how an array is used to reduce program code.
3 (b). Define the following with examples: (i) If-then (ii) Select Case
4 (a). Explain Active-X Controls in VB.
4 (b). Explain the term data type. What data type are supported by MS Access?
5 (a). Define database models.
5 (b). Define a Primary Key and discuss its characteristics.