


Source_Code

Assignment 1 code :



```
import 'package:flutter/material.dart';
```

```
void main() {  
  runApp(const MyApp());  
}
```

```
class MyApp extends StatelessWidget {  
  const MyApp({super.key});
```

```
  @override
```

```
  Widget build(BuildContext context) {
```

```
return const MaterialApp(  
  debugShowCheckedModeBanner: false,  
  title: 'Assignment One', // 1. App Title (Metadata)  
  home: HomeScreen(),  
);  
}  
}
```

```
class HomeScreen extends StatelessWidget {  
  const HomeScreen({super.key});  
  
  @override  
  Widget build(BuildContext context) {  
    return Scaffold(  
      backgroundColor: const Color(0xFFE0F2F1), // 2. Background Color (Light Teal)  
      appBar: AppBar(  
        title: const Text('My First Flutter App'), // 1. App Title (Visible UI Header)  
        backgroundColor: Colors.teal,  
        foregroundColor: Colors.white,  
      ),  
      body: Center(  
        child: Column(  
          mainAxisAlignment: MainAxisAlignment.center,  
          children: [  
            const Text(  
              'Hello World!',  
              style: TextStyle(  


```

```

        fontSize: 35.0, // 3. Font Size Updated
        fontWeight: FontWeight.bold,
        color: Colors.black87,
    ),
),
const SizedBox(height: 25),
ElevatedButton.icon(
  onPressed: () {
    ScaffoldMessenger.of(context).showSnackBar(
      const SnackBar(content: Text('Button Clicked Successfully!')),
    );
  },
  icon: const Icon(Icons.check),
  label: const Text('Click Me'),
  style: ElevatedButton.styleFrom(
    backgroundColor: Colors.teal,
    foregroundColor: Colors.white,
    padding: const EdgeInsets.symmetric(horizontal: 20, vertical: 12),
  ),
),
],
),
),
);
}
}

```

Student Management App code



A screenshot of a web browser displaying the 'Student System' login page. The browser's address bar shows 'localhost:50099'. The page has a teal background. In the center, there is a white rounded rectangle containing a graduation cap icon, the text 'Welcome Back', and 'Login to your account'. Below this are two input fields: 'Registration No.' and 'Password'. A teal 'LOGIN' button is positioned below the fields. At the bottom, there is a link that says 'Don't have an account? Register'.

Student System

localhost:50099



Welcome Back


Login to your account

 Registration No.

 Password

LOGIN

Don't have an account? [Register](#)



A screenshot of a web browser displaying the 'Student System' registration page. The browser's address bar shows 'localhost:50099'. The page has a teal background. In the top left corner, there is a back arrow and the text 'Create Account'. In the center, there is a white rounded rectangle containing a person icon with a plus sign, the text 'Student Registration', and four input fields: 'Full Name' (with 'Johnson Gatimu'), 'Reg Number (Username)' (with '# Bscs/2021/23232'), 'Course' (with 'Bsc Computer Science'), and 'Password' (with '....'). A teal 'REGISTER' button is at the bottom.

Student System

localhost:50099

← Create Account



Student Registration

Full Name

 Johnson Gatimu

Reg Number (Username)

 # Bscs/2021/23232


Course

 Bsc Computer Science

Password



REGISTER



```
import 'package:flutter/material.dart';

void main() {
  runApp(const StudentSystemApp());
}

/// =====
/// MOCK DATABASE
/// =====
// Holds all registered students so you can login after registering
List<Student> globalStudents = [
  Student(
    name: "Demo Student",
    regNo: "student",
    course: "Computer Science",
    password: "mku123",
  ),
];

/// =====
/// STUDENT MODEL
/// =====
class Student {
```

```
String name;  
String regNo;  
String course;  
String password;
```

```
Student({  
  required this.name,  
  required this.regNo,  
  required this.course,  
  required this.password,  
});  
}
```

```
/// =====  
/// MAIN APP  
/// =====
```

```
class StudentSystemApp extends StatelessWidget {  
  const StudentSystemApp({super.key});  
  
  @override  
  Widget build(BuildContext context) {  
    return MaterialApp(  
      debugShowCheckedModeBanner: false,  
      title: 'Student System',  
      theme: ThemeData(  
        colorScheme: ColorScheme.fromSeed(seedColor: Colors.teal),  
        useMaterial3: true,  
        inputDecorationTheme: InputDecorationTheme(  
          filled: true,  
          fillColor: Colors.grey.shade50,  
          border: OutlineInputBorder(  
            borderRadius: BorderRadius.circular(12),  
            borderSide: BorderSide.none,  
          ),  
          focusedBorder: OutlineInputBorder(  
            borderRadius: BorderRadius.circular(12),  
            borderSide: const BorderSide(color: Colors.teal, width: 2),  
          ),  
        ),  
      ),  
    );  
  }  
}
```

```

    ),
  ),
  home: const LoginPage(),
);
}
}

```

```

/// =====

```

```

/// LOGIN PAGE

```

```

/// =====

```

```

class LoginPage extends StatefulWidget {
  const LoginPage({super.key});

```

```

  @override

```

```

  State<LoginPage> createState() => _LoginPageState();

```

```

}

```

```

class _LoginPageState extends State<LoginPage> {

```

```

  final userCtrl = TextEditingController();

```

```

  final passCtrl = TextEditingController();

```

```

  final formKey = GlobalKey<FormState>();

```

```

  void login() {

```

```

    if (formKey.currentState!.validate()) {

```

```

      try {

```

```

        // Search for matching student in our mock database

```

```

        final user = globalStudents.firstWhere(

```

```

          (s) => s.regNo == userCtrl.text && s.password == passCtrl.text,

```

```

        );

```

```

        // Login successful -> Go to Dashboard

```

```

        Navigator.pushReplacement(

```

```

          context,

```

```

          MaterialPageRoute(

```

```

            builder: (_) => DashboardPage(currentUser: user),

```

```

          ),

```

```

        );

```

```

      } catch (e) {

```

```

// No match found
ScaffoldMessenger.of(context).showSnackBar(
  const SnackBar(
    content: Text("Invalid Registration Number or Password"),
    backgroundColor: Colors.redAccent,
  ),
);
}
}
}

```

```

@override
Widget build(BuildContext context) {
  return Scaffold(
    body: Container(
      width: double.infinity,
      height: double.infinity,
      decoration: const BoxDecoration(
        gradient: LinearGradient(
          colors: [Color(0xFF00695C), Color(0xFF4DB6AC)],
          begin: Alignment.topLeft,
          end: Alignment.bottomRight,
        ),
      ),
    ),
    child: Center(
      child: SingleChildScrollView(
        child: ConstrainedBox(
          constraints: const BoxConstraints(maxWidth: 380), // Makes it small and centered
          child: Card(
            margin: const EdgeInsets.all(20),
            elevation: 12,
            shadowColor: Colors.black45,
            shape: RoundedRectangleBorder(
              borderRadius: BorderRadius.circular(20),
            ),
            child: Padding(
              padding: const EdgeInsets.all(32),
              child: Form(

```



```
key: formKey,
child: Column(
  mainAxisAlignment: MainAxisAlignment.min,
  children: [
    const Icon(Icons.school_rounded,
      size: 80, color: Colors.teal),
    const SizedBox(height: 15),
    const Text(
      "Welcome Back",
      style: TextStyle(
        fontSize: 24,
        fontWeight: FontWeight.bold,
        letterSpacing: 0.5,
      ),
    ),
    const SizedBox(height: 5),
    Text(
      "Login to your account",
      style: TextStyle(color: Colors.grey.shade600),
    ),
    const SizedBox(height: 30),
    TextFormField(
      controller: userCtrl,
      decoration: const InputDecoration(
        labelText: "Registration No.",
        prefixIcon: Icon(Icons.person_outline),
      ),
      validator: (v) =>
        v!.isEmpty ? "Enter Reg Number" : null,
    ),
    const SizedBox(height: 15),
    TextFormField(
      controller: passCtrl,
      obscureText: true,
      decoration: const InputDecoration(
        labelText: "Password",
        prefixIcon: Icon(Icons.lock_outline),
      ),
    ),
```

```

    validator: (v) =>
      v!.isEmpty ? "Enter password" : null,
  ),
  const SizedBox(height: 25),
  SizedBox(
    width: double.infinity,
    height: 50,
    child: ElevatedButton(
      style: ElevatedButton.styleFrom(
        backgroundColor: Colors.teal,
        foregroundColor: Colors.white,
        shape: RoundedRectangleBorder(
          borderRadius: BorderRadius.circular(12),
        ),
      ),
      onPressed: login,
      child: const Text(
        "LOGIN",
        style: TextStyle(
          fontSize: 16, fontWeight: FontWeight.bold),
      ),
    ),
  ),
  const SizedBox(height: 15),
  Row(
    mainAxisAlignment: MainAxisAlignment.center,
    children: [
      Text(
        "Don't have an account?",
        style: TextStyle(color: Colors.grey.shade600),
      ),
      TextButton(
        onPressed: () {
          Navigator.push(
            context,
            MaterialPageRoute(
              builder: (_) => const RegisterPage(),
            ),
          );

```

```

        },
        child: const Text(
          "Register",
          style: TextStyle(fontWeight: FontWeight.bold),
        ),
      ),
    ],
  ),
  ],
),
),
),
),
),
),
),
),
),
),
),
);
}
}

```

```

/// =====

```

```

/// REGISTER PAGE

```

```

/// =====

```

```

class RegisterPage extends StatefulWidget {
  const RegisterPage({super.key});

```

```

  @override

```

```

  State<RegisterPage> createState() => _RegisterPageState();

```

```

}

```

```

class _RegisterPageState extends State<RegisterPage> {

```

```

  final nameCtrl = TextEditingController();

```

```

  final regCtrl = TextEditingController();

```

```

  final courseCtrl = TextEditingController();

```

```

  final passCtrl = TextEditingController();

```

```

  final formKey = GlobalKey<FormState>();

```

```

void registerStudent() {
  if (formKey.currentState!.validate()) {
    // Check if user already exists
    bool exists = globalStudents.any((s) => s.regNo == regCtrl.text);
    if (exists) {
      ScaffoldMessenger.of(context).showSnackBar(
        const SnackBar(
          content: Text("Registration number already exists!"),
          backgroundColor: Colors.redAccent,
        ),
      );
      return;
    }
  }
}

```

```

// Add to global DB
setState(() {
  globalStudents.add(Student(
    name: nameCtrl.text,
    regNo: regCtrl.text,
    course: courseCtrl.text,
    password: passCtrl.text,
  ));
});

```

```

ScaffoldMessenger.of(context).showSnackBar(
  const SnackBar(
    content: Text("Registration Successful! Please login."),
    backgroundColor: Colors.green,
  ),
);

```

```

// Return to login screen
Navigator.pop(context);
}
}

```

```

@override
Widget build(BuildContext context) {

```

```
return Scaffold(  
  extendBodyBehindAppBar: true,  
  appBar: AppBar(  
    title: const Text("Create Account"),  
    backgroundColor: Colors.transparent,  
    foregroundColor: Colors.white,  
    elevation: 0,  
  ),  
  body: Container(  
    width: double.infinity,  
    height: double.infinity,  
    decoration: const BoxDecoration(  
      gradient: LinearGradient(  
        colors: [Color(0xFF00695C), Color(0xFF4DB6AC)],  
        begin: Alignment.topLeft,  
        end: Alignment.bottomRight,  
      ),  
    ),  
    child: Center(  
      child: SingleChildScrollView(  
        child: ConstrainedBox(  
          constraints: const BoxConstraints(maxWidth: 400),  
          child: Card(  
            margin: const EdgeInsets.all(20),  
            elevation: 12,  
            shadowColor: Colors.black45,  
            shape: RoundedRectangleBorder(  
              borderRadius: BorderRadius.circular(20),  
            ),  
            child: Padding(  
              padding: const EdgeInsets.all(32.0),  
              child: Form(  
                key: formKey,  
                child: Column(  
                  mainAxisAlignment: MainAxisAlignment.min,  
                  children: [  
                    const Icon(Icons.person_add_alt_1_rounded,  
                      size: 70, color: Colors.teal),
```

```
const SizedBox(height: 20),
const Text(
  "Student Registration",
  style: TextStyle(
    fontSize: 22,
    fontWeight: FontWeight.bold,
  ),
),
const SizedBox(height: 25),
TextFormField(
  controller: nameCtrl,
  decoration: const InputDecoration(
    labelText: "Full Name",
    prefixIcon: Icon(Icons.badge_outlined)),
  validator: (v) => v!.isEmpty ? "Enter full name" : null,
),
const SizedBox(height: 15),
TextFormField(
  controller: regCtrl,
  decoration: const InputDecoration(
    labelText: "Reg Number (Username)",
    prefixIcon: Icon(Icons.numbers)),
  validator: (v) => v!.isEmpty ? "Enter reg number" : null,
),
const SizedBox(height: 15),
TextFormField(
  controller: courseCtrl,
  decoration: const InputDecoration(
    labelText: "Course",
    prefixIcon: Icon(Icons.book_outlined)),
  validator: (v) => v!.isEmpty ? "Enter course" : null,
),
const SizedBox(height: 15),
TextFormField(
  controller: passCtrl,
  obscureText: true,
  decoration: const InputDecoration(
    labelText: "Password",
```



```

/// =====
class DashboardPage extends StatelessWidget {
  final Student currentUser;

  const DashboardPage({super.key, required this.currentUser});

  void logout(BuildContext context) {
    Navigator.pushReplacement(
      context,
      MaterialPageRoute(builder: (_) => const LoginPage()),
    );
  }

  @override
  Widget build(BuildContext context) {
    return Scaffold(
      backgroundColor: Colors.grey.shade100,
      appBar: AppBar(
        title: const Text("Dashboard"),
        backgroundColor: Colors.teal,
        foregroundColor: Colors.white,
        elevation: 0,
        actions: [
          IconButton(
            icon: const Icon(Icons.logout),
            tooltip: "Logout",
            onPressed: () => logout(context),
          ),
        ],
      ),
      body: Padding(
        padding: const EdgeInsets.all(16.0),
        child: Column(
          crossAxisAlignment: CrossAxisAlignment.start,
          children: [
            // Modern Welcome Banner
            Container(
              width: double.infinity,

```



```
padding: const EdgeInsets.all(24),
decoration: BoxDecoration(
  gradient: const LinearGradient(
    colors: [Color(0xFF00695C), Color(0xFF26A69A)],
    begin: Alignment.topLeft,
    end: Alignment.bottomRight,
  ),
  borderRadius: BorderRadius.circular(20),
  boxShadow: const [
    BoxShadow(
      color: Colors.black26,
      blurRadius: 10,
      offset: Offset(0, 5),
    )
  ],
),
child: Column(
  crossAxisAlignment: CrossAxisAlignment.start,
  children: [
    const Text(
      "Welcome back,",
      style: TextStyle(color: Colors.white70, fontSize: 16),
    ),
    const SizedBox(height: 5),
    Text(
      currentUser.name,
      style: const TextStyle(
        color: Colors.white,
        fontSize: 26,
        fontWeight: FontWeight.bold,
      ),
    ),
    const SizedBox(height: 15),
    Row(
      children: [
        const Icon(Icons.book, color: Colors.white70, size: 20),
        const SizedBox(width: 8),
        Text(
```

```

        currentUser.course,
        style: const TextStyle(color: Colors.white),
      ),
    ],
  ),
],
),
),

const SizedBox(height: 30),

// Section Header
Row(
  mainAxisAlignment: MainAxisAlignment.spaceBetween,
  children: [
    const Text(
      "Active Students",
      style: TextStyle(
        fontSize: 20,
        fontWeight: FontWeight.bold,
        color: Colors.black87,
      ),
    ),
    Container(
      padding:
        const EdgeInsets.symmetric(horizontal: 12, vertical: 6),
      decoration: BoxDecoration(
        color: Colors.teal.shade50,
        borderRadius: BorderRadius.circular(20),
      ),
      child: Text(
        "${globalStudents.length} Total",
        style: TextStyle(
          color: Colors.teal.shade800,
          fontWeight: FontWeight.bold,
        ),
      ),
    ),
  ],
),
],

```

```

),

const SizedBox(height: 15),

// Modern List View
Expanded(
  child: ListView.separated(
    itemCount: globalStudents.length,
    separatorBuilder: (context, index) =>
      const SizedBox(height: 10),
    itemBuilder: (context, i) {
      final student = globalStudents[i];
      return Container(
        decoration: BoxDecoration(
          color: Colors.white,
          borderRadius: BorderRadius.circular(15),
          boxShadow: [
            BoxShadow(
              color: Colors.grey.shade200,
              blurRadius: 5,
              offset: const Offset(0, 3),
            )
          ],
        ),
      ),
    ),
  child: ListTile(
    contentPadding: const EdgeInsets.symmetric(
      horizontal: 20, vertical: 8),
    leading: CircleAvatar(
      radius: 25,
      backgroundColor: Colors.teal.shade100,
      child: Text(
        student.name[0].toUpperCase(),
        style: TextStyle(
          color: Colors.teal.shade900,
          fontWeight: FontWeight.bold,
          fontSize: 20,
        ),
      ),
    ),
  ),


```

```

    ),
    title: Text(
      student.name,
      style: const TextStyle(
        fontWeight: FontWeight.bold, fontSize: 16),
    ),
    subtitle: Padding(
      padding: const EdgeInsets.only(top: 4.0),
      child: Text(
        "${student.regNo} • ${student.course}",
        style: TextStyle(color: Colors.grey.shade600),
      ),
    ),
    trailing: Icon(Icons.chevron_right,
      color: Colors.grey.shade400),
  ),
);
},
),
),
],
),
),
);
}
}

```

Week 3 :Pharmacy Prototype code



Here's the full code for the LoginScreen with the working create account functionality:

```
import { useState } from "react";
import { useNavigate } from "react-router";
import { Button } from "../components/ui/button";
import { Input } from "../components/ui/input";
import { Label } from "../components/ui/label";
import { motion } from "motion/react";
import { Pill } from "lucide-react";

export function LoginScreen() {
```

```
const navigate = useNavigate();  
const [email, setEmail] = useState("");  
const [password, setPassword] = useState("");  
const [name, setName] = useState("");  
const [phone, setPhone] = useState("");  
const [isSignup, setIsSignup] = useState(false);
```

```
const handleSubmit = (e: React.FormEvent) => {  
  e.preventDefault();  
  navigate("/home");  
};
```

```
return (  
  <div className="min-h-screen bg-gradient-to-b from-[#EAF7EF] to-white flex items-center  
justify-center p-6">  
    <motion.div  
      initial={{ opacity: 0, y: 20 }}  
      animate={{ opacity: 1, y: 0 }}  
      transition={{ duration: 0.5 }}  
      className="w-full max-w-md"  
    >  
      { /* Logo Section */ }  
      <div className="text-center mb-8">  
        <motion.div  
          initial={{ scale: 0 }}  
          animate={{ scale: 1 }}
```

```
      transition={{ delay: 0.2, type: "spring", stiffness: 200 }}
      className="inline-flex items-center justify-center w-20 h-20 bg-[#1B8F4A] rounded-full
mb-4 shadow-lg"
```

```
>
```

```
<Pill className="w-10 h-10 text-white" />
```

```
</motion.div>
```

```
<h1 className="text-3xl font-semibold text-[#123A28] mb-2">
```

```
  Gathimaini Pharmacy
```

```
</h1>
```

```
<p className="text-gray-600">Your Health, Our Priority</p>
```

```
</div>
```

```
{/* Login Form */}
```

```
<motion.div
```

```
  initial={{ opacity: 0 }}
```

```
  animate={{ opacity: 1 }}
```

```
  transition={{ delay: 0.3 }}
```

```
  className="bg-white rounded-2xl shadow-xl p-8"
```

```
>
```

```
<h2 className="text-2xl font-semibold text-[#123A28] mb-6">
```

```
  {isSignup ? "Create Account" : "Welcome Back"}
```

```
</h2>
```

```
<form onSubmit={handleSubmit} className="space-y-5">
```

```
  {isSignup && (
```

```
    <>
```

```
<div className="space-y-2">

  <Label htmlFor="name" className="text-[#123A28]">

    Full Name

  </Label>

  <Input

    id="name"

    type="text"

    placeholder="John Doe"

    value={name}

    onChange={(e) => setName(e.target.value)}

    className="h-12 rounded-xl bg-[#F8FAF9] border-gray-200 focus:border-[#1B8F4A]
focus:ring-[#1B8F4A]"

    required

  />

</div>
```

```
<div className="space-y-2">

  <Label htmlFor="phone" className="text-[#123A28]">

    Phone Number

  </Label>

  <Input

    id="phone"

    type="tel"

    placeholder="+254 700 000 000"

    value={phone}

    onChange={(e) => setPhone(e.target.value)}
```



```
        className="h-12 rounded-xl bg-[#F8FAF9] border-gray-200 focus:border-[#1B8F4A]
focus:ring-[#1B8F4A]"
```

```
        required
```

```
    />
```

```
</div>
```

```
</>
```

```
}}
```

```
<div className="space-y-2">
```

```
<Label htmlFor="email" className="text-[#123A28]">
```

```
    Email Address
```

```
</Label>
```

```
<Input
```

```
    id="email"
```

```
    type="email"
```

```
    placeholder="your.email@example.com"
```

```
    value={email}
```

```
    onChange={(e) => setEmail(e.target.value)}
```

```
        className="h-12 rounded-xl bg-[#F8FAF9] border-gray-200 focus:border-[#1B8F4A]
focus:ring-[#1B8F4A]"
```

```
        required
```

```
    />
```

```
</div>
```

```
<div className="space-y-2">
```

```
<Label htmlFor="password" className="text-[#123A28]">
```

```
    Password
```

```
</Label>

<Input
  id="password"
  type="password"
  placeholder="●●●●●●●●"
  value={password}
  onChange={(e) => setPassword(e.target.value)}
  className="h-12 rounded-xl bg-[#F8FAF9] border-gray-200 focus:border-[#1B8F4A]
focus:ring-[#1B8F4A]"
  required
/>
</div>
```

```
{!isSignup && (
  <div className="flex justify-end">
    <a
      href="#"
      className="text-sm text-[#1B8F4A] hover:underline"
    >
      Forgot Password?
    </a>
  </div>
)}
```

```
<Button
  type="submit"
```

```
      className="w-full h-12 bg-[#1B8F4A] hover:bg-[#157A3E] text-white rounded-xl
      transition-all shadow-md hover:shadow-lg"
```

```
>
```

```
    {isSignup ? "Create Account" : "Login"}
```

```
</Button>
```

```
</form>
```

```
<div className="mt-6 text-center">
```

```
<p className="text-gray-600">
```

```
  {isSignup ? "Already have an account?" : "Don't have an account?"}{" "}
```

```
<button
```

```
  type="button"
```

```
  onClick={() => setIsSignup(!isSignup)}
```

```
  className="text-[#1B8F4A] font-medium hover:underline"
```

```
>
```

```
  {isSignup ? "Login" : "Create Account"}
```

```
</button>
```

```
</p>
```

```
</div>
```

```
</motion.div>
```

```
<p className="text-center text-sm text-gray-500 mt-6">
```

```
  By continuing, you agree to our Terms & Privacy Policy
```

```
</p>
```

```
</motion.div>
```

```
</div>
```

```
);  
}
```

Here's the complete code for your entire Gathimaini Pharmacy system:

1. Main App Files

src/app/App.tsx

```
import { RouterProvider } from "react-router";  
  
import { router } from "../routes";  
  
import { PhoneFrame } from "../components/PhoneFrame";  
  
export default function App() {  
  return (  
    <PhoneFrame>  
      <RouterProvider router={router} />  
    </PhoneFrame>  
  );  
}
```

src/app/routes.tsx

```
import { createBrowserRouter } from "react-router";  
  
import { LoginScreen } from "../screens/LoginScreen";  
  
import { HomeScreen } from "../screens/HomeScreen";  
  
import { MedicineDetailsScreen } from "../screens/MedicineDetailsScreen";  
  
import { PrescriptionUploadScreen } from "../screens/PrescriptionUploadScreen";  
  
import { ProfileScreen } from "../screens/ProfileScreen";  
  
import { WireframesScreen } from "../screens/WireframesScreen";  
  
import { CartScreen } from "../screens/CartScreen";
```

```
export const router = createBrowserRouter([
  {
    path: "/",
    Component: LoginScreen,
  },
  {
    path: "/home",
    Component: HomeScreen,
  },
  {
    path: "/medicine/:id",
    Component: MedicineDetailsScreen,
  },
  {
    path: "/prescription",
    Component: PrescriptionUploadScreen,
  },
  {
    path: "/profile",
    Component: ProfileScreen,
  },
  {
    path: "/wireframes",
    Component: WireframesScreen,
  },
  {
```

```
    path: "/cart",  
    Component: CartScreen,  
  },  
]);
```

2. Component Files

src/app/components/PhoneFrame.tsx

```
import { ReactNode } from "react";  
  
interface PhoneFrameProps {  
  children: ReactNode;  
}  
  
export function PhoneFrame({ children }: PhoneFrameProps) {  
  return (  
    <div className="min-h-screen bg-gradient-to-br from-gray-900 via-gray-800 to-gray-900 flex  
items-center justify-center p-8">  
      <div className="relative">  
        {/* Phone Frame */}  
        <div className="relative w-[375px] h-[812px] bg-black rounded-[3rem] p-3 shadow-2xl">  
          {/* Screen Notch */}  
          <div className="absolute top-0 left-1/2 -translate-x-1/2 w-40 h-7 bg-black rounded-b-3xl  
z-10"></div>  
  
          {/* Inner Screen Bezel */}  
          <div className="relative w-full h-full bg-white rounded-[2.5rem] overflow-hidden">  
            {/* Status Bar Space */}
```

```
<div className="absolute top-0 left-0 right-0 h-11 bg-transparent z-10 pointer-events-  
none"></div>
```

```
{/* App Content */}
```

```
<div className="w-full h-full overflow-auto">
```

```
{children}
```

```
</div>
```

```
</div>
```

```
{/* Home Indicator */}
```

```
<div className="absolute bottom-2 left-1/2 -translate-x-1/2 w-32 h-1 bg-white/30  
rounded-full"></div>
```

```
</div>
```

```
{/* Phone Shadow */}
```

```
<div className="absolute inset-0 rounded-[3rem] shadow-[0_35px_60px_-  
15px_rgba(0,0,0,0.5)] pointer-events-none"></div>
```

```
</div>
```

```
</div>
```

```
);
```

```
}
```

src/app/components/BottomNav.tsx

```
import { Home, FileText, User, ShoppingCart } from "lucide-react";
```

```
import { useNavigate, useLocation } from "react-router";
```

```
export function BottomNav() {
```

```
  const navigate = useNavigate();
```

```
const location = useLocation();
```

```
const navItems = [
```

```
  { icon: Home, label: "Home", path: "/home" },
```

```
  { icon: FileText, label: "Prescription", path: "/prescription" },
```

```
  { icon: ShoppingCart, label: "Cart", path: "/cart" },
```

```
  { icon: User, label: "Profile", path: "/profile" },
```

```
];
```

```
return (
```

```
  <div className="fixed bottom-0 left-0 right-0 bg-white border-t border-gray-200 shadow-lg z-50">
```

```
    <div className="max-w-md mx-auto flex justify-around items-center h-16 px-4">
```

```
      {navItems.map((item) => {
```

```
        const Icon = item.icon;
```

```
        const isActive = location.pathname === item.path;
```

```
        return (
```

```
          <button
```

```
            key={item.path}
```

```
            onClick={() => navigate(item.path)}
```

```
            className={`flex flex-col items-center justify-center flex-1 transition-colors ${
```

```
              isActive ? "text-[#1B8F4A]" : "text-gray-500"
```

```
            }`
```

```
          >
```

```
            <Icon className={`w-5 h-5 ${isActive ? "fill-[#1B8F4A]/10" : ""}`} />
```

```
            <span className="text-xs mt-1">{item.label}</span>
```



```

        </button>

    );

  }}}

</div>

</div>

);

}

```

3. Screen Files

src/app/screens/LoginScreen.tsx

(Already shown above - 162 lines with signup/login toggle)

src/app/screens/HomeScreen.tsx

(Already shown - 209 lines with categories, search, featured medicines)

src/app/screens/MedicineDetailsScreen.tsx

(Already shown - 237 lines with product details, quantity selector, add to cart)

src/app/screens/PrescriptionUploadScreen.tsx

(Already shown - 236 lines with upload options, notes, submission)

src/app/screens/ProfileScreen.tsx

(Already shown - 201 lines with user profile, stats, menu items, logout)

src/app/screens/CartScreen.tsx

```

import { useState } from "react";

import { useNavigate } from "react-router";

import { BottomNav } from "../components/BottomNav";

import { Card } from "../components/ui/card";

import { Button } from "../components/ui/button";

import { Badge } from "../components/ui/badge";

import { motion } from "motion/react";

```

```
import { ArrowLeft, Minus, Plus, Trash2, ShoppingBag } from "lucide-react";  
import { ImageWithFallback } from "../components/figma/ImageWithFallback";
```

```
interface CartItem {  
  id: number;  
  name: string;  
  price: number;  
  quantity: number;  
  image: string;  
  category: string;  
}
```

```
export function CartScreen() {  
  const navigate = useNavigate();  
  const [cartItems, setCartItems] = useState<CartItem[]>([  
    {  
      id: 1,  
      name: "Paracetamol 500mg",  
      price: 120,  
      quantity: 2,  
      image:  
        "https://images.unsplash.com/photo-1631549916768-  
4119b2e5f926?crop=entropy&cs=tinysrgb&fit=max&fm=jpg&ixid=M3w3Nzg4Nzd8MHwxfHNIY  
XJjaHwxfHxtZWRpY2luZSUyMHBpbGxzJTlwcGhhcm1hY3l8ZW58MXx8fHwxNzgwNDMxNjU0fDA  
&ixlib=rb-4.1.0&q=80&w=1080",  
      category: "Pain Relief",  
    },  
  ],
```

```

{
  id: 2,
  name: "Vitamin C 1000mg",
  price: 850,
  quantity: 1,
  image:
    "https://images.unsplash.com/photo-1664956618021-73c47736845e?crop=entropy&cs=tinysrgb&fit=max&fm=jpg&ixid=M3w3Nzg4Nzd8MHwxHNIYXJjaHwxHx2aXRhbWlucyUyMHN1cHBsZW1lbnRzJTlwYm90dGxlfGVufDF8fHx8MTc4MDQzMjY1NHww&ixlib=rb-4.1.0&q=80&w=1080",
  category: "Vitamins",
},
{
  id: 3,
  name: "Ibuprofen 400mg",
  price: 180,
  quantity: 1,
  image:
    "https://images.unsplash.com/photo-1719319384377-5f5a45b2f0d1?crop=entropy&cs=tinysrgb&fit=max&fm=jpg&ixid=M3w3Nzg4Nzd8MHwxHNIYXJjaHwxHxwYWluJTlwcmVsaWVmJTlwWVkaWNhdGlbnxlbmwxfHx8fDE3ODA0MzE2NTV8MA&ixlib=rb-4.1.0&q=80&w=1080",
  category: "Pain Relief",
},
]);

const updateQuantity = (id: number, delta: number) => {
  setCartItems((items) =>

```

```

items.map((item) =>
  item.id === id
    ? { ...item, quantity: Math.max(1, item.quantity + delta) }
    : item
)
);
};

```

```

const removeItem = (id: number) => {
  setCartItems((items) => items.filter((item) => item.id !== id));
};

```

```

const subtotal = cartItems.reduce(
  (sum, item) => sum + item.price * item.quantity,
  0
);

```

```

const deliveryFee = 150;
const total = subtotal + deliveryFee;

```

```

return (
  <div className="min-h-screen bg-[#F8FAF9] pb-20">
    { /* Header */ }
    <div className="bg-gradient-to-r from-[#1B8F4A] to-[#157A3E] px-6 pt-12 pb-6 rounded-b-3xl shadow-lg">
      <motion.div
        initial={{ opacity: 0, y: -20 }}

```

```

    animate={{ opacity: 1, y: 0 }}
    transition={{ duration: 0.5 }}
  >
  <div className="flex items-center gap-4 mb-2">
    <button
      onClick={() => navigate("/home")}
      className="w-10 h-10 bg-white/20 rounded-full flex items-center justify-center text-white hover:bg-white/30 transition-colors"
    >
      <ArrowLeft className="w-5 h-5" />
    </button>
    <h1 className="text-white text-2xl font-semibold">My Cart</h1>
  </div>
  <p className="text-white/80 text-sm ml-14">
    {cartItems.length} {cartItems.length === 1 ? "item" : "items"} in
    your cart
  </p>
</motion.div>
</div>

```

```

<div className="px-6 py-6 space-y-6">
  {cartItems.length === 0 ? (
    <motion.div
      initial={{ opacity: 0, scale: 0.9 }}
      animate={{ opacity: 1, scale: 1 }}
      transition={{ duration: 0.5 }}

```

```

        className="flex flex-col items-center justify-center py-20"
      >
        <div className="w-24 h-24 bg-[#EAF7EF] rounded-full flex items-center justify-center
mb-4">
          <ShoppingBag className="w-12 h-12 text-[#1B8F4A]" />
        </div>
        <h3 className="text-xl font-semibold text-[#123A28] mb-2">
          Your cart is empty
        </h3>
        <p className="text-gray-600 text-center mb-6">
          Add some medicines to get started
        </p>
        <Button
          onClick={() => navigate("/home")}
          className="bg-[#1B8F4A] hover:bg-[#157A3E] text-white px-8"
        >
          Browse Medicines
        </Button>
      </motion.div>
    ) : (
      <>
        { /* Cart Items */ }
        <motion.div
          initial={{ opacity: 0, y: 20 }}
          animate={{ opacity: 1, y: 0 }}
          transition={{ delay: 0.1 }}

```

```

        className="space-y-3"
      >
      {cartItems.map((item, index) => (
        <motion.div
          key={item.id}
          initial={{ opacity: 0, x: -20 }}
          animate={{ opacity: 1, x: 0 }}
          transition={{ delay: 0.1 + index * 0.05 }}
        >
          <Card className="overflow-hidden shadow-sm">
            <div className="flex items-center p-4 gap-4">
              <div className="w-20 h-20 bg-[#F8FAF9] rounded-xl overflow-hidden flex-shrink-
0">
                <ImageWithFallback
                  src={item.image}
                  alt={item.name}
                  className="w-full h-full object-cover"
                />
              </div>
              <div className="flex-1">
                <Badge className="bg-[#EAF7EF] text-[#1B8F4A] mb-1 text-xs">
                  {item.category}
                </Badge>
                <h3 className="font-semibold text-[#123A28] mb-1">
                  {item.name}
                </h3>

```

```

    <p className="text-[#1B8F4A] font-semibold">
      KES {item.price}
    </p>
  </div>

  <div className="flex flex-col items-end gap-2">
    <button
      onClick={() => removeItem(item.id)}
      className="text-red-500 hover:text-red-600 transition-colors"
    >
      <Trash2 className="w-4 h-4" />
    </button>

    <div className="flex items-center gap-2 bg-[#F8FAF9] rounded-lg p-1">
      <button
        onClick={() => updateQuantity(item.id, -1)}
        className="w-6 h-6 bg-white rounded flex items-center justify-center text-
[#1B8F4A] hover:bg-[#EAF7EF] transition-colors"
      >
        <Minus className="w-3 h-3" />
      </button>

      <span className="w-6 text-center text-sm font-semibold text-[#123A28]">
        {item.quantity}
      </span>

      <button
        onClick={() => updateQuantity(item.id, 1)}
        className="w-6 h-6 bg-white rounded flex items-center justify-center text-
[#1B8F4A] hover:bg-[#EAF7EF] transition-colors"
      >

```



```

        <Plus className="w-3 h-3" />
      </button>
    </div>
  </div>
</div>
</Card>
</motion.div>
  )})
</motion.div>

```

```

  { /* Order Summary */ }
  <motion.div
    initial={{ opacity: 0, y: 20 }}
    animate={{ opacity: 1, y: 0 }}
    transition={{ delay: 0.3 }}
  >
    <Card className="p-6 shadow-sm">
      <h2 className="text-lg font-semibold text-[#123A28] mb-4">
        Order Summary
      </h2>
      <div className="space-y-3">
        <div className="flex items-center justify-between text-sm">
          <span className="text-gray-600">Subtotal</span>
          <span className="font-medium text-[#123A28]">
            KES {subtotal.toLocaleString()}
          </span>
        </div>
      </div>
    </Card>
  </motion.div>

```

```

</div>

<div className="flex items-center justify-between text-sm">
  <span className="text-gray-600">Delivery Fee</span>
  <span className="font-medium text-[#123A28]">
    KES {deliveryFee.toLocaleString()}
  </span>
</div>

<div className="border-t border-gray-200 pt-3 mt-3">
  <div className="flex items-center justify-between">
    <span className="font-semibold text-[#123A28]">
      Total
    </span>
    <span className="font-semibold text-xl text-[#1B8F4A]">
      KES {total.toLocaleString()}
    </span>
  </div>
</div>
</div>
</Card>
</motion.div>

```

```

{/* Checkout Button */}

<motion.div
  initial={{ opacity: 0, y: 20 }}
  animate={{ opacity: 1, y: 0 }}
  transition={{ delay: 0.4 }}

```

```

    >
    <Button className="w-full h-14 bg-[#1B8F4A] hover:bg-[#157A3E] text-white text-lg
font-semibold rounded-xl shadow-lg">
      Proceed to Checkout
    </Button>
    <p className="text-center text-xs text-gray-500 mt-3">
      Prescription medicines require verification before checkout
    </p>
  </motion.div>
</>
  })
</div>

```

```

    <BottomNav />
  </div>
);
}

```

4. Package.json

(Key dependencies shown above - React Router 7, Motion, Lucide React, Radix UI, Tailwind CSS v4)

System Summary:

- **7 screens:** Login, Home, Medicine Details, Cart, Prescription Upload, Profile, Wireframes
- **Features:** User authentication, product browsing, cart management, prescription upload, user profile
- **Design system:** Healthcare green theme (#1B8F4A), Poppins font, rounded corners, soft shadows

- **Tech stack:** React, TypeScript, React Router, Motion animations, Tailwind CSS v4, Radix UI components
- **Mobile-first:** Phone frame wrapper, responsive design, bottom navigation