### IT313-Software Engineering (2022-2023) Lab V: Activity & Class Diagram

Name:-Shekhar Gupta Daiict Id:-202101203

### • How would you represent testing of the application with multiple browsers?

I would represent it with using fork and then checking with conditions if they both are passed then only it moves further else it is redirected to modify changes action.

# • Can generation of the patch file and update the Subversion repository be done Concurrently?

No it cannot be done concurrently as after the generation of patch file we should update the Subversion repository, as it may happen that first the subversion repository is update and then patch file is generated but that is of no use.

## • Can patching the production code and updating the Subversion repository be done in Parallel?

Yes, it is possible to patch the production code and update the Subversion (SVN) repository simultaneously. This indicates that the developer can proceed to apply the patch to the production code after testing is complete and a patch is generated from the local copy, while simultaneously committing the changes to the SVN repository.

#### Identify the basic units of work, and visualize the work flow


Firstly, developer checks out the code and copy is created in local machine then developer modifies the code then it tests the code in both internet explorer and firefox if anyone of two test is failed then code is again send for modification. If both the tests are successful then if it is committed before generation of patch file then it gets registered in svn repository but if patch file is not generated before local copy is committed and if patch file is generated then code is applied at production level and then changes are updated and committed in svn repository.

•	dentify	activities	that	could be	done in	parallel
---	---------	------------	------	----------	---------	----------

The activities that can be done in parallel are testing of code in local copy in internet explorer and firefox.

- Identify stages from where progress could be made only after a list of criteria is Satisfied
- 1. If at least one of the two browsers (Internet Explorer and Firefox) fails the testing at the checking step, developer should modify changes in code.
- 2.If local copy is committed before patch file is generated then , patch file cannot be generated again.

**Activity Diagram:-**



## I. Class diagram

