

Stream, tree plant.

classmate

Date

Page

- (14) do-while $\rightarrow$ error.
(15) a.i $\rightarrow$ ~~to compile time error~~ ?
(16) Parent-child error $\rightarrow$ compile time error.

Thumb rule for access modifier.

- $\rightarrow$ We can increase the visibility when overriding.
(protected $\rightarrow$ public).
 $\rightarrow$ We cannot decrease the visibility (protected $\rightarrow$ private).

- (17) Prepared $\rightarrow$ faster repetitive queries.
(18) Tree, Plant $\rightarrow$ change in child class

(19) What is not used in interface $\Rightarrow$
final, const.

(20) interface $\rightarrow$ public static void main(String[] args) ✓
X public void main(String[] args) X
Restriction. Order

(21) Private $\rightarrow$ default $\rightarrow$ protected $\rightarrow$ public

(22) int i = 10, j = 15 $\rightarrow$ j = 17
because of Autoboxing

(23) what is not used in interface method
 $\rightarrow$ Private.

Stream, tree plant.

classmate

Date _____

Page _____

(14) do-while → error.

(15) a.i → ~~compile time error~~ ?

(16) Parent-child error → compile time error.

Thumb rule for access modifier.

→ We can increase the visibility when overriding.

(protected → public).

→ We cannot decrease the visibility (protected → private).

(17) Prepared → faster repetitive queries.

(18) Tree, Plant → change in child class

(19) What is not used in interface →
final, const.

(20) interface → public static void main(String[] args)

× public void main(String[] args) ×
Restriction Order

(21) Private > default > protected > public

(22) int i = 10, j = 15 ^{k = 17} will run
because of Autoboxing

(23) what is not used in interface method
→ Private.

Super → is a keyword used to access the members of a superclass. Can be used to call a superclass constructor, access a superclass's instance variables.

final → is a keyword used to indicate variable can't be subclassed or overridden.

- 1) Class Loader (object)
- 2) reference :: → instance of, constructor, static methods
- 3) Hash code → return type (int)
- 4) main default location ^{source} _{name} (src/main/java/)
- 5) Java.sql
- 6) array class → contains X
- 7) getConnection()
- 8) CompareTo (object o) { Comparable }
compare (obj 01, obj 02) { Comparator }
- 9) (Bhutan, China, India, Nepal)
- 10) Tight coupling, low cohesion.
- 11) Thread death, System.exit, finally has
User Defined exception? → checked exception
- 12) Cat is a Junkie, Dog Animal, Bagel Tail
- 13) different
- 14) Error because out of scope.
Infinite no. of times
- 15) java.sql → connection package