

Spring Example (What's happening technically)

- Employee **depends on** Address
- Dependency is injected using **setter injection**
- Spring container creates objects and **sets dependencies from XML**


private Address address; // dependency

Spring decides **which Address goes to which Employee.**

2 Zomato Real-World Analogy

Spring Concept	Real World (Zomato)
Spring Container	Zomato App / System
Employee	Delivery Boy
Address	Customer Address
XML Configuration	Order Details in Zomato backend
Setter Injection	Assigning delivery address after delivery boy is created

Spring Setter Injection vs Zomato Delivery Analogy



Zomato Assigns Delivery Address to the Delivery Boy for Each Order

3 Mapping Code to Zomato

Employee → Delivery Boy

```
Employee emp = new Employee();  
emp.setId(101);  
emp.setName("Venkat");
```

Zomato creates a **delivery boy profile** first.

Address → Customer Delivery Location

```
Address addr = new Address();  
addr.setCity("Chennai");  
addr.setAddressLine1("OMR");
```

Customer enters **delivery address**.

Setter Injection → Assigning Address

`emp.setAddress(addr);`

Zomato assigns **this customer's address** to **this delivery boy**.

4 XML Configuration = Zomato Backend Decision

```
<bean id="obj" class="Employee">
  <property name="id" value="101"/>
  <property name="name" value="Venkat"/>
  <property name="address" ref="a1"/>
</bean>
```

Zomato backend logic:

“Assign **Delivery Boy Venkat** to **Customer Address OMR, Chennai**”

For second order:

```
<bean id="obj2">
  <property name="address" ref="address2"/>
</bean>
```

Another delivery boy → another address.

5 Why Setter Injection Makes Sense (Zomato View)

Without Setter Injection

- Delivery boy must **always have an address**
- No flexibility

With Setter Injection

- Delivery boy exists **independently**
- Address can change **per order**
- Same delivery boy → multiple customers

Just like **Zomato assigns different addresses per order**

6 One-Line Summary

Spring Setter Injection is like Zomato assigning a customer's delivery address to a delivery boy after both are already created.

Zomato Flow = Spring Flow

1. **Zomato Backend (ApplicationContext) starts**
2. Reads order details (XML config)
3. Creates:
 - Delivery Boy
 - Customer Address
4. Assigns address to delivery boy
5. Sends delivery boy to deliver

Delivery boy never asks *where to go* — system already injected it.

5 One-Line Definition

ApplicationContext is a Spring container responsible for creating beans, managing their lifecycle, and injecting dependencies as defined in the configuration.

6 Why ApplicationContext is Important

- Centralized object management
 - Loose coupling
 - No new keyword
 - Easy configuration changes
 - Supports DI, AOP, events, i18n
-

7 Short Zomato Summary

ApplicationContext is like the Zomato control center that creates delivery boys, assigns customer addresses, and manages the entire delivery process.