ИСР 5.1

ИСР 5.2

ВСР 5.1

```sql
CREATE TABLE VENDOR
(
 Producer VARCHAR(50) NOT NULL,
 Website VARCHAR(40) NOT NULL,
 PRIMARY KEY (Producer)
);

CREATE TABLE MODEL
(
 DiskModel VARCHAR(10) NOT NULL,
 Volume INT NOT NULL,
 Speed INT NOT NULL,
 Interface INT NOT NULL,
 Producer VARCHAR(50) NOT NULL,
 PRIMARY KEY (DiskModel),
 FOREIGN KEY (Producer) REFERENCES VENDOR(Producer)
);

CREATE TABLE HDD2
(
 Number INT NOT NULL,
 Date_of_the_bought DATE NOT NULL,
 Date_of_the_breakdown DATE NOT NULL,
 Comment VARCHAR(100) NOT NULL,
 Model VARCHAR(10) NOT NULL,
 PRIMARY KEY (Number),
 FOREIGN KEY (Model) REFERENCES MODEL(DiskModel)
);
```

Таблица1	Запрос1	HDD2			
DiskNumbe	Date_of_the	Date_of_the	Comment	Model	
*					

Таблица1	Запрос1	HDD2	MODEL		
DiskModel	Volume	Speed	Interface	Producer	Добавить поле
*					

Таблица1	Запрос1	HDD2	MODEL	VENDOR
Producer	Website	Добавить поле		
*				