## Healthspring Cuffe Parade, Mumbai



Age / Gender:

71/Male


Date and Time: 7th Jan 25 11:47 AM

Patient ID:

Patient Name:

1311828

Jamil Parkar



Footer Text: ECG Report Summary

Disclaimer: Analysis in this report is based on ECG alone and should only be used as an adjunct to clinical history, symptoms and results of other invasive and non-invasive tests and must be interpreted by a qualified physician.



Patient ID: 1311828

Patient Name: Jamil Parkar

Age / Gender: 71/Male

Date: 7th Jan 25 11:47 AM

## **Summary of ECG Report**

Based on the ECG report for Jamil Parkar, here are the key findings and what they might indicate:

Heart Rate (VR): 66 bpm

This is within the normal resting heart rate range for adults (60-100 bpm).

QRS Duration (QRSD): 98 ms

This is within the normal range (less than 120 ms), indicating normal ventricular depolarization.

QT Interval (QT): 372 ms

This is within the normal range for men (generally less than 440ms, though the exact upper limit depends on heart rate and other factors), indicating normal ventricular repolarization.

Corrected QT Interval (QTcB): 390 ms

This is also within the normal range, which is important for assessing the risk of arrhythmias.

PR Interval (PRI): 220 ms

This is slightly prolonged (normal is 120-200 ms), which might indicate first-degree atrioventricular block. This condition is usually benign but should be monitored.

P-R-T Angles: 33° NA 4°

These angles provide information about the electrical axis of the heart. The values show a deviation from normal, which warrants further clinical evaluation in conjunction with other diagnostic data. Further information is needed to fully interpret this.

## Summary:

The ECG report shows mostly normal findings for Mr. Parkar, with a slightly prolonged PR interval suggesting a possible first-degree AV block. The P-R-T angles also show deviation from the norm. Given that a complete clinical picture is needed, these findings should be reviewed by a healthcare provider in conjunction with the patient's medical history and other test results to determine their significance.