ACTIONREF

Behavioral references for clinical score cutoffs

Learn from recorded practice. Compare operating choices. Evaluate their consequences.

Local clinical records

Existing clinical score
Use its intended assessment time

Recorded activity
Specify action + observation window

Outcome, when available
For score and outcome evaluation

1 Check inputs

MODULE 1 / study design

- ✓ Score direction and completeness
- ✓ Action definition and timing
- ✓ Score validity for the intended use


Learning data — Separate test

2 Estimate behavioral references

MODULE 2 / relate an existing score to recorded action

Supported score bins ▷ Monotone action fit ▷ Probability targets

MIMIC ILLUSTRATION



Low 27
Local action rate
Target: about 0.309

Mid 39
P(action) = 0.50
Absolute target

High 54
P(action) = 0.80
Absolute target

Supported outputs: Full set | Partial set | No references

3 Choose operating cutoffs

MODULE 3A / capacity + MODULE 3B / optional consequences

K: alert capacity
For a defined workflow and period


R: relative consequences
Optional input



Select under stated conditions

4 Evaluate independently

Fixed curve and cutoffs / held-out or external data



- ✓ Action probability
- ✓ Alert burden
- ✓ Recorded-action yield
- ✓ Outcome coverage

Support local policy review

Interpret the practice reference, examine tradeoffs, and decide what needs clinical evaluation.

Clinical team →

Understand local practice
Where does recorded activity occur along the clinical score?

Compare proposed policies
What changes in workload, action yield and outcome coverage?

Plan evaluation
Review workflow fit and implementation needs.

Recorded action probability describes practice; it is distinct from disease risk.