

Set methods -

1) add() - we can add elements using this method.

eg. set1 = {10, 20, 30}

set1.add(40)

print(set1)

o/p - {10, 20, 30, 40}

2] update() - Using this method we can add elements of one set into the other set.

ex. Set1 = {10, 20, 30}
Set2 = {40, 50}

Set1.update(Set2)

Print(Set1) $\rightarrow$ {10, 20, 30, 40, 50}

3] remove() - Using remove() we can remove particular element from the set

ex. $\text{Set1} = \{10, 20, 30, 40, 50\}$

$\text{Set1.remove}(30)$

$\text{Print}(\text{set}) \rightarrow \underline{\{10, 20, 40, 50\}}$

4] discard() — Using discard(), we can remove particular element from the set.

ex. $\text{set1} = \{10, 20, 30, 40, 50\}$

$\text{set1.discard}(30)$

$\text{print}(\text{set1}) \rightarrow \{10, 20, 40, 50\}$

remove() vs discard()

1] if particular element is not available in the set, remove() method throws KeyError but discard() method does not throw any error.

5] `clear()` — Using `clear()` method we can delete all the elements from the set, It creates an empty set.

eg. `set1 = {10, 20, 30, 40, 50}`
`set1.clear()`

`print (set)` → `Set()`

6] copy() - It creates copy of set.

ex. Set1 = {10, 20, 30, 40, 50}

Set2 = Set1.copy() → cloning

print(id(Set1)) — 100

print(id(Set2)) — 101

