

ValueError - ValueError exception raised when a function receives an argument of the right type but invalid value.

eg. row_input = "eighty"
new_value = int(row_input)
o/p - ValueError

eg. import math
print(math.sqrt(36)) → 6
print(math.sqrt(-36)) →
ValueError

Attribute Error - Raised when you try to access or call an attribute / method that doesn't exist on the

object / data type

List -	append() insert() extend()	remove() pop() popitem()	count() index() copy() clear()
--------	----------------------------------	--------------------------------	---



String -	isalpha() isdigit() isalnum() startswith() endswith()	split() partition()	strip() lstrip() rstrip()
----------	---	------------------------	---------------------------------

upper() lower() capitalize() title()	join()
---	--------

eg. String1 = "hello"
String1.append("world")

→ Attribute Error

```
list1 = [10, 20, 30]
```

```
list1.append(40)
```

```
print(list1) → [10, 20, 30, 40]
```

IndexError - Raised when a sequence (list, tuple, string) is accessed with an index that is out of range.

```
list1 = [10, 20, 30, 40, 50] X
```

Indices: 0 1 2 3 4 5

```
print(list1[4]) → 50
```

```
print(list1[5]) → IndexError
```

```
string1 = "hello"
```

Indices: 0 1 2 3 4

```
print(string1[0]) → 'h'
```

```
print(string1[10]) → IndexError
```

KeyError - Raised when a dictionary key that does not exist, is accessed using square-bracket notation.

eg. dict1 = { "name" : "zahul",
 "age" : 25,
 "address" : "pune" }

print(dict1["name"]) → "zahul"

print(dict1["age"]) → 25

print(dict1["adl-no"]) → KeyError

modules → Library.

Data Science - numpy, pandas, matplotlib, scikit-learn

DL - Tensorflow, pytorch, Keras

GenAI - Langchain, LlamaIndex

Agentic AI - LangGraph, CrewAI, ADK, Autogen

Website - Django, Streamlit, Gradio - -

API - FastAPI ✓
✓ pip install langchain

ModuleNotFoundError -

```
import langchain
```

The module you are importing
that doesn't exist or not
installed

ImportError - Module found but
specific name can't be imported.

```
from langchain-openai import  
    ChatOpenAI ✓
```

```
from langchain-openai import  
    chatOpenAI x  
— ImportError
```

Keyboard Interrupt - when user

pressed `ctrl+C` to stop the program.

- 1) StopIteration Error - Iterator
- 2) UnboundLocal Error - Namespace
- 3) FileNotFoundError
Permission Error - File I/O
- 4) RecursionError - Recursion
Memory Error
- 5) Assertion error - Unit testing
Not Implemented Error