

4] islower() - It checks if all the characters are lowercase.

eg. str1 = "hello"
~~xxxxxx~~

print(str1.islower()) → True

str2 = "Hello"
 ^x

print(str2.islower()) → False

5] isupper() - It checks if all characters are uppercase.

ex. str3 = "HELLO"
Print (str3.isupper()) → True

str4 = "HELLO"
Print (str4.isupper()) → False.

6] Startswith () - It checks if String starts with value.

eg. str5 = "hello world"

Print (str5.startsWith("hello"))
→ True

Print (str5.startsWith("world"))
→ False

+] ends with () — It checks if
String ends with value.

eg. str6 = "hello world"

Print (str6.endswith("world"))
→ True

Print (str6.endswith("hello"))
→ False

2] Search method -

1) find() - If returns lowest index of substring.

ex. str7 = "Hello, welcome to python
programming"

→ ① 1 2 3 4 5 6 ⑦ 8 9 10 11 12 13 14 ⑮ 16 17 ⑱

print(str7.find("python")) → 18

print(str7.find("Java")) → -1

2] `replace()` - It replaces old substring with new substring.

eg. `str8 = "Hello, welcome to
python programming"`

`str9 = str8.replace("python",
"java")`

`print(str9)` → Hello, welcome to
java programming.

3] Trim whitespaces methods .

① lstrip()

② rstrip()

③ strip()

1) lstrip() — It removes the leading (LHS) whitespace.

eg. strg = ~~ws~~ "Hello world ~~ws~~"

print(strg) → hello world ws

result = strg.lstrip()

print(result) → hello world ws

2) `rstrip()` - It removes trailing (RHS) whitespace

eg. `str10 = " ws Hello world ws "`

`result1 = str10.rstrip()`

`print(result1)` $\rightarrow$ `ws` Hello world

3) Strip() - It removes leading (LHS) and trailing (RHS) whitespaces.

eg. str1 = "~~ws~~ Hello world ~~ws~~"

result2 = str1.strip()

print(result2) → Hello world

4] Split methods -

1) `split()` — It divides string based on the delimiter.

eg. `str12 = "hello welcome to india"`



```
words = str12.split()
```

```
print(words)
```

→ `["hello", "welcome", "to", "india"]`

2) partition() - It divides string into 3 parts.

① before separator

② separator

③ after separator.

eg. Str13 = "hello welcome to
india"

result3 = Str13.partition("to")

print(result3)

before sep

sep

after sep

o/p - ["hello welcome", "to", "india"]

