

Case Conversion methods.

1) lower() - It converts all the characters of the string to

lowercase.

eg. Str1 = "HELLO" → "hello"
result1 = Str1.lower()
print(result1) → hello

2) upper() — It converts all the characters of the string to uppercase

eg. str3 = "hello" → "HELLO"

result4 = str3.upper()

print(result4) → "HELLO"

3) Capitalize() - It converts first character of string to uppercase, rest lowercase.

eg. Str 6 = "Hello world"
result7 = Str 6.capitalize()
print(result7) → "Hello world"

4) `title()` - It converts first character of each word of the string into upper case, rest in lower case


ex. `strg = "Hello World"`
 ① ②
`resultg = strg.title()`

`print(resultg)` → Hello World


5) SwapCase() - It swaps uppercase letters to lowercase letters & lowercase letters to

uppercase letters.
HELLO world

eg. str1 = "hello world"
result1 = str1.swapcase()
print(result1) → "HELLO world"
print(type(result1)) → str



String is immutable



Type Conversion Built-in functions

Basic data types - int, float, complex, bool, string.

① Str() - It converts int, float, or complex into string.

1) Converting integer into string

age = 25 ← integer.

Print (age) → 25

Print (type (age)) → int

result13 = str (age) → "25"

Print (result13) → "25"

Print (type (result13)) → str

* Built in function syntax
function_name (~~string~~ var_name)

eg. len(str1)

* method syntax.
string_var_name.method_name()

eg. str1.lower()

2. Converting float into string

weight = 65.8

print(weight)

→ 65.8

print(type(weight)) → float

result14 = str(weight)

print(result14)

→ "65.8"

print(type(result14)) → str



3. Converting complex into string

var1 = 2 + 3j

print(var1) $\rightarrow 2 + 3j$

print(type(var1)) $\rightarrow$ complex

result15 = str(var1)

print(result15)

o/p $\rightarrow$ "2 + 3j"

print(type(result15)) $\rightarrow$ str

str() → str
age = 25
↑
int



str(age)

"25"
↑
str

weight = 65.8
↑
float

str(weight)

"65.8"
↑
str

var1 = 2+3j

Complex

str(var1)

"2+3j"
↑
str

join() method - It joins
elements of iterable (list/tuple)
into single string.

```
result15 = ["hello", "welcome",  
            "to", "python"]
```

```
sentence = " ".join(result15)
```

```
print(sentence)
```

o/p - "hello welcome to python"

split() method -

str1 = "Hello_welcome to python"



result = str1.split()

" " ← default delimiter space

print(result)

["Hello", "welcome", "to", "python"]

