

Amazon Elastic Container Registry - Priv. x +

ap-south-1.console.aws.amazon.com/ecr/private-registry/repositories?region=ap-south-1

Search [Alt+S]

Asia Pacific (Mumbai) Devanshi Jain (2414-9078-7611)

Amazon ECR > Private registry > Repositories

Private registries

View push commands Delete Actions Create repository

Search by repository substring

Repository name	URI	Created at	Tag immutability	Encryption type
No repositories				
No repositories were found				

ECR public gallery

Amazon ECS

Amazon EKS

Getting started

Documentation

CloudShell Feedback Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Amazon Elastic Container Registry - Cre. x +

ap-south-1.console.aws.amazon.com/ecr/private-registry/repositories/create?region=ap-south-1

Search [Alt+S]

Asia Pacific (Mumbai) Devanshi Jain (2414-9078-7611)

Amazon ECR > Private registry > Repositories > Create private repository

Create private repository

General settings

Repository name
Enter a concise name. Repositories support namespaces, which you can use to group similar repositories.

241490787611.dkr.ecr.ap-south-1.amazonaws.com/ devops

6 out of 256 characters maximum (2 minimum). The name must start with a letter and can only contain lowercase letters, numbers, and special characters _-./.

Image tag settings [Info](#)

Image tag mutability
Choose the tag mutability setting.

☒ **Mutable**
Image tags can be overwritten.

☐ **Immutable**
Image tags can't be overwritten.

Mutable tag exclusions
Tags that match these filters will be immutable (can't be overwritten). Using wildcards (*) will match zero or more image tag characters.

[Add filter](#)

Filters must only contain letters, numbers, and special characters (_-./). Each filter is limited to 128 characters, 2 wildcards (*), and you can add up to 5 filters in the exclusion list.

CloudShell Feedback Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Amazon ECR > Private registry > Repositories > Create private repository

Filters must only contain letters, numbers, and special characters (.,_-). Each filter is limited to 128 characters, 2 wildcards (*), and you can add up to 5 filters in the exclusion list.

Encryption settings [info](#)

⚠ The encryption settings for a repository can't be changed once the repository is created.

Encryption configuration
By default, repositories use the industry standard Advanced Encryption Standard (AES) encryption. You can optionally choose to use a key stored in the AWS Key Management Service (KMS) to encrypt the images in your repository.

☒ **AES-256**
Industry standard Advanced Encryption Standard (AES) encryption

☐ **AWS KMS**
AWS Key Management Service (KMS)

► **Image scanning settings - deprecated**

[Cancel](#) [Create](#)

CloudShell Feedback Console Mobile App © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Amazon Elastic Container Service

- Private registry
 - Repositories**
 - Features & Settings
- Public registry
 - Repositories
 - Settings
- ECR public gallery [i](#)
- Amazon ECS [i](#)
- Amazon EKS [i](#)
- Getting started [i](#)
- Documentation [i](#)

Private repositories (1) [View push commands](#) [Delete](#) [Actions](#) [Create repository](#)

Search by repository substring

Repository name	URI	Created at	Tag immutability	Encryption type
☐ devops	241490787611.dkr.ecr.ap-south-1.amazonaws.com/devops	April 12, 2026, 23:27:21 (UTC+05.5)	Mutable	AES-256

CloudShell Feedback Console Mobile App © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

The screenshot shows the AWS Elastic Container Registry (ECR) console for the 'devops' repository. The 'Images' tab is selected, and it displays 'No active images'. A 'View push commands' button is present. Below the screenshot, a modal window titled 'Push commands for devops' is shown, providing instructions and commands for pushing an image to the repository.

Push commands for devops

macOS / Linux | Windows

Make sure that you have the latest version of the AWS CLI and Docker installed. For more information, see [Getting Started with Amazon ECR](#).

Use the following steps to authenticate and push an image to your repository. For additional registry authentication methods, including the Amazon ECR credential helper, see [Registry Authentication](#).

1. Get an authentication token and authenticate your Docker client to your registry. Use the AWS CLI:

```
aws ecr get-login-password --region ap-south-1 | docker login --username AWS --password-stdin 241490787611.dkr.ecr.ap-south-1.amazonaws.com
```

Note: If you receive an error using the AWS CLI, make sure that you have the latest version of the AWS CLI and Docker installed.
2. Build your Docker image using the following command. For information on building a Docker file from scratch see the instructions [here](#). You can skip this step if your image is already built:

```
docker build -t devops .
```
3. After the build completes, tag your image so you can push the image to this repository:

```
docker tag devops:latest 241490787611.dkr.ecr.ap-south-1.amazonaws.com/devops:latest
```
4. Run the following command to push this image to your newly created AWS repository:

```
docker push 241490787611.dkr.ecr.ap-south-1.amazonaws.com/devops:latest
```

[Close](#)

ECS & ECR Lab

The screenshot shows the Amazon ECR console for the 'devops' repository. The left sidebar contains navigation links for Private registry, Public registry, ECR public gallery, Amazon ECS, Amazon EKS, Getting started, and Documentation. The main content area displays the 'Images (3)' section with a table of active images.

Image tags	Type	Created at	Image size (MB)	Image digest	Last pulled at
latest	Image Index	April 12, 2026, 23:30:53 (UTC+05.5)	45.23	sha256:9...	-
-	Image	April 12, 2026, 23:30:53 (UTC+05.5)	0.00	sha256:ce...	-
-	Image	April 12, 2026, 23:30:53 (UTC+05.5)	45.23	sha256:c...	-

The screenshot shows the Amazon ECS console Clusters page. The left sidebar contains navigation links for Express Mode, Clusters, Namespaces, Task definitions, Daemon task definitions, Account settings, AWS Batch, Amazon ECR, Repositories, Online learning workshop, Documentation, Discover products, and Subscriptions. The main content area displays the 'Clusters (0)' section with a 'Create cluster' button.

Introducing managed daemons
You can now manage software agents as standalone daemons across container instances in a capacity provider, independent of your applications. [Learn more](#)

Clusters (0) Info
Last updated April 12, 2026, 23:36 (UTC+5:30)

By default, we only load up to 1,000 clusters at a time.

Cluster Services Tasks Container instances CloudWatch m

No clusters

Create cluster

Create cluster Info

An Amazon ECS cluster groups together tasks, and services, and allows for shared capacity and common configurations. All of your tasks, services, and capacity must belong to a cluster.

Cluster configuration

Cluster name

DevOps-Cluster

Cluster name must be 1 to 255 characters. Valid characters are a-z, A-Z, 0-9, hyphens (-), and underscores (_).

► **Service Connect defaults - optional**

▼ **Infrastructure - advanced** Info

Configure the manner of obtaining compute resources that will be used to host your application.

Select a method of obtaining compute capacity

Your cluster is automatically configured for AWS Fargate (serverless), but you may choose to add Amazon EC2 instances (servers).

☒ **Fargate only**

Serverless - you don't think about creating or managing servers. Great for most common workloads.

☐ **Fargate and Managed Instances**

Managed instances - Amazon ECS will manage patching and scaling on your behalf while giving you configurability about the types of instances. Great for more advanced workloads.

☐ **Fargate and Self-managed instances**

Self-managed instances - you must ensure the instances are patched and scaled properly, and you have full control over the instances.

Clusters (1) Info

Last updated April 12, 2026, 23:45 (UTC+5:30)

Search clusters

By default, we only load up to 1,000 clusters at a time.

Cluster	Services	Tasks	Container instances	CloudWatch mon
DevOps-Cluster-1	0	No tasks running	0 EC2	Default

Cluster DevOps-Cluster-1 has been created successfully. [View cluster](#)

Introducing managed daemons
You can now manage software agents as standalone daemons across container instances in a capacity provider, independent of your applications. [Learn more](#)

Clusters (1) Info Last updated April 12, 2026, 23:46 (UTC+5:30) [Create cluster](#)

By default, we only load up to 1,000 clusters at a time.

Cluster	Services	Tasks	Container instances	CloudWatch mon
DevOps-Cluster-1	0	No tasks running	0 EC2	Default

Task definitions (0) Info Last updated April 12, 2026, 23:48 (UTC+5:30) [Deploy](#) [Create new revision](#) [Create new task definition](#)

Filter task definitions Filter status: Active

No task definitions
No task definitions to display. [Create new task definition](#)

The screenshot shows the Amazon ECR console interface. The breadcrumb navigation is: Amazon ECR > Private registry > Repositories > devops > sha256:91bca42beb9eee26668354811453ca671eaeef290ad2ab61da5... The left sidebar shows the navigation menu with 'Private registry' selected. The main content area is titled 'Image Index' and shows details for a specific image. A green tooltip indicates 'Repository URI copied'. The details include:

- Image tags:** 241490787611.dkr.ecr.ap-south-1.amazonaws.com/devops:latest
- Digest:** sha256:91bca42beb9eee26668354811453ca671eaeef290ad2ab61da5d1fd13877c0022
- General information:**
 - Artifact type:** Image Index
 - Repository:** devops
 - Pushed at:** April 12, 2026, 23:30:53 (UTC+05.5)
 - Last recorded pull time:** -
 - Size (MB):** 45.23
 - Image status:** Active

The bottom of the console shows the 'Scanning and vulnerabilities' section.

The screenshot shows the Amazon ECS console interface for creating a new task definition. The breadcrumb navigation is: Amazon Elastic Container Service > Create new task definition. The left sidebar shows the navigation menu with 'Task definitions' selected. The main content area is titled 'Container - 1' and shows the configuration for a container. The configuration includes:

- Container details:** Specify a name, container image, and whether the container should be marked as essential. Each task definition must have at least one essential container.
- Name:** DevOps-Container
- Essential container:** Yes
- Image URI:** 241490787611.dkr.ecr.ap-south-1.amazonaws.com/devops:latest
- Private registry:** Private registry authentication is enabled.
- Port mappings:** Container port 80, Protocol TCP, Port name container-port-protc, App protocol HTTP.

The bottom of the console shows the 'Add port mapping' button.

The screenshot shows the Amazon ECS console for the 'DevOps-Task:1' task definition. The left sidebar contains the 'Amazon Elastic Container Service' menu with options like Express Mode, Clusters, Namespaces, Task definitions, Daemon task definitions, Account settings, AWS Batch, Amazon ECR, and Repositories. The main content area displays the 'DevOps-Task:1' task definition details. At the top, there are buttons for 'Deploy', 'Actions', and 'Create new revision'. The 'Overview' section shows the task's ARN, status (ACTIVE), time created, app environment (Fargate), task role, task execution role (ecsTaskExecutionRole), operating system/architecture (Linux/X86_64), network mode (awsvpc), and fault injection (turned off). Below this, there are tabs for 'Containers', 'JSON', 'Task placement', 'Volumes (0)', 'Requires attributes', and 'Tags'. The 'Task size' section shows the task's CPU (1,024 units) and memory (3,072 MiB).

Amazon Elastic Container Service

Express Mode

Clusters

Namespaces

Task definitions

Daemon task definitions

Account settings

AWS Batch

Amazon ECR

Repositories

Online learning workshop

Documentation

Discover products

Subscriptions

DevOps-Task:1

Last updated April 12, 2026, 23:51 (UTC+5:30)

Deploy Actions Create new revision

Overview

ARN: arn:aws:ecs:ap-south-1:241490787611:task-definition/DevOps-Task:1

Status: ACTIVE

Time created: April 12, 2026, 23:51 (UTC+5:30)

App environment: Fargate

Task role: -

Task execution role: ecsTaskExecutionRole

Operating system/Architecture: Linux/X86_64

Network mode: awsvpc

Fault injection: Turned off

Containers JSON Task placement Volumes (0) Requires attributes Tags

Task size

Task CPU: 1,024 units (1 vCPU)

Task memory: 3,072 MiB (3 GiB)

The screenshot shows the Amazon ECS console for the 'DevOps-Cluster-1' cluster. The left sidebar contains the 'Amazon Elastic Container Service' menu with options like Express Mode, Clusters, Namespaces, Task definitions, Daemon task definitions, Account settings, AWS Batch, Amazon ECR, and Repositories. The main content area displays the 'Cluster overview' for 'DevOps-Cluster-1'. At the top, there are buttons for 'Manage tags', 'Stop', and 'Run new task'. The 'Cluster overview' section shows the cluster's ARN, status (Active), CloudWatch monitoring (Default), and registered container instances. Below this, there are tabs for 'Services', 'Daemons', 'Tasks', 'Infrastructure', 'Metrics', 'Scheduled tasks', and 'Configurations'. The 'Tasks' tab is selected, showing a list of tasks with columns for 'Task', 'Last status', 'Desired status', 'Task definition', and 'Health status'. The 'Tasks' section shows that there are no tasks currently running in the cluster.

Amazon Elastic Container Service

Express Mode

Clusters

Namespaces

Task definitions

Daemon task definitions

Account settings

AWS Batch

Amazon ECR

Repositories

Online learning workshop

Documentation

Discover products

Subscriptions

Cluster overview

ARN: arn:aws:ecs:ap-south-1:241490787611:cluster/DevOps-Cluster-1

Status: Active

CloudWatch monitoring: Default

Registered container instances: -

Services: Draining, Active

Tasks: Pending, Running

Manage tags Stop Run new task

Tasks (0)

Last updated April 12, 2026, 23:47 (UTC+5:30)

Filter tasks by property or value

Filter desired status: Any desired status

Filter launch type: Any launch type

Task Last status Desired status Task definition Health status

No tasks

The screenshot shows the AWS Management Console interface for the 'Run task' configuration. The breadcrumb navigation is 'Amazon Elastic Container Service > Clusters > DevOps-Cluster-1 > Run task'. The left sidebar contains the 'Amazon Elastic Container Service' menu with options like Express Mode, Clusters, Namespaces, Task definitions, Daemon task definitions, and Account settings. The main content area is titled 'Run task Info' and includes the following sections:

- Task details**
 - Task definition family:** A dropdown menu set to 'DevOps-Task'.
 - Task definition revision:** A dropdown menu set to 'Latest'.
 - Desired tasks:** A text input field containing the number '1'.
 - Task group:** A text input field for specifying a task group name.
- Environment:** A section for configuring the task's environment, currently showing 'AWS Fargate'.

The bottom of the console shows a green notification banner: 'Tasks launched' with the task ID 'arn:aws:ecs:ap-south-1:241490787611:task/DevOps-Cluster-1/6f62778be84d4acb826a87a7191d7706'. Below this is the 'DevOps-Cluster-1' overview, which includes a 'Cluster overview' section with ARN, Status (Active), CloudWatch monitoring, and Registered container instances. It also has tabs for Services, Daemons, Tasks, Infrastructure, Metrics, Scheduled tasks, Configuration, Event history, and Tags. The 'Tasks' tab is active, showing a table with one task in the 'Running' state.

Task	Last status	Desired status	Task definition	Health status	Created at	Started by
6f62778be84d4acb826a8...	Provisioning	Running	DevOps-Task-1	Unknown	11 seconds ago	-

The screenshot displays the AWS Management Console interface for the Amazon Elastic Container Service (ECS). The browser address bar shows the URL: `ap-south-1.console.aws.amazon.com/ecs/v2/clusters/DevOps-Cluster-1/tasks/6f62778be84d4acb826a87a7191d7706/networking?region=ap-south-1`. The console header includes the AWS logo, a search bar, and the user's name 'Devanshi Jain' with their account ID '2414-9078-7611'.

The left-hand navigation pane lists various ECS-related options: Express Mode, Clusters, Namespaces, Task definitions, Daemon task definitions (marked as 'New'), Account settings, AWS Batch, Amazon ECR, Repositories, Online learning workshop, Documentation, Discover products, and Subscriptions. A 'Tell us what you think' link is also present.

The main content area shows the 'Tasks launched' status for the task `arn:aws:ecs:ap-south-1:241490787611:task/DevOps-Cluster-1/6f62778be84d4acb826a87a7191d7706`. Below this, the task ID `6f62778be84d4acb826a87a7191d7706` is displayed, along with the last update time: 'April 12, 2026, 23:55 (UTC+5:30)'. A 'Stop' button is available.

The 'Networking' tab is selected, showing the following details:

- Configuration**: ENI ID `eni-0a22164c546ff8a82`, Subnet `subnet-0753675d39bbfbbbc3`, and Security groups `sg-0cb6bdcc12232b24b` (default).
- Task role**: `-`
- Task execution role**: `ecsTaskExecutionRole`
- Public IP**: `65.2.4.188` (with a link to 'open address')
- Private IP**: `172.31.14.208`
- IPv6 address**: `-`
- MAC address**: `0a:8a:ad:07:4b:d7`

A 'Run Reachability Analyzer' button is located in the top right corner of the Networking section.

The footer of the console includes links for CloudShell, Feedback, and Console Mobile App, along with the copyright notice: '© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences'.

The screenshot shows a web browser with multiple tabs. The active tab displays a connection error: "This site can't be reached" for the address 65.2.4.188. The error message states "65.2.4.188 took too long to respond" and lists troubleshooting steps: "Checking the connection", "Checking the proxy and the firewall", and "Running Windows Network Diagnostics". The error code is "ERR_CONNECTION_TIMED_OUT".

Below the error page, the AWS Management Console is visible. The breadcrumb trail is "VPC > Security Groups > sg-0cb6bdcc12232b24b - default". The left-hand navigation menu includes "VPC dashboard", "Virtual private cloud", "Security", and "PrivateLink and Lattice". The main content area shows the details for the security group "sg-0cb6bdcc12232b24b - default".

Details:

- Security group name: default
- Security group ID: sg-0cb6bdcc12232b24b
- Description: default VPC security group
- VPC ID: vpc-0e5cd4070267bf5ee
- Owner: 241490787611
- Inbound rules count: 1 Permission entry
- Outbound rules count: 1 Permission entry

Inbound rules (1):

Name	Security group rule ID	IP version	Type	Protocol	Port range	Source
-	sg-r-0a97ebab5ee776e5d	-	All traffic	All	All	sg-0cb6bdcc12232b24b

The footer of the console shows "© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences".

Edit inbound rules Info

Inbound rules control the incoming traffic that's allowed to reach the instance.

Inbound rules Info

Security group rule ID: sgr-0a97ebab5ee776e5d

Type	Protocol	Port range	Source	Description - optional	
HTTP	TCP	80	Custom		Delete
HTTP	TCP	80	Anywh...		Delete

[Add rule](#)

Rules with source of 0.0.0.0/0 or ::/0 allow all IP addresses to access your instance. We recommend setting security group rules to allow access from known IP addresses only.

[Cancel](#) [Preview changes](#) [Save rules](#)

VPC dashboard <

AWS Global View

Filter by VPC

Virtual private cloud

- Your VPCs
- Subnets
- Route tables
- Internet gateways
- Egress-only internet gateways
- DHCP option sets
- Elastic IPs
- Managed prefix lists
- NAT gateways
- Peering connections
- Route servers

Security

- Network ACLs
- Security groups

PrivateLink and Lattice

- Getting started
- Endpoints

Inbound security group rules successfully modified on security group sg-0cb6bdcc12232b24b | default

sg-0cb6bdcc12232b24b - default [Actions](#)

Details

Security group name	Security group ID	Description	VPC ID
default	sg-0cb6bdcc12232b24b	default VPC security group	vpc-0e5cd4070267bf5ee


Owner 241490787611

Inbound rules count 1 Permission entry

Outbound rules count 1 Permission entry


Inbound rules (1) [Manage tags](#) [Edit inbound rules](#)

Name	Security group rule ID	IP version	Type	Protocol	Port range	Source
-	sgr-022a458923bcf906f	IPv4	HTTP	TCP	80	0.0.0.0/0



Hello GFG

[click here for About Us](#)



This is DevOps Engineering course

[click here for index](#)