

物质安全数据表

(Material Safety Data Sheet)

1. 物品与厂商资料/Product And Company Identification

物品名称 PRODUCTS: BOPP 胶带 BOPP TAPE
制造商或供货商名称、地址及电话 FACTORY NAME, ADDRESS: NAME: QINGDAO SUN-HIGH IMP.&EXP. CO., LTD. 地址: 山东省青岛市开发区唐岛湾F小区203号楼3单元401 邮编: 266400 ADD: Q3 unit Room 401, Tang Dao Wan F District 203 building Qingdao Development Zone China Zip Code: 223900
紧急联络电话/ 传真电话: TEL (86)-532-86999245 FAX (86)-532-86999245

2. 成分辨识资料/Composition Information on ingredients

混合物 Composition: 聚丙烯膜 BOPP FILM + 亚克力水胶 Acrylic Water Based Glue
中英文名称: 丙烯酸酯类聚合物 Acrylic Polymer
% / 依重量: 聚丙烯膜 BOPP FILM (50%~61%); 亚克力水胶 Acrylic Water Based Glue (39%~50%) .
化学文摘社登记号码(CAS No.): 9003-01-4
危害物质成分(成分百分比): 39%~50%

三. 危害辨识数据/Hazard Identification

最重要危害和效应 The most important hazards and effects	健康危害效应 Health hazard effect: 吞食有害, 可能造成咳嗽、气喘、头昏、头痛、恶心、呕吐和昏迷。 Devour harmful, creation cough, asthma, dizzy, headache, feel nauseated, vomit and stupor.
	环境影响 Environment effects: — 不易降解, Not easy to degrade
	物理性及化学性危害 Physical and chemical hazards: 可燃性 Flammable, 遇火源可能将火势扩散 Meet fire source, expanding ignition zone .
	特殊危害 Special hazard: — 无 NO.
物品危害分类 Item damage category: — 4.1 易燃固体 Combustible solid	

四. 急救措施/First Aid Measures

不同暴露途径之急救方法 Methods of first aid for different exposure routes: 吸入 Inhalation: / 皮肤接触 Skin contact: 用肥皂水和清水冲洗皮肤 Soap and water washing skin. 眼睛接触 Eyes contact: 提起眼睑, 用流动清水或生理盐水冲洗。就医 raise eyelid, Flush with flowing water or normal saline, medical treatment. 食入 Ingestion: 立即就医 Immediate medical treatment.
最重要症状及危害效应 The most important symptom and harm effect: — NO
对急救人员之防护 Protection of emergency personnel: — NO
对医师之提示 Tips for physicians: — NO

五. 灭火措施/Fire Fighting Measures

适用灭火剂:喷水、化学干粉、二氧化碳、酒精泡沫。 Applicable fire extinguishing agent: Water, Chemical dry powder, Carbon dioxide, Alcohol bubble.
灭火时可能遭遇之特殊危害:一无 Special hazards may be encountered when extinguishing fire: - NO
特殊灭火程序 Special fire fighting procedures: —NO
消防人员之特殊防护装备:戴空气呼吸器及防护手套、消防衣。 Special protective equipment for fire fighters: Air breathing apparatus, fire fighting gloves and fire services.

六. 泄漏处理方法/Accidental Release Measures

个人应注意事项:1.在污染区尚未完全清理干净前, 限制人员接近该区。2. 确定清理工作是由受过训练的人员负责。 Individual should pay attention to matters: 1. Before the pollution area has not been completely cleared, the restricted personnel are close to the area. 2. To determine the clean-up work is to be responsible for the training of personnel.
环境注意事项 Environmental considerations: --
清理方法 Cleaning method: 1.对该区域进行通风换气。Ventilation for the area. 2.扑灭或除去所有发火源。Extinguish or remove all sources of ignition 3.通知政府安全卫生与环保相关单位。Notify government's safety and health department and environmental protection department.

七. 安全处置与处理方法/Handling And Storage

处置 Management: 工作人员应受适当有关此物质之危险性及安全使用法之训练。Staff should receive training about dangerous and safe use of this material.
储存 Storage: 贮存于阴凉、干燥、通风良好的地区, 远离热、引燃源。Store in a cool, dry, well ventilated area, and away from the heat source and ignition source

八. 暴露预防措施/Exposure Controls Protection

工程控制:1.单独使用不产生火花、接地的通风系统。2.排气口直接通到室外, 并采取保护环境的重要措施。 Engineering control: 1. Separate use of the air system without generating sparks and with grounding wire. 2. Direct exhaust port to the outdoor, fringe method for environmental protection.			
控 制 参 数 Control parameter			
八小时日时量平均 容许浓度 Eight hours daily average allowable concentration TWA	短时间时量平均 容许浓度 Time average allowable concentration STEL	最高容许 浓度 Maximum allowable concentration CEILING	生物指标 Biological index BEIs
-	-	-	-

个人防护设备 Personal protective equipment: 呼吸防护 Respiratory protection: — 手部防护 Hand protection: — 眼睛防护 Eye protection: — 皮肤及身体防护 Skin and body protection: —
卫生措施: 1. 工作场所严禁抽烟或饮食。2. 处理此物后, 须洗手。3. 维持作业场所清洁。 Health measures: 1. Smoking or eating is prohibited in the workplace. 2. To deal with this matter, must wash their hands. 3. Maintenance work place clean.

九. 物理及化学性质/Physical and Chemical Properties

物质状态 Material state: 固体 Solid	形状 Shape: /
颜色 Color: -视情况而定 Depending on the situation	气味 Smell: 轻微气味 Mild odor
pH 值: /	沸点/ 沸点范围 Boiling point range: /
分解温度 Decomposition temperature: —	闪火点 Flash point: / 测试方法 Test method: () 开杯 Open Cup (~) 闭杯 Closed cup
自燃温度 Spontaneous combustion temperature: —	爆炸极限 Explosive limit: /
蒸气压 Vapor pressure: /	蒸气密度 Vapor density: /
密度 Density: - 1.02	溶解度 Solubility: /

十. 安定性及反应性/Stability And Reactivity

安定性 Stability: 正常情况下安定 Under normal circumstances
特殊状况下可能之危害反应 Special situations may be harmful response: —
应避免之状况 Should avoid the situation: —
应避免之物质 Substances to be avoided: 强酸 Strong acid、强碱 Alkali、溶剂 Solvent.
危害分解物 Hazard decomposition: —

十一. 毒性资/Toxicological Information

急毒性 Acute toxicity: 吸入 Inhalation: — 皮肤 Skin: — 食入 Ingestion: — LD50(测试动物 Test animals、暴露途径 Exposure pathway) : — LC50(测试动物 Test animals、暴露途径 Exposure pathway) : —
局部效应 Local effect: —
致敏感性 Sensitivity: 长期或反复接触可能皮肤炎或过敏 Long-term or repeated exposure may be allergic or skin inflammation.
慢毒性或长期毒性 Slow toxicity or long-term toxicity: —
特殊效应 Special effect: —

十二. 生态资/Ecological Information

可能之环境影响 Possible environmental impact / 环境流布 Environmental flow: 水溶性很低, 对环境的影响很小。The water solubility is very low, the environmental impact is small.

十三. 废弃处置方法/Disposal Considerations

废弃处置方法 Waste disposal method: 处置前应参阅国家和地方有关法规。 Disposal should be referred to the state and local laws and regulations.

十四. 运送资料/Transport Information

国际运送规定 International Shipping Regulations: —
联合国编号 United Nations Code: —
国内运输规定 Domestic transportation regulations: —
特殊运送方法及注意事项 Special shipping methods and precautions: —

十五. 法规资/Regulatory Information

适用法规 Applicable laws and regulations: —

十六. 其它数/Other Information

参 考 文 献 Reference	-	
制 表 者 单 位 Tab unit	名称 Company Name :青岛旭泰进出口有限公司QINGDAO SUN-HIGH IMP.&EXP. CO., LTD.	
	地址: 山东省青岛市开发区唐岛湾F小区203号楼3单元401 ADD: Q3 unit Room 401,Tang Dao Wan F District 203 building Qingdao Development Zone China 电话 TEL:+86-532-86999245	
制表人 Tab	职称 Title: 质量工程师 Quality Engineer	姓名(签章)NAME: 杨梅 YANG MEI
制 表 日 期 DATE	2017 年 1 月 8 日 2017-1-8	
备 注 REMARK	上述数据中符号“—”代表目前查无相关数据, 而符号“/”代表此字段对该物质并不适用。Above code number “—”, on behalf of the current we cannot find the relevant data; and the code number “/”, representative of this field is not applicable to the material.	

上述数据由青岛旭泰进出口有限公司 质量部制作, 各项参数与数据仅供参考, 使用者请依应用需求判断其可用性, 尤其需注意混合时可能产生不同之危害, 并依危险物及有害物通识规则之相关规定, 提供 劳工必要之安全卫生注意事项。

The above data is made by the quality department of QINGDAO SUN-HIGH IMP.&EXP. CO., LTD. The parameters and data for reference only. Judge the availability of the application in accordance with the needs of the application, in particular, the need to pay attention to the mix of different hazards, The relevant provisions of the general rules of the hazardous substances and hazardous substances, provide necessary safety and health care.