## Vim & Tmux

Sheng-Jun Lin

## **Programming Font**

- Type: monospace 等寬,
  sans-serif 無襯線(黑體).
  serif 襯線(明體)
- Eg: Source Code Pro
  - mono, sans-serif
  - https://github.com/adobe-fonts/source-code-pro
  - Installation:
    - Fedora: dnf install texlive-sourcecodepro
    - Centos: yum install texlive-sourcecodepro



## Vim

• Open a file vim example.txt



### **Normal Mode**

h j k l/←↓↑→		
0/Home	Go to beginning of the line	
^/Home	First character of the line	
\$/End	Go to end of the line	
gg	Go to the first line	
G	Go to the last line	
u	Undo	
dd	Del the line	р
D	Del rest of the line	Paste
уу	Copy the line	



- **d** Del the region
- y Copy the region

Esc Leave the mode

v Shift + v Visual Mode

Visual Line Mode

Ctrl + v

**Visual Block Mode** 

Ctrl + > or < Indent

### Vim

• Open a file vim example.txt



**Esc** Leave the mode

### **Command mode**

#### Search

/some words

**n** Next, **N** Previous

#### Set

:set nu Show #line

:set nonu Hide #line

#### **Substitute**

:line range s/w1/w2/g

:5s/dog/Cat/g

**:5,10s/**dog/Cat/**g** 

:5,10s/dog//g

:5,10s/^/Cat/g

:5,10s/\$/Cat/g

**:5,%s/**dog/Cat/**g** 


:%s/dog/Cat/g

### **Normal Mode**

h j k l/←↓↑→		
0/Home	Go to beginning of the line	
^/Home	First character of the line	
\$/End	Go to end of the line	
gg	Go to the first line	
G	Go to the last line	
u	Undo	
dd	Del the line	р
D	Del rest of the line	Paste
уу	Copy the line	


### Vim

• Open a file vim example.txt



# Vim plugin manager

- Pathogen
- Vundle
- vim-plug
  - We will use this.



Test how long to start up vim:
 vim --startuptime vim.log

# Install vim-plug and some plugins

https://github.com/Sheng-Jun/vimrc

# tmux (terminal multiplexer)

- Install:
  - Fedora: dnf install tmux
  - Ubuntu: apt-get install tmux
  - Mac: brew install tmux
- Config:

https://github.com/Sheng-Jun/tmux\_config