

平台弹性与降级处置规范

PRE-2026-51 | degraded-mode and recovery

适用范围

本规范定义平台依赖故障时的降级与恢复行为,供图形化评审使用。编号为 PRE-2026-51;PRE-2026-15 是压测脚本。

Scope

It covers vector search, object storage, OCR, visual verification and canvas save. It does not cover physical power or network hardware.

阅读约定

「降级」指能力受限但仍安全可用,「中断」指能力完全不可用。带编号的处置规则对应唯一事实。

拒答边界

本规范不含堡垒机口令、值班电话或云密钥,相关问题必须拒答。

1. 故障处置矩阵

dependency, state, allowed action

Matrix rule

The allowed action is conservative; a capability stays available only when it does not depend on the failed path.

Failure	State	Allowed	Blocked	Severity
Vector search	retrieval degraded	manual drawing	material search	SEV-2
Object store	hydration failed	edit saved XML	open evidence	SEV-2
OCR	scan unavailable	native PDF	scan claims	SEV-3
Visual verifier	visual pending	text claims	pixel relations	SEV-3
Canvas save	save blocked	download draft	publish	SEV-1

Matrix result

During a vector-search failure, manual drawing remains available but material search is blocked. A canvas-save failure is SEV-1 because publishing could lose user work.

2. 恢复验证规则

probe order and gates

探测顺序

先验证租户与图册过滤,再验证版本选择,再验证证据水合,最后验证生成。一次不带过滤的成功查询不是有效恢复探测。

Search recovery

Vector search returns to normal only after 12 consecutive scoped probes succeed across three test tenants. The nearby 21 is a capacity drill, not the recovery threshold.

OCR recovery

OCR recovery requires anchor recall of at least 0.95 on the pinned scan suite and no cross-page substitution. Character error rate alone cannot prove row correctness.

No-evidence rule

If retrieval did not execute, the system must report that search could not run and must not claim that no evidence exists.

3. 检索决策

when to retrieve and source order

是否检索

把已有故障处置图重新排布属于纯图形操作,不需要重新检索。新增故障事实或比较阈值时必须检索并验证证据。

显式来源

用户点名某个处置规则资料时,只能在该范围内检索;若缺少目标事实,应说明证据不足,而不是改用最新资料补全。

来源顺序

没有显式来源时,先搜索当前图册允许共享的资料,再在开启自动检索后扩大到更广授权资料。

澄清条件

当「这个故障」可能对应多个依赖时,先请求澄清,不能用相似度最高的结果替代用户选择。

4. 版本审批

pin, default and rejected draft

版本审批

本规范 1.0 版于 2026 年 12 月 4 日由可靠性委员会批准。10 月草案允许 5 次探测即恢复,评审认为风险过高并删除该规则,改为 12 次连续探测。已固定引用某版本处置基线的图形在新版本出现后仍固定引用原版本。

Severity note

SEV-1 means possible cross-scope disclosure or corrupted saved canvas; SEV-2 means a material task cannot complete without data loss; SEV-3 means a retryable delay with preserved work.